

**SAN BERNARDINO COUNTY
INITIAL STUDY ENVIRONMENTAL CHECKLIST FORM**

This form and the descriptive information in the application package constitute the contents of Initial Study pursuant to County Guidelines under Ordinance 3040 and Section 15063 of the State CEQA Guidelines.

PROJECT LABEL:

APN:	0252-151-67, 91, 95
APPLICANT:	DCT INDUSTRIAL
COMMUNITY:	BLOOMINGTON/FIFTH SUPERVISORIAL DISTRICT
LOCATION:	NORTH SIDE OF SLOVER AVENUE APPROXIMATELY 325' WEST OF LOCUST AVENUE
PROJECT NO:	P201200382
STAFF:	HEIDI DURON
REP('S):	SAME AS APPLICANT
PROPOSAL:	CONDITIONAL USE PERMIT TO ESTABLISH A 610,120 SQUARE FOOT INDUSTRIAL BUILDING TO BE USED AS A HIGH CUBE WAREHOUSE DISTRIBUTION FACILITY WITH A MAJOR VARIANCE TO ALLOW A HIGHER FLOOR AREA RATIO ON 27.8 ACRES.

USGS Quad: Fontana
T, R, Section: T1S R5W Sec.21 S 1/2

Thomas Bros.: page 605 Grid: C-7

Planning Area: Bloomington Community Plan
Land Use: BL/IR
Zoning: BL/IC
Overlays: None

PROJECT CONTACT INFORMATION:

Lead agency: County of San Bernardino
Land Use Services Department
385 N. Arrowhead Avenue
San Bernardino, CA 92415-0182

Contact person: Heidi Duron, Senior Planner
Phone No: (909) 387-4108 Fax No: (909) 387-3223
E-mail: hduron@lusc.sbcounty.gov

Project Sponsor: DCT Industrial
12 Corporate Plaza, Suite 150
Newport Beach, CA 92660

PROJECT DESCRIPTION:

The proposed project is a Conditional Use Permit to establish a 610,120 square-foot industrial building to be used as a "High Cube" warehouse distribution facility (Project) on 28 acres. High Cube Warehouse is defined as follows: "Warehouse/Distribution Centers are used primarily for the storage and/or consolidation of manufactured goods prior to their distribution to retail locations or other warehouse. These facilities are typically constructed utilizing concrete tilt-up technique, with a typical ceiling height of at least 24 feet. Warehouse/Distribution Centers are generally greater than 100,000 SF in size with a land coverage ratio of approximately 50% and a dock-high loading ratio of approximately 1:5,000-10,000 SF. They are characterized by a small employment count due to a high level of automation."

The proposed warehouse includes a maximum of 10,000 square feet of office space. The Project site is 28 acres. The General Plan Land Use Zoning designation for the site is IC (Community Industrial) and IR (Regional Industrial). Because the site is split-zoned, there are two different Floor Area Ratios (FAR) that apply to the project. The IC zone has an FAR of 45%, and 55% for the IR zone, with a weighted average of 46.25%. The proposed FAR for this project is 49.98% of the net site area, and therefore the applicant is requesting a Major Variance to allow the higher FAR. Landscaping covers 15.1% of the net site area, which meets the requirement under the Development Code.

ENVIRONMENTAL/EXISTING SITE CONDITIONS:

The Project site is located on the north side of Slover Avenue, approximately 325' west of Locust Avenue in the unincorporated community of Bloomington. The site is fully paved and developed with a xxxx square foot office, and was previously entitled for an auto auction. The terrain is relatively level with no unique topographical or riparian features. The Project is located immediately south of a railroad track. The site is not within any identified hazard overlay. However, it is within an area identified as having potential for habitat that supports the Delhi Sands flower-loving fly, a federally protected species.

AREA	EXISTING LAND USE	OFFICIAL LAND USE DISTRICT
SITE	Office	BL/IC (Community Industrial)/ BL/IR (Regional Industrial)
North	Railroad/Interstate 10	BL/IR (Regional Industrial)
South	Vacant/Single Family Residences	BL/IC (Community Industrial)
East	Single-Family Residences	BL/IC (Community Industrial)/ BL/IR (Regional Industrial)
West	Vacant	BL/IC (Community Industrial)/ BL/IR (Regional Industrial)

Other public agencies whose approval is required (e.g., permits, financing approval, or participation agreement.):

Federal: None.

State of California: Regional Water Quality Control Board (RWQCB), South Coast Air Quality Management District (AQMD).

County of San Bernardino: Land Use Services - Code Enforcement, Building and Safety, Land Development; Public Health-Environmental Health Services; Special Districts; Public Works; County Fire, and

Local:City of Rialto.

EVALUATION FORMAT

This initial study is prepared in compliance with the California Environmental Quality Act (CEQA) pursuant to Public Resources Code Section 21000, et seq. and the State CEQA Guidelines (California Code of Regulations Section 15000, et seq.). Specifically, the preparation of an Initial Study is guided by Section 15063 of the State CEQA Guidelines. This format of the study is presented as follows. The project is evaluated based upon its effect on seventeen (17) major categories of environmental factors. Each factor is reviewed by responding to a series of questions regarding the impact of the project on each element of the overall factor. The Initial Study Checklist provides a formatted analysis that provides a determination of the effect of the project on the factor and its elements. The effect of the project is categorized into one of the following four categories of possible determinations:

Potentially Significant Impact	Less than Significant With Mitigation Incorporated	Less than Significant	No Impact
--------------------------------	--	-----------------------	-----------

Substantiation is then provided to justify each determination. One of the four following conclusions is then provided as a summary of the analysis for each of the major environmental factors.

1. **No Impact:** No impacts are identified or anticipated and no mitigation measures are required.
2. **Less than Significant Impact:** No significant adverse impacts are identified or anticipated and no mitigation measures are required.
3. **Less than Significant Impact with Mitigation Incorporated:** Possible significant adverse impacts have been identified or anticipated and the following mitigation measures are required as a condition of project approval to reduce these impacts to a level below significant. The required mitigation measures are: (List of mitigation measures)
4. **Potentially Significant Impact:** Significant adverse impacts have been identified or anticipated. An Environmental Impact Report (EIR) is required to evaluate these impacts, which are (List of the impacts requiring analysis within the EIR).

At the end of the analysis the required mitigation measures are restated and categorized as being either self- monitoring or as requiring a Mitigation Monitoring and Reporting Program.

ENVIRONMENTAL FACTORS POTENTIALLY AFFECTED:

The environmental factors checked below would be potentially affected by this project, involving at least one impact that is a "Potentially Significant Impact" as indicated by the checklist on the following pages.

- | | | |
|---|---|---|
| <input type="checkbox"/> Aesthetics | <input type="checkbox"/> Agriculture and Forestry Resources | <input type="checkbox"/> Air Quality |
| <input type="checkbox"/> Biological Resources | <input type="checkbox"/> Cultural Resources | <input type="checkbox"/> Geology / Soils |
| <input type="checkbox"/> Greenhouse Gas Emissions | <input type="checkbox"/> Hazards & Hazardous Materials | <input type="checkbox"/> Hydrology / Water Quality |
| <input type="checkbox"/> Land Use/ Planning | <input type="checkbox"/> Mineral Resources | <input type="checkbox"/> Noise |
| <input type="checkbox"/> Population / Housing | <input type="checkbox"/> Public Services | <input type="checkbox"/> Recreation |
| <input type="checkbox"/> Transportation / Traffic | <input type="checkbox"/> Utilities / Service Systems | <input type="checkbox"/> Mandatory Findings of Significance |

DETERMINATION: (To be completed by the Lead Agency)

On the basis of this initial evaluation, the following finding is made:

<input type="checkbox"/>	The proposed project COULD NOT have a significant effect on the environment, and a NEGATIVE DECLARATION shall be prepared.
<input checked="" type="checkbox"/>	Although the proposed project could have a significant effect on the environment, there shall not be a significant effect in this case because revisions in the project have been made by or agreed to by the project proponent. A MITIGATED NEGATIVE DECLARATION shall be prepared.
<input type="checkbox"/>	The proposed project MAY have a significant effect on the environment, and an ENVIRONMENTAL IMPACT REPORT is required.
<input type="checkbox"/>	The proposed project MAY have a "potentially significant impact" or "potentially significant unless mitigated" impact on the environment, but at least one effect 1) has been adequately analyzed in an earlier document pursuant to applicable legal standards, and 2) has been addressed by mitigation measures based on the earlier analysis as described on attached sheets. An ENVIRONMENTAL IMPACT REPORT is required, but it must analyze only the effects that remain to be addressed.
<input type="checkbox"/>	Although the proposed project could have a significant effect on the environment, because all potentially significant effects (a) have been analyzed adequately in an earlier EIR or NEGATIVE DECLARATION pursuant to applicable standards, and (b) have been avoided or mitigated pursuant to that earlier EIR or NEGATIVE DECLARATION, including revisions or mitigation measures that are imposed upon the proposed project, nothing further is required.

 Signature: prepared by Heidi Duron, Supervising Planner

 April 29, 2013
 Date

 Signature: Terri Rahhal, Planning Director

 Date

<i>Issues</i>	<i>Potentially Significant Impact</i>	<i>Less than Significant with Mitigation Incorporated</i>	<i>Less than Significant</i>	<i>No Impact</i>
I. AESTHETICS - Would the project				
a) Have a substantial adverse effect on a scenic vista?	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>
b) Substantially damage scenic resources, including but not limited to trees, rock outcroppings, and historic buildings within a state scenic highway?	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
c) Substantially degrade the existing visual character or quality of the site and its surroundings?	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
d) Create a new source of substantial light or glare, which would adversely affect day or nighttime views in the area?	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>

SUBSTANTIATION: (Check if project is located within the view-shed of any Scenic Route listed in the General Plan):

- a) **No Impact.** The proposed project is not located within a designated Scenic Corridor and will not have a substantial adverse effect on a scenic vista, as there are none identified within the vicinity of the project site that would be affected by the proposed development.
- b) **Less than Significant Impact.** The proposed project will not substantially damage scenic resources, including but not limited to, trees, rock outcroppings, and historic buildings within a state scenic highway because the project site is not within or adjacent to a state scenic highway, and there are no existing rock outcroppings or historic buildings present on the site.
- c) **Less than Significant Impact.** The proposed project will not substantially degrade the existing visual character or quality of the site and its surroundings, because the project is consistent with the planned visual character of the area and will incorporate landscaping and screening of exterior mechanical equipment, loading and storage areas.
- d) **Less than Significant Impact.** The proposed project will not create a new source of substantial light or glare, which would adversely affect day or nighttime views in the area because all lighting proposed onsite will be designed in accordance with the County Development Code. These standards and code requirements will ensure that the project will not create a new source of substantial light or glare by requiring lighting to be shielded or hooded. A lighting plan will be required as a condition of approval for this project. Impacts are considered less than significant.

Issues	Potentially Significant Impact	Less than Significant with Mitigation Incorporated	Less than Significant	No Impact
<p>II. AGRICULTURE AND FORESTRY RESOURCES - In determining whether impacts to agricultural resources are significant environmental effects, lead agencies may refer to the California Agricultural Land Evaluation and Site Assessment Model (1997) prepared by the California Dept. of Conservation as an optional model to use in assessing impacts on agriculture and farmland. In determining whether impacts to forest resources, including timberland, are significant environmental effects, lead agencies may refer to information compiled by the California Department of Forestry and Fire Protection regarding the state's inventory of forest land, including the Forest and Range Assessment Project and the Forest Legacy Assessment project; and forest carbon measurement methodology provided in Forest Protocols adopted by the California Air Resources Board. Would the project:</p>				
<p>a) Convert Prime Farmland, Unique Farmland, or Farmland of Statewide Importance (Farmland) as shown on the maps prepared pursuant to the Farmland Mapping and Monitoring Program of the California Resources Agency, to non-agricultural use?</p>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>
<p>b) Conflict with existing zoning for agricultural use, or a Williamson Act contract?</p>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>
<p>c) Conflict with existing zoning for, or cause rezoning of, forest land (as defined in Public Resources Code section 12220(g)), timberland (as defined by Public Resources Code section 4526), or timberland zoned Timberland Production (as defined by Government Code section 51104(g))?</p>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>
<p>d) Result in the loss of forest land or conversion of forest land to non-forest use?</p>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>
<p>e) Involve other changes in the existing environment which, due to their location or nature, could result in conversion of Farmland, to non-agricultural use or conversion of forest land to non-forest use?</p>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>

SUBSTANTIATION: (Check if project is located in the Important Farmlands Overlay):

- a) **No Impact.** The subject property is not identified or designated as Prime Farmland, Unique Farmland, or Farmland of Statewide. Importance on the maps prepared pursuant to the Farmland Mapping and Monitoring Program of the California Resources Agency. There are no agricultural uses on the site currently.
- b) **No Impact.** The subject property is not designated or zoned for agricultural use and the proposed project does not conflict with any agricultural land use or Williamson Act land conservation contract.
- c) **No Impact.** The proposed project would not conflict with existing zoning for, or cause rezoning of, forest land (as defined in Public Resources Code section 12220(g)), timberland (as defined by Public Resources Code section 4526), or timberland zoned Timberland Production (as defined by Government Code section 51104(g)). The proposed project area is currently vacant land, which has never been designated as forest land or timberland. No rezoning of the project site would be required as the proposed project is compatible with the current zoning designation.
- d) **No Impact.** The proposed project would not result in the loss of forest land or conversion of forest land to non-forest use. The proposed project area is currently vacant land, which has never been designated as forest land or timberland.
- e) **No Impact.** The proposed project will not involve other changes in the existing environment, which, due to their location or nature, could result in conversion of Farmland to a non-agricultural use because, although the project involves the development of a warehouse facility, the site is currently not used for agricultural purposes. Impacts are considered less than significant.

Issues	Potentially Significant Impact	Less than Significant with Mitigation Incorporated	Less than Significant	No Impact
III. AIR QUALITY - Where available, the significance criteria established by the applicable air quality management or air pollution control district might be relied upon to make the following determinations. Would the project:				
a) Conflict with or obstruct implementation of the applicable air quality plan?	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
b) Violate any air quality standard or contribute substantially to an existing or projected air quality violation?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
c) Result in a cumulatively considerable net increase of any criteria pollutant for which the project region is non-attainment under an applicable federal or state ambient air quality standard (including releasing emissions which exceed quantitative thresholds for ozone precursors)?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
d) Expose sensitive receptors to substantial pollutant concentrations?	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
e) Create objectionable odors affecting a substantial number of people?	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>

SUBSTANTIATION: *(Discuss conformity with the South Coast Air Quality Management Plan, if applicable):*

The information contained in this section is based in part on an Air Quality Analysis that was prepared by LSA Associates in October 2012.

- a) **Less than Significant Impact.** The proposed project does not conflict with or obstruct implementation of the applicable air quality plan. The Air Quality Management Plan (AQMP) for the South Coast Air Basin (SCAB) sets forth a comprehensive program that will lead the SCAB into compliance with all federal and state air quality standards. The AQMP control measures and related emission reduction estimates are based upon emissions projections for a future development scenario derived from land use, population, and employment characteristics defined in consultation with local governments. Accordingly, conformance with the AQMP for development projects is determined by demonstrating compliance with local land use plans and/or population projections. The site will be paved and landscaped, which will mean little or no wind-blown dust or particulate matter will leave the site. The General Plan Land Use Zoning designation of the site is Community Industrial and Regional Industrial. Since this project involves the development of warehouse buildings, which is consistent with County General Plan, the proposed project is in compliance with the AQMP.

- b) **Less than Significant with Mitigation.** The proposed project could violate an air quality standard and contribute substantially to an existing or projected air quality violation. Air quality impacts would include construction exhaust emissions generated from construction equipment, vegetation clearing and earth movement activities (if necessary), construction workers' commute, and construction material hauling for the entire construction period. These activities would involve the use of diesel- and gasoline-powered equipment that would generate emissions of criteria pollutants such as Carbon Monoxide (CO), Nitrogen Oxides (NO_x), Reactive Organic Gases (ROG) or Volatile Organic Compounds (VOC), Sulfur Oxides (SO_x), Particulate Matter less than 10 microns (PM₁₀), and Particulate Matter less than 2.5 microns (PM_{2.5}). The project construction activities also represent sources of vehicle re-entrained fugitive dust (which includes PM₁₀), a potential concern because the proposed project is in a non-attainment area for ozone and PM-10.

Based on the data provided in the air quality analysis there are no emissions would exceed the SCAQMD thresholds for significance during construction activities. Therefore, there are no significant short-term regional air quality impacts during the off-site construction, site clearing, and grading phase for the project that would occur. Therefore, air quality impacts associated with grading is considered to be less than significant. All short-term emissions associated with construction activities, of all criteria pollutants, are below the SCAQMD regional and localized thresholds of significance.

The maximum daily operational emissions are 34 lbs. for ROG, 120 lbs. for NO_x, 170 lbs for CO, 0.37 lbs for SO_x, 43 lbs. for PM₁₀, and 5.2 lbs. for PM_{2.5}. Long-term emissions of all criteria pollutants are below the SCAQMD regional significance thresholds in both winter and summer during project operation except for NO_x. As a result, a localized significance threshold (LST) analysis was prepared for the project. The calculated emissions for the proposed operational activities were compared with appropriate LSTs for a 5-acre site. For a worse-case scenario assessment, the emissions included all on-site stationary sources and 5 percent of the mobile sources, which is an estimate of the amount of project-related vehicle traffic that will occur on site. The analysis concludes that none of the operational emission rates of criteria pollutants result in concentrations that exceed the LST thresholds at the nearest residential uses. Therefore, the proposed operational activity would not result in a localized significant air quality impact.

Therefore, both short-term and long-term emissions from project will not exceed the SCAQMD established significance thresholds, with implementation of mitigation measures, and the impacts are considered less than significant. The project will not violate any air quality standard or contribute substantially to an existing or projected air quality violation, because the proposed use(s) do not exceed established thresholds of concern as established by the District after implementation of the identified mitigation measures.

- c) **Less than Significant Impact with Mitigation.** In evaluating the cumulative effects of the project, Section 21100(e) of CEQA states that "previously approved land use documents including, but not limited to, general plans, specific plans, and local coastal plans, may be used in cumulative impact analysis." In addressing cumulative effects for air quality, the AQMP utilizes approved general plans and, therefore, is the most appropriate document to use to evaluate cumulative impacts of the subject project. This is because the AQMP evaluated air quality emissions for the entire south coast air basin using a future

development scenario based on population projections and set forth a comprehensive program that would lead the region, including the project area, into compliance with all federal and state air quality standards. However, the project would contribute criteria pollutants to the area during construction. Depending on other construction occurring in the area, generation of fugitive dust and pollutant emissions during construction could result in substantial short-term increases in air pollution. The portion of the South Coast Air Basin within which the project is located is designated as a non-attainment area for ozone and PM-10 under state standards, and as a non-attainment area for ozone, carbon monoxide, PM-10, and PM-2.5 under federal standards. Construction of the proposed project, in conjunction with other planned developments would contribute to the existing nonattainment status. The proposed project would exacerbate nonattainment of air quality standards and contribute to adverse cumulative air quality impacts. With incorporation of mitigation measures, the impacts are less than significant.

- d) **Less than Significant Impact.** The ongoing operation of the proposed project would generate TAC emissions from diesel truck emissions created by the on-going operations of warehouse uses. According to the SCAQMD methodology, health effects from carcinogenic air toxics are usually described in terms of individual cancer risk. "Individual Cancer Risk" is the likelihood that a person exposed to concentrations of TAC's over a 70-year lifetime will contract cancer, based on the use of the standard risk-assessment methodology.

According to the methodology described in *Health Risk Assessment Guidance for analyzing Cancer Risks from Mobile Source Diesel Idling Emissions for CEQA Air Quality Analysis*, prepared by SCAQMD, August 2003, and the *Localized Significance Threshold Methodology*, prepared by SCAQMD, June 2003, the TAC screening area should extend out to 500 meters or 1,640 feet. An HRA was performed due to the close proximity of current residents to the project site that will be exposed to diesel-powered delivery trucks, potentially resulting in a significant exposure.

The SCAQMD website shows a carcinogenic risk of over 886 million for the Bloomington area. The HRA performed for this project shows the incremental increase is only a very small fraction of the ambient conditions. No significant health risk would occur from project-related truck traffic. The results of the assessment show that both long-term and short-term risks to residents along Locust Avenue and Slover Avenue are less than significant and no mitigation is required.

- e) **Less than Significant Impact.** The proposed project will not create objectionable odors affecting a substantial number of people because the project will only include warehousing uses and no manufacturing uses are allowed under this approval. In addition, the project is in an established industrial area. Therefore, the impact is considered less than significant.

Possible significant adverse impacts have been identified or anticipated and the following mitigation measures are required as conditions of project approval to reduce these impacts to a level below significant.

MM# Mitigation Measures

- III-1 *AQ/Operational Mitigation. The "developer" shall implement the following air quality mitigation measures, during operation of the approved land use: All on-site equipment and*

vehicles (off-road/ on-road), shall comply with the following:

- a) County Diesel Exhaust Control Measures [SBCC §83.01.040 (c)]
- b) Signs shall be posted requiring all vehicle drivers and equipment operators to turn off engines when not in use.
- c) All engines shall not idle more than five minutes in any one-hour period on the project site. This includes all equipment and vehicles.
- d) Engines shall be maintained in good working order to reduce emissions.
- e) Ultra low-sulfur diesel fuel shall be utilized.
- f) Electric, CNG and gasoline-powered equipment shall be substituted for diesel-powered equipment, where feasible.
- g) On-site electrical power connections shall be made available, where feasible.
- h) All transportation refrigeration units (TRU's) shall be provided electric connections, when parked on-site.

[Mitigation Measure III-1] General Requirements/Planning

III-2 AQ-Dust Control Plan. The "developer" shall prepare, submit for review and obtain approval from County Planning of both a Dust Control Plan (DCP) consistent with SCAQMD guidelines and a signed letter agreeing to include in any construction contracts/subcontracts a requirement that project contractors adhere to the requirements of the DCP. The DCP shall include the following requirements:

- a) Exposed soil shall be kept continually moist to reduce fugitive dust during all grading and construction activities, through application of water sprayed a minimum of two times each day.
- b) During high wind conditions (i.e., wind speeds exceeding 25 mph), areas with disturbed soil shall be watered hourly and activities on unpaved surfaces shall cease until wind speeds no longer exceed 25 mph.
- c) Storage piles that are to be left in place for more than three working days shall be sprayed with a non-toxic soil binder, covered with plastic or revegetated.
- d) Storm water control systems shall be installed to prevent off-site mud deposition.
- e) All trucks hauling dirt away from the site shall be covered.
- f) Construction vehicle tires shall be washed, prior to leaving the project site.
- g) Rumble plates shall be installed at construction exits from dirt driveways.
- h) Paved access driveways and streets shall be washed and swept daily when there are visible signs of dirt track-out.
- i) Street sweeping shall be conducted daily when visible soil accumulations occur along site access roadways to remove dirt dropped or tracked-out by construction vehicles. Site access driveways and adjacent streets shall be washed daily, if there are visible signs of any dirt track-out at the conclusion of any workday and after street sweeping.

[Mitigation Measure III-2] Grading Permits/Planning

III-3 AQ - Construction Mitigation. The "developer" shall submit for review and obtain approval from County Planning of a signed letter agreeing to include as a condition of all construction contracts/subcontracts requirements to reduce vehicle and equipment emissions and other impacts to air quality by implementing the following measures and submitting documentation of compliance: The developer/construction contractors shall do the following:

- a) Provide documentation prior to beginning construction demonstrating that the project will comply with all SCAQMD regulations including 402, 403, 431.1, 431.2, 1113 and

1403.

- b) *Each contractor shall certify to the developer prior to construction-use that all equipment engines are properly maintained and have been tuned-up within last 6 months.*
- c) *Each contractor shall minimize the use of diesel-powered vehicles and equipment through the use of electric, gasoline or CNG-powered equipment. All diesel engines shall have aqueous diesel filters and diesel particulate filters.*
- d) *All gasoline-powered equipment shall have catalytic converters.*
- e) *Provide onsite electrical power to encourage use of electric tools.*
- f) *Minimize concurrent use of equipment through equipment phasing.*
- g) *Provide traffic control during construction to reduce wait times.*
- h) *Provide on-site food service for construction workers to reduce offsite trips.*
- i) *Implement the County approved Dust Control Plan (DCP)*
- j) *Suspend use of all construction equipment operations during second stage smog alerts. NOTE: For daily forecast, call (800) 367-4710 (San Bernardino and Riverside counties).*

[Mitigation Measure III-3] Grading Permits/Planning

III-4 AQ - Coating Restriction Plan. The developer shall submit for review and obtain approval from County Planning of a Coating Restriction Plan (CRP), consistent with SCAQMD guidelines and a signed letter agreeing to include in any construction contracts/subcontracts a condition that the contractors adhere to the requirements of the CRP. The CRP measures shall be following implemented to the satisfaction of County Building and Safety:

- a) *Architectural coatings with Reactive Organic Compounds (ROC) shall not have content greater than 100 g/l.*
- b) *Architectural coating volume shall not exceed the significance threshold for ROG, which is 75 lbs. /day and the combined daily ROC volume of architectural coatings and asphalt paving shall not exceed the significance threshold for ROC of 75 lbs. per day.*
- c) *High-Volume, Low Pressure (HVL) spray guns shall be used to apply coatings.*
- d) *Precoated/natural colored building materials, water-based or low volatile organic compound (VOC) coatings shall be used, if practical.*
- e) *Comply with SCAQMD Rule 1113 on the use or architectural coatings.*

[Mitigation Measure III-4] Building Permits/Planning

III-5 AQ – Installation. The developer shall submit for review and obtain approval from County Planning of evidence that all air quality mitigation measures have been installed, implemented properly and that specified performance objectives are being met to the satisfaction of County Planning and County Building and Safety. These installations/procedures include the following:

- a) *Dust Control Plan (DCP)*
- b) *Coating Restriction Plan (CRP)*

[Mitigation Measure III-6] Final Inspection/Planning

Issues	Potentially Significant Impact	Less than Significant with Mitigation Incorporated	Less than Significant	No Impact
IV. BIOLOGICAL RESOURCES - Would the project:				
a) Have substantial adverse effects, either directly or through habitat modifications, on any species identified as a candidate, sensitive or special status species in local or regional plans, policies, or regulations, or by the California Department of Fish and Wildlife or U.S. Fish and Wildlife Service?	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
b) Have a substantial adverse effect on any riparian habitat or other sensitive natural community identified in local or regional plans, policies, and regulations or by the California Department of Fish and Wildlife or US Fish and Wildlife Service?	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
c) Have a substantial adverse effect on federally protected wetlands as defined by Section 404 of the Clean Water Act (including, but not limited to, marsh, vernal pool, coastal, etc...) through direct removal, filling, hydrological interruption, or other means?	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>
d) Interfere substantially with the movement of any native resident or migratory fish or wildlife species or with established native resident or migratory wildlife corridors, or impede the use of native wildlife nursery sites?	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
e) Conflict with any local policies or ordinances protecting biological resources, such as a tree preservation policy or ordinance?	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
f) Conflict with the provisions of an adopted Habitat Conservation Plan, Natural Community Conservation Plan, or other approved local, regional or state habitat conservation plan?	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>

SUBSTANTIATION: (Check if project is located in the Biological Resources Overlay or contains habitat for any species listed in the California Natural Diversity Database):
Category N/A

a) **Less than Significant Impact.** The California Department of Fish and Wildlife (CDFW) or U.S. Fish and Wildlife Service (USFWS) may list species as threatened or endangered under the California Endangered Species Act (CESA) or Federal Endangered Species Act (FESA). The USFWS can designate critical habitat that identifies specific areas that are essential to the conservation of a listed species. The Coastal California gnatcatcher, Delhi

Sands flower-loving fly, Burrowing Owl, and San Bernardino kangaroo rat have been reported to be within a two-mile radius of the project vicinity due to previous documented occurrences. Because the site is fully disturbed, paved and developed, potential to such species is considered less than significant and no further evaluation is warranted.

- b) **Less than Significant Impact.** The project implementation would not have any impacts to sensitive or regulated habitat because the project site is devoid of native riparian vegetation or other sensitive natural community identified in local or regional plans, policies, regulations, or by the California Department of Fish and Wildlife (CDFW) or United States Fish and Wildlife Services (USFWS). No drainage features, ponded areas, or riparian habitat potentially subject to jurisdiction by CDFW, U.S. Army Corps of Engineers (ACOE) and/or Regional Water Quality Control Board (RWQCB) were found within the project site.
- c) **No Impact.** This project will not have a substantial adverse effect on federally protected wetlands as defined by Section 404 of the Clean Water Act (including, but not limited to, marsh, vernal pool, coastal, etc.) through direct removal, filling, hydrological interruption, or other means, because there are no identified protected wetlands on the project site.
- d) **Less than Significant Impact.** This project will not interfere substantially with the movement of any native resident or migratory fish or wildlife species or with established native resident or migratory wildlife corridors, or impede the use of native wildlife nursery sites, because there are no such corridors or nursery sites within or near the project site.
- e) **Less than Significant Impact.** There are no local policies or ordinances protecting biological resources that are applicable to the proposed project site. Therefore, development of the proposed project would not conflict with local policies or ordinances protecting such resources.
- f) **No Impact.** The project area is not located within an adopted Habitat Conservation Plan, Natural Community Conservation Plan, or other approved local, regional, or state habitat conservation plan. There would be no take of critical habitat and, therefore, no land use conflict with existing management plans would occur.

Issues	Potentially Significant Impact	Less than Significant with Mitigation Incorporated	Less than Significant	No Impact
V. CULTURAL RESOURCES - Would the project				
a) Cause a substantial adverse change in the significance of a historical resource as defined in §15064.5?	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
b) Cause a substantial adverse change in the significance of an archaeological resource pursuant to §15064.5?	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
c) Directly or indirectly destroy a unique paleontological resource or site or unique geologic feature?	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
d) Disturb any human remains, including those interred outside of formal cemeteries?	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>

SUBSTANTIATION: (Check if the project is located in the Cultural or Paleontologic Resources overlays or cite results of cultural resource review):

- a) **Less than Significant Impact.** The project will not cause a substantial adverse change in the significance of a historical resource, because no resources have been identified on the site.
- b) **Less than Significant Impact.** This project will not cause a substantial adverse change in the significance of an archeological resource, because no resources have been identified on the site. To further reduce the potential for impacts, a condition shall be added to the project, which requires the developer to contact the County Museum for determination of appropriate mitigation measures, if any finds are made during project construction.
- c) **Less than Significant Impact.** This project will not directly or indirectly destroy a unique paleontological resource or site or unique geologic feature, because no resources have been identified on the site. To further reduce the potential for impacts, a condition shall be added to the project which requires the developer to contact the County Museum for determination of appropriate mitigation measures, if any finds are made during project construction.
- d) **Less than Significant Impact.** This project will not disturb any human remains, including those interred outside of formal cemeteries, because no such burials grounds are identified on this project site. If any human remains are discovered, during construction of this project, the developer is required to contact the County Coroner, County Museum for determination of appropriate mitigation measures and a Native American representative, if the remains are determined to be of Native American origin.

Issues	Potentially Significant Impact	Less than Significant with Mitigation Incorporated	Less than Significant	No Impact
VI. GEOLOGY AND SOILS - Would the project:				
a) Expose people or structures to potential substantial adverse effects, including the risk of loss, injury, or death involving:				
i. Rupture of a known earthquake fault, as delineated on the most recent Alquist-Priolo Earthquake Fault Zoning Map Issued by the State Geologist for the area or based on other substantial evidence of a known fault? Refer to Division of Mines and Geology Special Publication 42.	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
ii. Strong seismic ground shaking?	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
iii. Seismic-related ground failure, including liquefaction?	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
iv. Landslides?	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>
b) Result in substantial soil erosion or the loss of topsoil?	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
c) Be located on a geologic unit or soil that is unstable, or that would become unstable as a result of the project, and potentially result in on or off site landslide, lateral spreading, subsidence, liquefaction or collapse?	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
d) Be located on expansive soil, as defined in Table 18-1-B of the California Building Code (2001) creating substantial risks to life or property?	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>
e) Have soils incapable of adequately supporting the use of septic tanks or alternative wastewater disposal systems where sewers are not available for the disposal of wastewater?	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
<i>SUBSTANTIATION:</i> (Check <input type="checkbox"/> if project is located in the Geologic Hazards Overlay District):				

a) **i) Less than Significant Impact.** The entire San Bernardino County area is particularly susceptible to strong ground shaking and other geologic hazards. However, the proposed project site is not located within an Alquist-Priolo Earthquake fault zone. While the potential for onsite ground rupture cannot be totally discounted (e.g., unmapped faults could conceivably underlie the project corridor), the likelihood of such an occurrence is considered

low due to the absence of known faults within the site. The nearest fault zone is the San Andreas fault zone located approximately 8 miles northeast of the project site. Therefore, impacts from proximity to fault zones are considered less than significant.

ii) Less than Significant Impact. The subject site is within an area that is subject to strong earthquakes due to its location to the San Andres fault. Due to economic considerations, it is not generally considered reasonable to design a structure that is not susceptible to earthquake damage. Therefore, significant damage to structures may be unavoidable during large earthquakes. The proposed structure should, however, be designed to resist structural collapse through incorporation of UBC design guidelines and thereby provide reasonable protection from serious injury, catastrophic property damage and loss of life. With compliance with the UBC, impacts are considered less than significant.

iii) Less than Significant Impact. The project site is expected to experience earthquake activity that is typical of the Southern California area. The potential for liquefaction at this site is considered to be very low due to the regional depth of groundwater in excess of 100 feet. Additionally, the site is beyond the limits of the liquefaction zone for the aforementioned earthquake faults. Therefore, based on the geotechnical investigation, impacts from liquefaction are considered less than significant.

iv) No Impact. The proposed project would not have any risks associated with landslides. Landslides are the downslope movement of geologic materials. The stability of slopes is related to a variety of factors, including the slope's steepness, the strength of geologic materials, and the characteristics of bedding planes, joints, faults, vegetation, surface water, and groundwater conditions. The project area is relatively flat terrain where landslides have not historically been an issue; therefore, no significant impacts are anticipated with respect to seismic-related (or other) landslide hazards.

- b) **Less than Significant Impact.** The project will not result in substantial soil erosion or the loss of topsoil, because the site will be paved and landscaped. Erosion control plans will be required to be submitted, approved and implemented. Measures to reduce and control erosion of soil during construction and long term operation are required by SCAQMD through its Rule 403 for control of fugitive dust, the Santa Ana Regional Water Quality Control Board (RWQCB) under its administration of the State's General Construction Permit, and the County of San Bernardino Public Works Department through its Storm Water Management Program. Implementation of requirements under SCAQMD Rule 403 for control of fugitive dust would reduce or eliminate the potential for soil erosion due to wind. Implementation of Best Management Practices (BMPs) that would be included in the applicant's Storm Water Pollution Prevention Plan (SWPPP), would reduce soil erosion due to storm water or water associated with construction.
- c) **Less than Significant Impact.** The project is not identified as being located on a geologic unit or soil that has been identified as being unstable or having the potential to result in on- or off-site landslide, lateral spreading, subsidence, liquefaction or collapse. Where a potential for these is identified a geology report is required to be reviewed and approved by the County Building and Safety Geologist, who will require implementation of appropriate mitigation measures, if any additional measures are required.

- d) **Less than Significant Impact.** The project site is not located in an area that has been identified by the County Building and Safety Geologist as having the potential for expansive soils.

- e) **Less than Significant Impact.** The project will be served by a proposed on-site system via permit through the Environmental Health Services Division of the County and review by the Regional Water Quality Control Board.

<i>Issues</i>	<i>Potentially Significant Impact</i>	<i>Less than Significant with Mitigation Incorporated</i>	<i>Less than Significant</i>	<i>No Impact</i>
VII GREENHOUSE GAS EMISSIONS - Would the project:				
a) Generate greenhouse gas emissions, either directly or indirectly, that may have a significant impact on the environment?	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
b) Conflict with any applicable plan, policy or regulation of an agency adopted for the purpose of reducing the emissions of greenhouse gases?	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>

SUBSTANTIATION:

- a) **Less than Significant.** The County's Greenhouse Gas Emissions Reduction Plan (GHG Plan) was adopted on December 6, 2011 and became effective on January 6, 2012. The GHG Plan establishes a GHG emissions reduction target for the year 2020 that is 15 percent below 2007 emissions. The plan is consistent with AB 32 and sets the County on a path to achieve more substantial long-term reductions in the post-2020 period. Achieving this level of emissions will ensure that the contribution to greenhouse gas emissions from activities covered by the GHG Plan will not be cumulatively considerable.

In 2007, the California State Legislature adopted Senate Bill 97 (SB97) requiring that the CEQA Guidelines be amended to include provisions addressing the effects and mitigation of GHG emissions. New CEQA Guidelines have been adopted that require: inclusion of a GHG analyses in CEQA documents; quantification of GHG emissions; a determination of significance for GHG emissions; and, adoption of feasible mitigation to address significant impacts. The CEQA Guidelines [Cal. Code of Regulations Section 15083.5 (b)] also provide that the environmental analysis of specific projects may be tiered from a programmatic GHG plan that substantially lessens the cumulative effect of GHG emissions. If a public agency adopts such a programmatic GHG Plan, the environmental review of subsequent projects may be streamlined. A project's incremental contribution of GHG emissions will not be considered cumulatively significant if the project is consistent with the adopted GHG plan.

Implementation of the County's GHG Plan is achieved through the Development Review Process by applying appropriate reduction requirements to projects, which reduce GHG emissions. All new development is required to quantify the project's GHG emissions and adopt feasible mitigation to reduce project emissions below a level of significance. A review standard of 3,000 metric tons of carbon dioxide equivalent (MTCO_{2e}) per year is used to identify and mitigate project emissions. Based on a CalEEMod statistical analysis, warehouse projects that exceed 53,000 square feet typically generate more than 3,000 MTCO_{2e}. For projects exceeding 3,000 MTCO_{2e} per year of GHG emissions, the developer may use the GHG Plan Screening Tables as a tool to assist with calculating GHG reduction measures and the determination of a significance finding. Projects that garner 100 or more points in the Screening Tables do not require quantification of project-specific GHG emissions. The point system was devised to ensure project compliance with the reduction measures in the GHG Plan such that the GHG emissions from new development, when considered together with those from existing development, will allow the County to meet its 2020 target and

support longer-term reductions in GHG emissions beyond 2020. Consistent with the CEQA Guidelines, such projects are consistent with the Plan and therefore will be determined to have a less than significant individual and cumulative impact for GHG emissions.

The proposed project garnered 102 points on the Screening Tables through the application of Energy Efficient Reduction measures, Renewable Fuel/Low Emissions Vehicles Measures, Construction Debris Diversion Measures, and Per Capita Water use Reductions, and as a result, the project is considered to be consistent with the GHG Plan and is therefore determined to have a less than significant individual and cumulative impact for GHG emissions. The GHG reduction measures proposed by the developer through the Screening Tables Review Process have been included in the project design or will be included as Conditions of Approval for the project.

- b) **Less than Significant Impact.** The proposed project is not anticipated to conflict with any applicable plan, policy or regulation of an agency adopted for the purpose of reducing the emissions of greenhouse gases. In January of 2012, the County of San Bernardino adopted a Greenhouse Gas Emissions Reduction Plan (GHG Plan). The proposed project is consistent with the GHG Plan with the inclusion in that more than 100 points were garnered through the Screening Table Analysis as described in Section a) above.

<i>Issues</i>	<i>Potentially Significant Impact</i>	<i>Less than Significant with Mitigation Incorporated</i>	<i>Less than Significant</i>	<i>No Impact</i>
VIII HAZARDS AND HAZARDOUS MATERIALS - Would the project:				
a) Create a significant hazard to the public or the environment through the routine transport, use, or disposal of hazardous materials?	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
b) Create a significant hazard to the public or the environment through reasonably foreseeable upset and accident conditions involving the release of hazardous materials into the environment?	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
c) Emit hazardous emissions or handle hazardous or acutely hazardous materials, substances, or waste within one-quarter mile of an existing or proposed school?	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
d) Be located on a site which is included on a list of hazardous materials sites compiled pursuant to Government Code Section 65962.5 and, as a result, would it create a significant hazard to the public or the environment?	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
e) For a project located within an airport land use plan or, where such a plan has not been adopted, within two miles of a public airport or public use airport, would the project result in a safety hazard for people residing or working in the project area?	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>
f) For a project within the vicinity of a private airstrip, would the project result in a safety hazard for people residing or working in the project area?	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>
g) Impair implementation of or physically interfere with an adopted emergency response plan or emergency evacuation plan?	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
h) Expose people or structures to a significant risk of loss, injury or death involving wildland fires, including where wildlands are adjacent to urbanized areas or where residences are intermixed with wildlands?	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>

SUBSTANTIATION:

- a) **Less than Significant Impact.** The project will not create a significant hazard to the public or the environment through the routine transport, use, or disposal of hazardous materials, because no use approved on the site is anticipated to be involved in such activities. If such uses are proposed on-site in the future, they will be subject to permit and inspection by the Hazardous Materials Division of the County Fire Department and in some instances additional land use review.
- b) **Less than Significant Impact.** The project will not create a significant hazard to the public or the environment through reasonably foreseeable upset and accident conditions involving the release of hazardous materials into the environment, because any proposed use or construction activity that might use hazardous materials is subject to permit and inspection by the Hazardous Materials Division of the County Fire Department.
- c) **Less than Significant Impact.** The future occupants of the proposed facilities will not emit hazardous emissions or handle hazardous or acutely hazardous materials, substances, or waste within one-quarter mile of an existing or proposed school, because the project does not propose the use of hazardous materials. In addition, all existing and proposed schools are more than one-quarter mile away from the project site.
- d) **Less than Significant Impact.** The project site is not located on a known site that is included on a list of hazardous materials sites compiled pursuant to Government Code Section 65962.5. The proposed project shall not create a significant hazard to the public or the environment. No impacts to this topic shall occur as a result of implementing the proposed project and, therefore, no mitigation measures are required.
- e) **No Impact.** The project site is not within the vicinity or approach/departure flight path of a public airport.
- f) **No Impact.** The proposed project area is not located within the vicinity of a private airstrip; therefore, it would not result in a safety hazard for people residing or working in the project area.
- g) **Less than Significant Impact.** The project will not impair implementation of or physically interfere with an adopted emergency response plan or emergency evacuation plan, because the project has adequate access from two or more directions via Slover Avenue.
- h) **No Impact.** The project will not expose people or structures to a significant risk of loss, injury or death involving wildland fires, because there are no wildlands adjacent to this site. The project site is in an urban area and is not located in or adjacent to wildlands or near the wildlands/urban interface. Therefore, people and infrastructure will not be exposed to wildland fires.

No significant adverse impacts are identified or anticipated and no mitigation measures are required.

Issues	Potentially Significant Impact	Less than Significant with Mitigation Incorporated	Less than Significant	No Impact
IX HYDROLOGY AND WATER QUALITY - Would the project:				
a) Violate any water quality standards or waste discharge requirements?	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
b) Substantially deplete groundwater supplies or interfere substantially with groundwater recharge such that there would be a net deficit in aquifer volume or a lowering of the local groundwater table level (e.g., the production rate of pre-existing nearby wells would drop to a level, which would not support existing land uses or planned uses for which permits have been granted)?	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
c) Substantially alter the existing drainage pattern of the site or area, including through the alteration of the course of a stream or river, in a manner that would result in substantial erosion or siltation on- or offsite?	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
d) Substantially alter the existing drainage pattern of the site or area, including through the alteration of the course of a stream or river, or substantially increase the rate or amount of surface runoff in a manner which would result in flooding on- or offsite?	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
e) Create or contribute runoff water which would exceed the capacity of existing or planned storm water drainage systems or provide substantial additional sources of polluted runoff?	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
f) Otherwise substantially degrade water quality?	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
g) Place housing within a 100-year flood hazard area as mapped on a Federal Flood Hazard Boundary or Flood Insurance Rate Map or other flood hazard delineation map?	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>
h) Place within a 100-year flood hazard area structure which would impede or redirect flood flows?	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>
i) Expose people or structures to a significant risk of loss, injury or death involving flooding, including flooding as a result of the failure of a levee or dam?	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>
j) Inundation by seiche, tsunami, or mudflow?	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>

SUBSTANTIATION:

A Preliminary Drainage Report and Preliminary Water Quality Management Plan prepared by SB&O Inc. on October 5, 2012 were submitted for this project.

- a) **Less than Significant Impact.** The project will not violate any water quality standards or waste discharge requirements, because the project will be served by the West Valley Water District, an established water purveyor that is subject to independent regulation by local and state agencies that ensure compliance with water quality requirements. The project will be served by a proposed septic system via permit through the Environmental Health Services Division of the County and review by the Regional Water Quality Control Board.
- b) **Less than Significant Impact.** The project will not substantially deplete groundwater supplies or interfere substantially with groundwater recharge such that there would be a net deficit in aquifer volume or a lowering of the local groundwater table level, because the project is served by an existing water purveyor that has indicated that there is currently sufficient capacity in the existing water system to serve the anticipated needs of this project.
- c) **Less than Significant Impact.** The project will not substantially alter the existing drainage pattern of the site or area, including the alteration of the course of a stream or river, in a manner which would result in substantial erosion or siltation on- or off-site, because the project does not propose any substantial alteration to a drainage pattern, stream or river and the project is required to submit and implement an erosion control plan.
- d) **Less than Significant Impact.** The project will not substantially alter the existing drainage pattern of the site or area, including through the alteration of the course of a stream or river, or substantially increase the rate or amount of surface runoff in a manner which would result in flooding on- or off-site, because the project does not propose any substantial alteration to a drainage pattern, stream or river. County Public Works has reviewed the proposed project drainage and all necessary drainage improvements both on and off site have been required as conditions of the construction of the project.
- e) **Less than Significant Impact.** The project will not create or contribute runoff water which would exceed the capacity of existing or planned stormwater drainage systems or provide substantial additional sources of polluted runoff, because County Public Works has reviewed the proposed project drainage and has determined that the proposed systems are adequate to handle anticipated flows. All necessary drainage improvements both on and off site will be required as conditions of the construction of the project. There will be adequate capacity in the local and regional drainage systems so that downstream properties are not negatively impacted by any increases or changes in volume, velocity or direction of stormwater flows originating from or altered by the project.
- f) **Less than Significant Impact.** The proposed project would not otherwise substantially degrade water quality because appropriate measures relating to water quality protection, including erosion control measures have been required.
- g) **No Impact.** The project will not place unprotected housing within a 100-year flood hazard area as mapped on a Federal Flood Hazard Boundary or Flood Insurance Rate Map or other flood hazard delineation map, because the project does not propose housing and is

not within identified flood hazard areas as reviewed by County Public Works.

- h) **No Impact.** The project will not place within a 100-year flood hazard area structures which would impede or redirect flood flows, because the site is not located within a 100-year flood hazard area and any area identified as being potentially affected by a 100-year storm the structures will be subject to a flood hazard review and will be required to be elevated a minimum of one foot above the base flood elevation.
- i) **No Impact.** The project would not expose people or structures to a significant risk of loss, injury or death involving flooding, including flooding as a result of the failure of a levee or dam, because the project site is not within any identified path of a potential inundation flow that might result in the event of a dam or levee failure or that might occur from a river, stream, lake or sheet flow situation.
- j) **No Impact.** The project will not be impacted by inundation by seiche, tsunami, or mudflow, because the project is not adjacent to any body of water that has the potential of seiche or tsunami nor is the project site in the path of any potential mudflow.

Issues	Potentially Significant Impact	Less than Significant with Mitigation Incorporated	Less than Significant	No Impact
X. LAND USE AND PLANNING - Would the project:				
a) Physically divide an established community?	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>
b) Conflict with any applicable land use plan, policy, or regulation of an agency with jurisdiction over the project (including, but not limited to the general plan, specific plan, local coastal program, or zoning ordinance) adopted for the purpose of avoiding or mitigating an environmental effect?	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
c) Conflict with any applicable habitat conservation plan or natural community conservation plan?	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>

SUBSTANTIATION:

- a) **No Impact.** The project will not physically divide an established community, because the project is a logical and orderly extension of the planned land uses and development that are established within the surrounding area.
- b) **Less than Significant Impact.** The project will not conflict with any applicable land use plan, policy, or regulation of an agency with jurisdiction over the project adopted for the purpose of avoiding or mitigating an environmental effect, because the project is consistent with all applicable land use policies and regulations of the County Code and General Plan. The project will comply with all hazard protection, resource preservation and land use modifying Overlay District regulations.

Because the site is split-zoned, there are two different Floor Area Ratios (FAR) that apply to the Project. The FAR standard for the IC zone is 45%, and for the IR zone it is 55%. The weighted average of 46.25% applies to the Project. The FAR of the proposed Project is 49.98% of the net site area, and therefore the applicant is requesting a Major Variance to allow the higher FAR. The Project site is within two Land Use Zoning Districts that have different development standards for the same use. The proposed warehouse is allowed in both the IC and IR Districts, and the development plan complies with all design standards of both districts, except for the FAR with regard to the IC District. The difference in the FAR requirement affects the amount of usable floor area in the building, but does not modify or affect the building coverage standard, the amount of required parking or landscaping, or any other site development standard. Therefore, granting of the variance would not be materially detrimental to any other properties. Also, the location of this property abutting the rail lines requires no buffering or setback area for compatibility, justifying a greater intensity of the land use than a typical IC development site.

- c) **No Impact.** The proposed project does not conflict with any applicable habitat conservation plans or natural community conservation plans.

<i>Issues</i>	<i>Potentially Significant Impact</i>	<i>Less than Significant with Mitigation Incorporated</i>	<i>Less than Significant</i>	<i>No Impact</i>
XI. MINERAL RESOURCES - Would the project:				
a) Result in the loss of availability of a known mineral resource that would be of value to the region and the residents of the state?	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>
b) Result in the loss of availability of a locally important mineral resource recovery site delineated on a local general plan, specific plan or other land use plan?	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>

SUBSTANTIATION: (Check if project is located within the Mineral Resource Zone Overlay):

- a) **No Impact.** The project will not result in the loss of availability of a known mineral resource that will be of value to the region and the residents of the state, because there are no identified important mineral resources on the project site and the site is not within a Mineral Resource Zone Overlay.
- b) **No Impact.** The project will not result in the loss of availability of a locally important mineral resource recovery site delineated on a local general plan, specific plan or other land use plan, because there are no identified locally important mineral resources on the project site. The underlying soils in the area could be recovered, but the area has already been developed with industrial uses and it is impractical to recover those resources. As such the area has not been identified as a locally important mineral resource.

Issues	Potentially Significant Impact	Less than Significant with Mitigation Incorporated	Less than Significant	No Impact
XII. NOISE - Would the project result in:				
a) Exposure of persons to or generation of noise levels in excess of standards established in the local general plan or noise ordinance, or applicable standards of other agencies?	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
b) Exposure of persons to or generation of excessive groundborne vibration or groundborne noise levels?	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
c) A substantial permanent increase in ambient noise levels in the project vicinity above levels existing without the project?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
d) A substantial temporary or periodic increase in ambient noise levels in the project vicinity above levels existing without the project?	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
e) For a project located within an airport land use plan or, where such a plan has not been adopted, within two miles of a public airport or public use airport, would the project expose people residing or working in the project area to excessive noise levels?	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
f) For a project within the vicinity of a private airstrip, would the project expose people residing or working in the project area to excessive noise levels?	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>

SUBSTANTIATION: (Check if the project is located in the Noise Hazard Overlay District or is subject to severe noise levels according to the General Plan Noise Element

The information contained in this section is based in part on an Air Quality Analysis that was prepared by LSA Associates in October 2012.

- a) **Less than Significant Impact.** The project will not expose persons to or generate noise levels in excess of standards established in the local general plan or noise ordinance, or applicable standards of other agencies, because the project has been conditioned to comply with the noise standards of the County Development Code and no noise exceeding these standards is anticipated to be generated by the proposed uses.

- b) **Less than Significant Impact.** The project will not create exposure of persons to or generation of excessive groundborne vibration or groundborne noise levels, because the project has been conditioned to comply with the vibration standards of the County Development Code and no vibration exceeding these standards is anticipated to be generated by the proposed uses.

- c) **Less than Significant Impact.** The project will not generate a substantial permanent increase in ambient noise levels in the project vicinity above levels existing or allowed without the project, because the project has been conditioned to comply with the noise standards of the County Development Code and no noise exceeding these standards is anticipated to be generated by the project.

- d) **Less than Significant Impact.** The project will not generate a substantial temporary or periodic increase in ambient noise levels in the project vicinity above levels existing or allowed without the project because the project has been conditioned to comply with the noise standards of the County Development Code.

- e) **Less than Significant Impact.** The project is not located within an airport land use plan area or within 2 miles of a public/public use airport.

- f) **No Impact.** The proposed project area is not located within the vicinity of a private airstrip.

<i>Issues</i>	<i>Potentially Significant Impact</i>	<i>Less than Significant with Mitigation Incorporated</i>	<i>Less than Significant</i>	<i>No Impact</i>
XIII. POPULATION AND HOUSING - Would the project:				
a) Induce substantial population growth in an area, either directly (for example, by proposing new homes and businesses) or indirectly (for example, through extension of roads or other infrastructure)?	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
b) Displace substantial numbers of existing housing, necessitating the construction of replacement housing elsewhere?	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>
c) Displace substantial numbers of people, necessitating the construction of replacement housing elsewhere?	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>

SUBSTANTIATION:

- a) **Less than Significant Impact.** The project will not induce substantial population growth in an area either directly or indirectly. The project will generate several new jobs and employment opportunities. This may generate a need for housing for new employees. However, even considering the low unemployment rate for the area, the existing and currently developing housing stock should accommodate the housing needs for those employed by the type of jobs generated by the project. The project proposes a new warehouse facility, however no tenant has been proposed so the number of employees cannot be determined. Typically, new uses such as the proposed use generate 50-100 jobs including warehouse employees and drivers that will be on site in shifts. Employees could be full time or part time depending on the ultimate tenant. The Inland Empire has been considered to be housing rich with employees having to travel out of the area to work. Recently, warehouse and other industrial uses have been developed, such that local residents are now able to commute shorter distances to work. The proposed project will likely draw from the local employment base for most of its employees.
- b) **No Impact.** The proposed project would not displace substantial numbers of existing housing, necessitating the construction of replacement housing elsewhere because the project site is currently undeveloped. No significant adverse impacts are anticipated and, therefore, no mitigation measures are required.
- c) **No Impact.** The proposed project would not displace substantial numbers of people, necessitating the construction of replacement housing elsewhere because the project site is currently undeveloped. No significant adverse impacts are anticipated and, therefore, no mitigation measures are required.

<i>Issues</i>	<i>Potentially Significant Impact</i>	<i>Less than Significant with Mitigation Incorporated</i>	<i>Less than Significant</i>	<i>No Impact</i>
XIV. PUBLIC SERVICES				

a) Would the project result in substantial adverse physical impacts associated with the provision of new or physically altered governmental facilities, need for new or physically altered governmental facilities, the construction of which could cause significant environmental impacts, in order to maintain acceptable service ratios, response times or other performance objectives for any of the public services:

Fire Protection?	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Police Protection?	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Schools?	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Parks?	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Other Public Facilities?	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>

SUBSTANTIATION:

a) **Less than Significant Impact.** The proposed project will not result substantial adverse physical impacts associated with the provision of new or physically altered governmental facilities, need for new or physically altered governmental facilities, the construction of which could cause significant environmental impacts, in order to maintain acceptable service ratios, response times or other performance objectives for any of the public services, including fire and police protection, schools, parks or other public facilities. Construction of the project will increase property tax revenues to provide a source of funding that is sufficient to offset any increases in the anticipated demands for public services generated by this project.

<i>Issues</i>	<i>Potentially Significant Impact</i>	<i>Less than Significant with Mitigation Incorporated</i>	<i>Less than Significant</i>	<i>No Impact</i>
XV. RECREATION				
a) Would the project increase the use of existing neighborhood and regional parks or other recreational facilities such that substantial physical deterioration of the facility would occur or be accelerated?	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
b) Does the project include recreational facilities or require the construction or expansion of recreational facilities which might have an adverse physical effect on the environment?	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>

SUBSTANTIATION:

- a) **Less than Significant Impact.** This project will not increase the use of existing neighborhood and regional parks or other recreational facilities such that substantial physical deterioration of the facility would occur or be accelerated, because the project will not generate any new residential units and the impacts to parks generated by the employees of this project will be minimal.
- b) **Less than Significant Impact.** This project does not include recreational facilities or require the construction or expansion of recreational facilities which might have an adverse physical effect on the environment, because the type of project proposed will not result in an increased demand for recreational facilities.

XVI. TRANSPORTATION/TRAFFIC - Would the project:

- | | | | | |
|--|--------------------------|-------------------------------------|-------------------------------------|-------------------------------------|
| a) Conflict with an applicable plan, ordinance or policy establishing measures of effectiveness for the performance of the circulation system, taking into account all modes of transportation including mass transit and non-motorized travel and relevant components of the circulation system, including but not limited to intersections, streets, highways and greenways, pedestrian and bicycle paths, and mass transit. | <input type="checkbox"/> | <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> |
| b) Conflict with an applicable congestion management program, including but not limited to level of service standards and travel demand measures, or other standards established by the county congestion management agency for designated roads or highways. | <input type="checkbox"/> | <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> |
| c) Result in a change in air traffic patterns, including either an increase in traffic levels or a change in location that results in substantial safety risks? | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input checked="" type="checkbox"/> |
| d) Substantially increase hazards due to a design feature (e.g., sharp curves or dangerous intersections) or incompatible uses (e.g., farm equipment)? | <input type="checkbox"/> | <input type="checkbox"/> | <input checked="" type="checkbox"/> | <input type="checkbox"/> |
| e) Result in inadequate emergency access? | <input type="checkbox"/> | <input type="checkbox"/> | <input checked="" type="checkbox"/> | <input type="checkbox"/> |
| f) Conflict with adopted policies, plans, or programs regarding public transit, bicycle, or pedestrian facilities, or otherwise decrease the performance or safety of such facilities? | <input type="checkbox"/> | <input type="checkbox"/> | <input checked="" type="checkbox"/> | <input type="checkbox"/> |

SUBSTANTIATION:

a,b) **Less than Significant Impact with Mitigation.** The County Traffic Division has reviewed the Traffic Study for DCT Slover II Warehouse located on the north side of Slover Avenue, approximately 325' west of Locust Avenue in the unincorporated community of Bloomington. LSA Associates prepared the Traffic Study on September 18, 2012 and updated June 25, 2013. This study concluded that additional traffic generated by the project could have a significant impact to the Level of Service (LOS) for the study area roadway network with the proposed project. The study area intersections are projected to operate below acceptable Levels of Service during the peak hours for Opening Year 2014 and Future Year 2035 with project traffic conditions.

The project will result in the addition of 1,192 total trips per day (in passenger car equivalents (PCE) on roadways in the project vicinity, 74 morning peak hour passenger cars equivalent trips and 82 evening peak hour passenger cars equivalent trips. The study concluded that the additional traffic will have a significant impact to the existing traffic load

and capacity of the street system. Mitigation measures have been required to reduce the potential impacts of the increased traffic load at this location.

- c) **No Impact.** The project will not result in a change in air traffic patterns, including either an increase in traffic levels or a change in location that results in substantial safety risks because there are no airports in the vicinity of the project and there is no anticipated notable impact on air traffic volumes by passengers or freight generated by the proposed uses and no new air traffic facilities are proposed.
- d) **Less than Significant Impact.** The project will not substantially increase hazards due to a design feature or incompatible uses because the project site is adjacent to an established road that is accessed at points with good site distance and properly controlled intersections. There are no incompatible uses proposed by the project that will impact surrounding land uses.
- e) **Less than Significant Impact.** The project will not result in inadequate emergency access, because there is a minimum of two access points to the site.
- f) **Less than Significant Impact.** The project will not conflict with adopted policies, plans, or programs supporting alternative transportation (e.g., bus turnouts, bicycle racks), because these have been required to be installed as conditions of approval.

Possible significant adverse impacts have been identified or anticipated and the following mitigation measures are required as conditions of project approval to reduce these impacts to a level below significant.

XVI-1 Regional Transportation Facilities Fee. *This project falls within the Regional Transportation Development Mitigation Plan for the Rialto Subarea. This fee shall be paid by a cashier's check to the Department of Public Works Business Office. [Mitigation Measure XVI-1] Prior to Building Permit.*

XVI-2 Fair Share Mitigation. *Prior to issuance of building permits the developer shall contribute a fair share contribution toward traffic signals, as the additional traffic generated by this project will have an impact at the following three intersections:*

- *Alder Avenue/Slover Avenue: The applicant is required to pay a fair share contribution towards the installation of a traffic signal. The project's fair share percentage is 7% for this improvement.*
- *Laurel Ave-Project Driveway/Slover Avenue: The applicant is required to pay a fair share contribution towards the installation of a traffic signal. The project's fair share percentage is 13% for this improvement.*
- *Locust Avenue/Slover Avenue: The applicant is required to pay a fair share contribution towards the installation of a traffic signal. The project's fair share percentage is 7% for this improvement.*

*The total fair share contribution will be based on the fair share percentages listed above and the estimated construction costs at the time of application for a building permit and shall be paid by a Cashiers check made out to the Department of Public Works. At the present time, the estimated cost is \$598,400 for the installation of a traffic signal. When an application for a building permit is filed, this amount will be adjusted to reflect actual construction costs incurred, if available, or will be adjusted to account for future construction costs using the Caltrans Construction Cost Index.
[Mitigation Measure XVI-2] Prior to Building Permit.*

Issues	Potentially Significant Impact	Less than Significant with Mitigation Incorporated	Less than Significant	No Impact
XVI. UTILITIES AND SERVICE SYSTEMS - Would the project:				
a) Exceed wastewater treatment requirements of the applicable Regional Water Quality Control Board?	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
b) Require or result in the construction of new water or wastewater treatment facilities or expansion of existing facilities, the construction of which could cause significant environmental effects?	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
c) Require or result in the construction of new storm water drainage facilities or expansion of existing facilities, the construction of which could cause significant environmental effects?	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
d) Have sufficient water supplies available to serve the project from existing entitlements and resources, or are new or expanded, entitlements needed?	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
e) Result in a determination by the wastewater treatment provider, which serves or may serve the project that it has adequate capacity to serve the project's projected demand in addition to the provider's existing commitments?	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
f) Be served by a landfill(s) with sufficient permitted capacity to accommodate the project's solid waste disposal needs?	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
g) Comply with federal, state, and local statutes and regulations related to solid waste?	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>

SUBSTANTIATION:

- a) **Less than Significant Impact.** The proposed project does not exceed wastewater treatment requirements of the Regional Water Quality Control Board, Santa Ana Region, as determined by County Public Health – Environmental Health Services.
- b) **Less than Significant Impact.** The proposed project will not require or result in the construction of new water or wastewater treatment facilities or expansion of existing facilities, as there is sufficient capacity in the existing system for the proposed use. The proposed project will be serviced by an existing on-site septic system. Water will be provided by the West Valley Water District.

-
- c) **Less than Significant Impact.** The proposed project will not require or result in the construction of new storm water drainage facilities or expansion of existing facilities that cause significant environmental effects. A Water Quality Management Plan (WQMP), was approved by the San Bernardino County Department of Public Works. The site design includes on-site infiltration/retention basins within the landscape areas, as well as a vegetated swale, and all drainage is directed towards these areas. As a result of the use of Best Management Practices (BMPs) as described in the WQMP, it is not expected that there will be any run-off entering the storm drain system during post construction operation.
 - d) **Less than Significant Impact.** The proposed project will have sufficient water supplies available to serve the project from existing entitlements and resources as the local water purveyor (West Valley Water District) has given assurance that it has adequate water service capacity to serve the projected demand for the project, in addition to the provider's existing commitments.
 - e) **Less than Significant Impact.** The proposed project will utilize an on-site septic system.
 - f) **Less than Significant Impact.** The proposed project is served by the Mid-Valley landfill which has sufficient permitted capacity to accommodate the project's solid waste disposal needs.
 - g) **Less than Significant Impact.** The proposed project would comply with all federal, state, and local statutes and regulation related to solid waste. The project would consist of short-term construction activities (with short-term waste generation limited to minor quantities of construction debris) and thus would not result in long-term solid waste generation. Solid wastes produced during the construction phase of this project, or during future decommission activity, would be disposed of in accordance with all applicable statutes and regulations. Accordingly, no significant impacts related to landfill capacity are anticipated from the proposed project.

<i>Issues</i>	<i>Potentially Significant Impact</i>	<i>Less than Significant with Mitigation Incorporated</i>	<i>Less than Significant</i>	<i>No Impact</i>
XVII. MANDATORY FINDINGS OF SIGNIFICANCE:				
a) Does the project have the potential to degrade the quality of the environment, substantially reduce the habitat of a fish or wildlife species, cause a fish or wildlife population to drop below self-sustaining levels, threaten to eliminate a plant or animal community, reduce the number or restrict the range of a rare or endangered plant or animal or eliminate important examples of the major periods of California history or prehistory?	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
b) Does the project have impacts that are individually limited, but cumulatively considerable? (“Cumulatively considerable” means that the incremental effects of a project are considerable when viewed in connection with the effects of past projects, the effects of other current projects, and the effects of probable future projects)?	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
c) Does the project have environmental effects, which shall cause substantial adverse effects on human beings, either directly or indirectly?	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>

SUBSTANTIATION:

- a) **Less than Significant Impact.** The project does not appear to have the potential to significantly degrade the overall quality of the region’s environment, or substantially reduce the habitat of a fish or wildlife species, cause a fish or wildlife population or drop below self-sustaining levels, threaten to eliminate a plant or animal community, reduce the number or restrict the range of a rare or endangered plant or animal or eliminate important examples of the major periods of California history or prehistory. There are no rare or endangered species or other species of plants or animals or habitat identified by the California Natural Diversity Database (CNDDDB) as being significantly and negatively impacted by this project. There are no identified historic or prehistoric resources identified on this site. If any archaeological or paleontological resources are identified during construction the project, the project is conditioned to stop and identify appropriate authorities, who properly record and/or remove for classification any such finds.
- b) **Less than Significant Impact.** The project does not have impacts that are individually limited, but cumulatively considerable. The sites of projects in the area to which this project would add cumulative impacts have either existing or planned infrastructure that is sufficient for all planned uses. These sites either are occupied or are capable of absorbing such uses without generating any cumulatively significant impacts.

- c) **Less than Significant Impact.** The incorporation of design measures, County policies, standards, and guidelines would ensure that there would be no substantial adverse effects on human beings, either directly or indirectly. Impacts of the proposed project would be less than significant.

GENERAL REFERENCES

Alquist-Priolo Special Studies Zone Act Map Series (PRC 27500)

California Department of Water Resources Bulletin #118 (Critical Regional Aquifers).

CEQA Guidelines, Appendix G

California Standard Specifications, July 1992

County Museum Archaeological Information Center

County of San Bernardino Development Code, 2007

County of San Bernardino General Plan, adopted 2007

County of San Bernardino Identified Hazardous Materials Waste Sites List, April 1998

County of San Bernardino, Countywide Integrated Waste Management Plan.

County of San Bernardino, *San Bernardino County Stormwater Program, Model Water Quality Management Plan Guidance*.

County of San Bernardino Road Planning and Design Standards

Environmental Impact Report, San Bernardino County General Plan, 2007

Federal Emergency Management Agency Flood Insurance Rate Map and Flood Boundary Map

South Coast Air Quality Management District, CEQA Air Quality Handbook, November 1993.

PROJECT SPECIFIC STUDIES:

LSA Associates, October, 2012, Air Quality Analysis, Slover Logistic Center II

LSA Associates, March 26, 2013, Climate Change Impact Analysis, Slover Logistic Center II

LSA Associates, July 23, 2012, General Biological Resources Report, Slover Logistic Center II

LSA Associates, September, 2012, Noise Impact Analysis, Slover Logistic Center II

LSA Associates, September 18, 2012 (Updated June 25, 2013), Traffic Study, Slover Logistic Center II

MITIGATION MEASURES

(Any mitigation measures, which are not “self-monitoring,” shall have a Mitigation Monitoring and Reporting Program prepared and adopted at time of project approval.)

III-1 AQ/Operational Mitigation. The “developer” shall implement the following air quality mitigation measures, during operation of the approved land use: All on-site equipment and vehicles (off-road/ on-road), shall comply with the following:

- a) County Diesel Exhaust Control Measures [SBCC §83.01.040 (c)]*
- b) Signs shall be posted requiring all vehicle drivers and equipment operators to turn off engines when not in use.*
- c) All engines shall not idle more than five minutes in any one-hour period on the project site. This includes all equipment and vehicles.*
- d) Engines shall be maintained in good working order to reduce emissions.*
- e) Ultra low-sulfur diesel fuel shall be utilized.*
- f) Electric, CNG and gasoline-powered equipment shall be substituted for diesel-powered equipment, where feasible.*
- g) On-site electrical power connections shall be made available, where feasible.*
- h) All transportation refrigeration units (TRU’s) shall be provided electric connections, when parked on-site.*

[Mitigation Measure III-1] General Requirements/Planning

III-2 AQ-Dust Control Plan. The “developer” shall prepare, submit for review and obtain approval from County Planning of both a Dust Control Plan (DCP) consistent with SCAQMD guidelines and a signed letter agreeing to include in any construction contracts/ subcontracts a requirement that project contractors adhere to the requirements of the DCP. The DCP shall include the following requirements:

- a) Exposed soil shall be kept continually moist to reduce fugitive dust during all grading and construction activities, through application of water sprayed a minimum of two times each day.*
- b) During high wind conditions (i.e., wind speeds exceeding 25 mph), areas with disturbed soil shall be watered hourly and activities on unpaved surfaces shall cease until wind speeds no longer exceed 25 mph.*
- c) Storage piles that are to be left in place for more than three working days shall be sprayed with a non-toxic soil binder, covered with plastic or revegetated.*
- d) Storm water control systems shall be installed to prevent off-site mud deposition.*
- e) All trucks hauling dirt away from the site shall be covered.*
- f) Construction vehicle tires shall be washed, prior to leaving the project site.*
- g) Rumble plates shall be installed at construction exits from dirt driveways.*
- h) Paved access driveways and streets shall be washed and swept daily when there are visible signs of dirt track-out.*

-
- i) *Street sweeping shall be conducted daily when visible soil accumulations occur along site access roadways to remove dirt dropped or tracked-out by construction vehicles. Site access driveways and adjacent streets shall be washed daily, if there are visible signs of any dirt track-out at the conclusion of any workday and after street sweeping.*

[Mitigation Measure III-2] Grading Permits/Planning

III-3 AQ - Construction Mitigation. The “developer” shall submit for review and obtain approval from County Planning of a signed letter agreeing to include as a condition of all construction contracts/subcontracts requirements to reduce vehicle and equipment emissions and other impacts to air quality by implementing the following measures and submitting documentation of compliance: The developer/construction contractors shall do the following:

- a) *Provide documentation prior to beginning construction demonstrating that the project will comply with all SCAQMD regulations including 402, 403, 431.1, 431.2, 1113 and 1403.*
- b) *Each contractor shall certify to the developer prior to construction-use that all equipment engines are properly maintained and have been tuned-up within last 6 months.*
- c) *Each contractor shall minimize the use of diesel-powered vehicles and equipment through the use of electric, gasoline or CNG-powered equipment. All diesel engines shall have aqueous diesel filters and diesel particulate filters.*
- d) *All gasoline-powered equipment shall have catalytic converters.*
- e) *Provide onsite electrical power to encourage use of electric tools.*
- f) *Minimize concurrent use of equipment through equipment phasing.*
- g) *Provide traffic control during construction to reduce wait times.*
- h) *Provide on-site food service for construction workers to reduce offsite trips.*
- i) *Implement the County approved Dust Control Plan (DCP)*
- j) *Suspend use of all construction equipment operations during second stage smog alerts. NOTE: For daily forecast, call (800) 367-4710 (San Bernardino and Riverside counties).*

[Mitigation Measure III-3] Grading Permits/Planning

III-4 AQ - Coating Restriction Plan. The developer shall submit for review and obtain approval from County Planning of a Coating Restriction Plan (CRP), consistent with SCAQMD guidelines and a signed letter agreeing to include in any construction contracts/subcontracts a condition that the contractors adhere to the requirements of the CRP. The CRP measures shall be following implemented to the satisfaction of County Building and Safety:

- a) *Architectural coatings with Reactive Organic Compounds (ROC) shall not have content greater than 100 g/l.*

- b) Architectural coating volume shall not exceed the significance threshold for ROG, which is 75 lbs. /day and the combined daily ROC volume of architectural coatings and asphalt paving shall not exceed the significance threshold for ROC of 75 lbs. per day.
- c) High-Volume, Low Pressure (HVLP) spray guns shall be used to apply coatings.
- d) Precoated/natural colored building materials, water-based or low volatile organic compound (VOC) coatings shall be used, if practical.
- e) Comply with SCAQMD Rule 1113 on the use or architectural coatings.

[Mitigation Measure III-4] Building Permits/Planning

III-5 *AQ – Installation. The developer shall submit for review and obtain approval from County Planning of evidence that all air quality mitigation measures have been installed, implemented properly and that specified performance objectives are being met to the satisfaction of County Planning and County Building and Safety. These installations/procedures include the following:*

- a) *Dust Control Plan (DCP)*
- b) *Coating Restriction Plan (CRP)*

[Mitigation Measure III-5] Final Inspection/Planning

XVI-1 *Regional Transportation Facilities Fee.* *This project falls within the Regional Transportation Development Mitigation Plan for the Rialto Subarea. This fee shall be paid by a cashier's check to the Department of Public Works Business Office.*

[Mitigation Measure XVI-1] Prior to Building Permit.

XVI-2 *Fair Share Mitigation.* *Prior to issuance of building permits the developer shall contribute a fair share contribution toward traffic signals, as the additional traffic generated by this project will have an impact at the following three intersections:*

- *Alder Avenue/Slover Avenue: The applicant is required to pay a fair share contribution towards the installation of a traffic signal. The project's fair share percentage is 7% for this improvement.*
- *Laurel Ave-Project Driveway/Slover Avenue: The applicant is required to pay a fair share contribution towards the installation of a traffic signal. The project's fair share percentage is 13% for this improvement.*
- *Locust Avenue/Slover Avenue: The applicant is required to pay a fair share contribution towards the installation of a traffic signal. The project's fair share percentage is 7% for this improvement.*

The total fair share contribution will be based on the fair share percentages listed above and the estimated construction costs at the time of application for a building permit and shall be paid by a Cashiers check made out to the Department of Public Works. At the

*present time, the estimated cost is \$598,400 for the installation of a traffic signal. When an application for a building permit is filed, this amount will be adjusted to reflect actual construction costs incurred, if available, or will be adjusted to account for future construction costs using the Caltrans Construction Cost Index.
[Mitigation Measure XVI-2] Prior to Building Permit.*