



Public Health
Environmental Health Services
CAL CODE OFFICIAL INSPECTION REPORT

FACILITY NAME THE LOUNGE 22		DATE 4/1/2015	REINSPECTION DATE 4/15/2015	PERMIT EXPIRATION 3/31/2015
LOCATION 22 E VINE ST, REDLANDS, CA 92373			INSPECTOR Yvette Velasco	
MAILING ADDRESS 22 E VINE ST, REDLANDS CA 92373			IDENTIFIER: None	
			SERVICE: 001 - Inspection - Routine	
			RESULT: 05 - Corrective Action / Follow up Required	
			ACTION: 03 - Reinspection Required	
TIME IN 5:51 PM	TIME OUT 7:20 PM	FACILITY ID FA0022043	RELATED ID PR0029279	PE 1621

Based on an inspection this day, the items marked below identify the violation(s) in operation or facilities which must be corrected. The Permittee has the right to a hearing if requested in writing within 15 calendar days of receipt of this notice, to show cause why the permit to operate should not be suspended or revoked.

Failure to correct listed violation(s) prior to the designated compliance date may necessitate an additional reinspection at a charge of \$61.25 per 15 minutes with a minimum time of 30 minutes, and a minimum charge of \$122.50.



SCORE 91

See the following pages for the code sections and general requirements that correspond to each violation listed below.

- In = In compliance
+ COS = Corrected on-site
- N/O = Not observed
⊗ MAJ = Major violation
- N/A = Not applicable
⊗ OUT = Out of compliance

DEMONSTRATION OF KNOWLEDGE			COS	MAJ	OUT
In	N/O	1. Demonstration of knowledge; food safety certification			2
EMPLOYEE HEALTH & HYGIENIC PRACTICES					
In		2. Communicable disease; reporting, restrictions & excl		4	
In	N/O	3. No discharge from eyes, nose, and mouth			2
In	N/O	4. Proper eating, tasting, drinking or tobacco use			2
PREVENTING CONTAMINATION BY HANDS					
In	N/O	5. Hands clean and properly washed; gloves used prop		4	2
In		6. Adequate handwashing facilities supplied & accessib			2
TIME AND TEMPERATURE RELATIONSHIPS					
In	N/O	N/A		4	2
In	N/O	N/A		4	2
In	N/O	N/A		4	2
In	N/O	N/A		4	2
In	N/O	N/A		4	2
PROTECTION FROM CONTAMINATION					
In	N/O	N/A			2
In		13. Food in good condition, safe and unadulterated		4	2
In	N/O	N/A	+	⊗	2

FOOD FROM APPROVED SOURCES			COS	MAJ	OUT
In		15. Food obtained from approved source		4	
In	N/O	N/A			2
In	N/O	N/A			2
CONFORMANCE WITH APPROVED PROCEDURES					
In		N/A			2
CONSUMER ADVISORY					
In	N/O	N/A			2
HIGHLY SUSCEPTIBLE POPULATIONS					
In		N/A		4	
WATER/HOT WATER					
In				4	2
LIQUID WASTE DISPOSAL					
In				4	2
VERMIN					
In				4	2

SUPERVISION	OUT
24. Person in charge present and performs duties	1
PERSONAL CLEANLINESS	
25. Personal cleanliness and hair restraints	1
GENERAL FOOD SAFETY REQUIREMENTS	
26. Approved thawing methods used, frozen food	1
27. Food separated and protected	⊗
28. Washing fruits and vegetables	1
29. Toxic substances properly identified, stored, use	1
FOOD STORAGE/DISPLAY/SERVICE	
30. Food storage; food storage containers identified	1
31. Consumer self-service	1
32. Food properly labeled & honestly presented	1

EQUIPMENT/UTENSILS/LINENS	OUT
33. Nonfood contact surfaces clean	1
34. Warewashing facilities: installed, maintained, used	1
35. Equipment/Utensils approved; installed; clean; good repa	1
36. Equipment, utensils and linens: storage and use	⊗
37. Vending machines	1
38. Adequate ventilation and lighting; designated area	1
39. Thermometers provided and accurate	1
40. Wiping cloths: properly used and stored	1
PHYSICAL FACILITIES	
41. Plumbing: proper backflow devices	⊗
42. Garbage and refuse properly disposed; facilities m	1
43. Toilet facilities: properly constructed, supplied, clea	1
44. Premises; personal/cleaning items; vermin-proofin	1

PERMANENT FOOD FACILITIES	OUT
45. Floor, walls, ceilings: built, maintained, and clean	1
46. No unapproved private homes/living or sleeping qu	1
SIGNS REQUIREMENTS	
47. Signs posted; last inspection report available	1
48. Food worker cards	⊗
COMPLIANCE & ENFORCEMENT	
49. Permits Available	
50. Restrooms Required	
51. Plan Review	
52. VC&D	
53. Impoundment	
54. Permit Suspension	



Public Health
Environmental Health Services

CAL CODE OFFICIAL INSPECTION REPORT

FACILITY NAME THE LOUNGE 22	DATE 4/1/2015
LOCATION 22 E VINE ST, REDLANDS, CA 92373	INSPECTOR Yvette Velasco

14. FOOD CONTACT SURFACES: CLEAN AND SANITIZED **⚠ CRITICAL ⚠**

POINTS 4	Compliance date not specified Complied on 4/1/2015 Violation Reference - HSC - 113984(e), 114097, 114099	<p>Inspector Comments: Observed sanitizer at three-compartment sink at 100ppm quaternary ammonia. Employee stated that water was added to sanitizer.</p> <p>Discontinue adding water to sanitizer. Ensure quaternary ammonia sanitizer at three compartment sink is maintained at 200-300ppm.</p> <p>Corrected on site. Sanitizer was changed and brought to proper levels.</p> <p>Note: Observed chlorine sanitizer at mechanical ware-washer at 0ppm. Continue use of three-compartment sink until unit is repaired.</p> <p>Observed sanitizer at bar three-compartment sink at 0ppm. Observed quaternary ammonia sanitizer buckets at cook line at 100ppm.</p> <p>Corrected on site. Sanitizer was changed and brought to 200ppm quaternary ammonia snaitizer.</p> <p>Maintain quaternary ammonia sanitizer at 200-300ppm.</p>
---------------------------	---	--

Violation Description: All food contact surfaces of utensils and equipment shall be clean and sanitized. (113984(e), 114097, 114099.1, 114099.4, 114099.6, 114101 (b-d), 114105, 114109, 114111, 114113, 114115 (a, b, d), 114117, 114125(b), 114135, 114141)

More Information: http://www.sbcounty.gov/uploads/dph/dehs/Depts/EnvironmentalHealth/FormsPublications/Towel_Sanitizing_solution_Eng_Spn_final_11_30_11.pdf

27. FOOD SEPARATED AND PROTECTED

POINTS 1	Compliance date not specified Not In Compliance Violation Reference - HSC - 113984 (a, b, c, d, f)	<p>Inspector Comments: Observed multiple containers uncovered of open, foods in cook line freezer.</p> <p>Ensure to maintain all containers of food covered to prevent contamination.</p>
---------------------------	---	--

Violation Description: All food shall be separated and protected from contamination. (113984 (a, b, c, d, f), 113986, 114060, 114067(a, d, e, j), 114069(a, b), 114077, 114089.1 (c), 114143 (c)) All food shall be stored, prepared, displayed or held so that it is protected from contamination.

36. EQUIPMENT, UTENSILS AND LINENS: STORAGE AND USE

POINTS 1	Compliance date not specified Not In Compliance Violation Reference - HSC - 114074, 114081, 114119	<p>Inspector Comments: Observed unchained CO2 tanks in back next to ice machine. Observed cup being used as a food scoop in dry storage food containers.</p> <p>Ensure all CO2 tanks are secured to a rigid structure. Discontinue the use of food scoops without handles.</p>
---------------------------	---	---

Violation Description: All clean and soiled linen shall be properly stored; non-food items shall be stored and displayed separate from food and food-contact surfaces. (114185.3 - 114185.4) Utensils and equipment shall be handled and stored so as to be protected from contamination. (114074 - 114075, 114081, 114119, 114121, 114161, 114178, 114179, 114083, 114185, 114185.2, 114185.5) Pressurized cylinders must be securely fastened to a rigid structure. (114172)

41. PLUMBING; PROPER BACKFLOW DEVICES

POINTS 1	Compliance date not specified Not In Compliance Violation Reference - HSC - 114171, 114189.1	<p>Inspector Comments: Observed insufficient air gap at the bar floor sink and at the floor sink below the kitchen three-compartment sink.</p> <p>Ensure to have an air gap of at least one inch or twice the diameter of the draining pipe, whichever is greater. Pipes had diameters of greater than a half inch, and therefore must have air gaps of at least twice the diameter of the pipes.</p>
---------------------------	---	--

Violation Description: The potable water supply shall be protected with a backflow or back siphonage protection device, as required by applicable plumbing codes. (114192) All plumbing and plumbing fixtures shall be installed in compliance with local plumbing ordinances, shall be maintained so as to prevent any contamination, and shall be kept clean, fully operative, and in good repair. Any hose used for conveying potable water shall be of approved materials, labeled, properly stored, and used for no other purpose. (114171, 114189.1, 114190, 114193, 114193.1, 114199, 114201, 114269)



Public Health
Environmental Health Services
CAL CODE OFFICIAL INSPECTION REPORT

FACILITY NAME THE LOUNGE 22	DATE 4/1/2015
LOCATION 22 E VINE ST, REDLANDS, CA 92373	INSPECTOR Yvette Velasco

48. FOOD WORKER CERTIFICATION

POINTS <div style="border: 2px solid red; padding: 5px; display: inline-block; font-size: 24px; font-weight: bold; color: red;">2</div>	Compliance date not specified Not In Compliance Violation Reference - SBCC - 33.0410, 33.044	Inspector Comments: Observed 1 employees without valid San Bernardino County food worker cards. Ensure that employees maintain valid San Bernardino County food worker cards. Employees must provide a current food worker card within 14 days. There will be a re-inspection charge of \$245.00 per hour if current food worker card information is not faxed to the Division of Environmental health Services at 909-387-4272 on or before April 15, 2015.

Violation Description: This facility is currently in violation with the food worker certification requirement for San Bernardino County, which states all food workers must obtain a valid food worker certificate within fourteen (14) days of employment (33.0410, 33.044). Failure to provide proof of food worker certification within fourteen (14) days will result in unannounced billable (at our current hourly rate) re-inspections to verify compliance.

This facility operator must complete the "Missing Food Worker" form provided by the inspector and fax to 909-387-4272.

More Information: http://www.sbcounty.gov/dph/dehs/Depts/EnvironmentalHealth/FIRST/food_worker_training.aspx

Overall Inspection Comments

Ensure that employees maintain current, valid San Bernardino County food worker cards. Employees must provide current food worker card within 14 days. There will be a re-inspection charge of \$245.00 per hour with a 1/2 hour minimum if current food worker card information is not faxed to the Division of Environmental Health Services at 909-387-4272 on or before April 15, 2015. Provided operator with a Food Worker Card handout.

Signature(s) of Acknowledgement

NAME: jonathon wiener
 TITLE: Executive chef