



RETAIL FOOD PROTECTION - OFFICIAL INSPECTION REPORT

FACILITY NAME BRUCE'S PLACE		REINSPECTION DATE 8/25/2020	INSPECTOR Rubi Guido	DATE 8/11/2020
LOCATION 6162 ROTARY WY, JOSHUA TREE, CA 92252		PERMIT EXPIRATION 1/31/2021	IDENTIFIER: None	
TIME IN 11:31 AM	TIME OUT 12:00 PM	FACILITY ID FA0001790	RELATED ID PR0003676	PE 1621
		SERVICE: 003 - INSPECTION - FOLLOW UP INSPECTION RESULT: 05 - CORRECTIVE ACTION / FOLLOW UP REQU ACTION: 03 - REINSPECTION REQUIRED		

RETAIL FOOD PROTECTION - Public Eating PI (25-99 Seats)

Based on an inspection this day, the items marked below identify the violation(s) in operation or facilities which must be corrected. Failure to correct listed violation(s) prior to the designated compliance date may necessitate an additional inspection to be billed at the hourly rate as provided in the San Bernardino County Code, [Schedule of Fees](#).

Administrative Order to Show Cause (OSC): The Permittee has the right to a hearing if requested in writing within 15 calendar days of receipt of this notice, to show cause why the permit to operate should not be suspended or revoked; otherwise the right to a hearing shall be deemed waived.

See the following pages for the code sections and general requirements that correspond to each violation listed below.

16K994 Reinspection

Compliance Date: Not Specified
Not In Compliance
Reference - HSC

Inspector Comments: The purpose of this visit was to provide information and conduct a survey regarding COVID-19.

FINDING(S):

The owner stated the following:

- Sewage began to backup from the floor sinks in the morning of 8/11/20.
- Immediately contacted maintenance for the sewage backup.
- Will not re-open the facility until the sewage disposal system is functioning properly.
- Does not regularly find live cockroaches inside the facility.
- Pest control services once a month. Invoices are available.

OBSERVATION(S):

- One live nymph cockroach in between a stack of papers on the front service counter. No food on the counter at this time.
- No live or dead cockroaches anywhere else in the food preparation and storage areas, and warewashing area.
- Sewage backup at the ice machine floor sink and at the soda dispenser floor sink. The equipment and both floor sinks are located in the front service area.
- Sewage up to the rim of the floor sink (not overflowing) for the 2-compartment preparation sink.
- Left water running at all other sinks and observed no sewage backup from the floor sinks.
- The owner voluntarily closed the facility.
- The owner disconnected both the ice machine and the soda dispenser at the time of inspection.
- Maintenance crew working on unclogging the pipes at the time of inspection.
- The owner provided the most recent pest control service invoice (8/1/20).

RESULT(S):

A follow-up inspection will be conducted on 8/12/20 regarding the sewage backup to determine compliance. If compliance is not met upon reinspection, then a billable re-reinspection will follow.

Description: Reinspection conducted at this time to determine compliance from prior inspection.

16C022 Sewage and wastewater properly disposed

Compliance Date: Not Specified
Not In Compliance
Violation Reference - HSC - 114197

Inspector Comments: Observed sewage backup at the ice machine floor sink and at the soda dispenser floor sink, and sewage up to the rim of the floor sink (not overflowing) for the 2-compartment preparation sink.

All liquid waste must drain to an approved fully functioning sewage disposal system.

Note: Left water running at all other sinks and observed no sewage backup from the floor sinks.

Violation Description: All liquid waste must drain to an approved fully functioning sewage disposal system. (114197) Toilet facilities must be operable.



RETAIL FOOD PROTECTION - OFFICIAL INSPECTION REPORT

FACILITY NAME BRUCE'S PLACE	DATE 8/11/2020
LOCATION 6162 ROTARY WY, JOSHUA TREE, CA 92252	INSPECTOR Rubi Guido

16C023 No rodents, insects, birds, or animals

Compliance Date: Not Specified

Not In Compliance

Violation Reference - HSC - 114259.1, 114259.4, 11425

Inspector Comments: Observed one live nymph cockroach in between a stack of papers on the front service counter. No food on the counter at this time.

Eliminate all dead and/or live cockroaches/vermin. Food facility shall be kept free of vermin: rodents (rats, mice), cockroaches, flies.

Note: No live or dead cockroaches anywhere else in the food preparation and storage areas, and warewashing area.

Violation Description: Food facility shall be kept free of vermin: rodents (rats, mice), cockroaches, flies. (114259.1, 114259.4, 114259.5) Live animals are not allowed in a food facility unless, food employees with service animals may handle or care for their service animal if they wash their hands as required or persons who are licensed pursuant to Chapter 11.5 of Division 3 of the Business and Professions Code. (114259.4, 114259.5)

Overall Inspection Comments

No summary comments have been made for this inspection.

FREE Classes to L.E.A.R.N!

Liaison Education And Risk Network (L.E.A.R.N.) is a FREE class based on the fundamentals of Active Managerial Control and the Centers for Disease Control and Prevention's five risk factors that lead to foodborne illnesses. Find out when the next L.E.A.R.N. class is by checking our [calendar](#).

Total # of Images: 0