



RETAIL FOOD PROTECTION - OFFICIAL INSPECTION REPORT

FACILITY NAME PALMS		REINSPECTION DATE 12/14/2018		INSPECTOR Guy Surber	DATE 11/30/2018
LOCATION 83131 AMBOY RD, TWENTYNINE PALMS, CA 92277				PERMIT EXPIRATION 11/30/2018	IDENTIFIER: PEP & Bar
TIME IN 2:49 PM	TIME OUT 4:16 PM	FACILITY ID FA0007079	RELATED ID PR0004109	PE 1621	SERVICE: 003 - INSPECTION - FOLLOW UP INSPECTION RESULT: 05 - CORRECTIVE ACTION / FOLLOW UP REQU ACTION: 13 - PERMIT SUSPENDED / FACILITY CLOSED

RETAIL FOOD PROTECTION - Public Eating PI (25-99 Seats)

Based on an inspection this day, the items marked below identify the violation(s) in operation or facilities which must be corrected. Failure to correct listed violation(s) prior to the designated compliance date may necessitate an additional inspection to be billed at the hourly rate as provided in the San Bernardino County Code, [Schedule of Fees](#).

Administrative Order to Show Cause (OSC): The Permittee has the right to a hearing if requested in writing within 15 calendar days of receipt of this notice, to show cause why the permit to operate should not be suspended or revoked; otherwise the right to a hearing shall be deemed waived.

See the following pages for the code sections and general requirements that correspond to each violation listed below.

16K994 Reinspection

Compliance Date: Not Specified

Not In Compliance

Reference - HSC

Inspector Comments: The purpose of this reinspection was to verify that all rodent droppings had been removed, that the clutter had been removed, and that there was no sign of an ongoing rodent infestation.

Rodent droppings were present in facility. See violation and permit suspension.

Description: Reinspection conducted at this time to determine compliance from prior inspection.

16K054 Permit Suspension



Compliance Date: Not Specified

Not In Compliance

Violation Reference - HSC - 114409, 114405

Inspector Comments: The permit for this facility was suspended because rodent droppings were found in the following places:

1. Along back wall that water heater is on in room adjoining kitchen.
2. Around corner of that back wall to right as enter from kitchen.
3. One dropping by bowls on shelf above preparation sink in kitchen.
4. Under tables that are along wall in kitchen that is across from cooking equipment.
5. In sound equipment area just outside of kitchen, particularly along base of wall shared with kitchen.
6. On floor at end of bar on the bartender's side.
7. On top of one door reach-in refrigeration unit.

This was a follow-up inspection. At the last inspection, owner was instructed to remove droppings so that it could be determined if there is an active infestation of rodents. Droppings observed on this date indicate that there is an active rodent infestation.

Owner was instructed to first use a bleach/water mixture to dampen the droppings, remove and discard the droppings, and to sanitize the area afterwards.

This facility must get a professional pest control company on site to rid the facility of vermin infestation. A supervisory review has been set up for Tuesday, December 4, 2018, at 10AM in the San Bernardino Office at 385 N. Arrowhead in San Bernardino. Professional pest control receipts and procedures used to sanitize facility will be reviewed at that time.

Facility closure sign posted on this date.

Contact the Department of Public Health at (800)442-2283 with any questions.

Violation Description: If an imminent health hazard is found, an enforcement officer may temporarily suspend the permit and order the food facility immediately closed. (114409, 114405)



RETAIL FOOD PROTECTION - OFFICIAL INSPECTION REPORT

FACILITY NAME PALMS	DATE 11/30/2018
LOCATION 83131 AMBOY RD, TWENTYNINE PALMS, CA 92277	INSPECTOR Guy Surber

16K023 No rodents, insects, birds, or animals

Compliance Date: Not Specified

Not In Compliance

Violation Reference - HSC - 114259.1,
114259.4, 11425

Inspector Comments: Observed rodent droppings in the following places:

1. Along back wall that water heater is on in room adjoining kitchen.
2. Around corner of that back wall to right as enter from kitchen.
3. One dropping by bowls on shelf above preparation sink in kitchen.
4. Under tables that are along wall in kitchen that is across from cooking equipment.
5. In sound equipment area just outside of kitchen, particularly along base of wall shared with kitchen.
6. On floor at end of bar on the bartender's side.
7. On top of one door reach-in refrigeration unit.

This is a follow-up inspection. At the last inspection, owner was instructed to remove droppings so that it could be determined if there is an active infestation of rodents. Droppings observed on this date indicate that there is an active rodent infestation.

Instructed owner to use a bleach/water mixture to wet down the droppings before removing them. To then remove droppings and sanitize areas where droppings were removed with bleach sanitizer.

Ensure that food facility is kept free of vermin: rodents (rats, mice), cockroaches, and flies.

Violation Description: Food facility shall be kept free of vermin: rodents (rats, mice), cockroaches, flies. (114259.1, 114259.4, 114259.5) Live animals are not allowed in a food facility unless, food employees with service animals may handle or care for their service animal if they wash their hands as required or persons who are licensed pursuant to Chapter 11.5 of Division 3 of the Business and Professions Code. (114259.4, 114259.5)

Overall Inspection Comments

Facility permit suspended for rodent infestation.

Facility closed sign posted on this date.

This facility must get a professional pest control company on site to rid the facility of vermin infestation. A supervisory review has been set up for Tuesday, December 4, 2018, at 10AM in the San Bernardino Office at 385 N. Arrowhead in San Bernardino. Professional pest control receipts and procedures used to sanitize facility will be reviewed at that time.

Signature(s) of Acknowledgement

NAME: Laura Sibley
TITLE: Owner

Total # of Images: 0