County of San Bernardino • Department of Public Health
Division of Environmental Health Services

COMMUNITY ENVIRONMENTAL HEALTH
CAL CODE OFFICIAL INSPECTION REPORT

www.sbcounty.gov/dehs

(800) 442-2283

FACILITY NAME: CENTRAL CITY LUTHERAN MISSION	DATE: 12/20/2012	SIGNATURE: Maria Medina	
LOCATION: 1354 N G ST, SAN BERNARDINO, CA 92405		REINSPECTION DATE: 6/20/2013	PERMIT EXPIRATION: 6/30/2013
MAILING ADDRESS: 1354 N G ST, SAN BERNARDINO CA 92405 ☐FACILITY ☐OWNER ☑ACCOUNT		REHS: John Babalola	
FA #: FA0017122 / PR #: PR0023127 / SR #: / CO #: / PE: 1621		PROGRAM IDENTIFIER: None SERVICE: 001 - Inspection - Routine RESULT: 03 - Corrective Action / No Follow up Required ACTION: 01 - No Further Action Required	
TIME IN: 1:01 PM / TIME OUT: 2:12 PM / CONTACT: Not Captured			

Based on an inspection this day, the items marked below identify the violation(s) in operation or facilities which must be corrected. The Permittee has the right to a hearing if requested in writing within 15 calendar days of receipt of this notice, to show cause why the permit to operate should not be suspended or revoked.

Failure to correct listed violation(s) prior to the designated compliance date may necessitate an additional reinspection at a charge of $61.25 per 15 minutes with a minimum time of 30 minutes, and a minimum charge of $122.50.

SCORE
91

See the following pages for the code sections and general requirements that correspond to each violation listed below.

In = In compliance | N/O = Not observed | N/A = Not applicable
COS = Corrected on-site | MAJ = Major violation | OUT = Out of compliance

	DEMONSTRATION OF KNOWLEDGE	COS	MAJ	OUT
In N/O	**1.** Demonstration of knowledge; food safety certification Food Safety Cert Name: Data not collected			2
	EMPLOYEE HEALTH & HYGIENIC PRACTICES			
In	**2.** Communicable disease; reporting, restrictions & excl		4	
In N/O	**3.** No discharge from eyes, nose, and mouth			2
In N/O	**4.** Proper eating, tasting, drinking or tobacco use			2
	PREVENTING CONTAMINATION BY HANDS			
In N/O	**5.** Hands clean and properly washed; gloves used prop		4	2
In	**6.** Adequate handwashing facilities supplied & accessib			2
	TIME AND TEMPERATURE RELATIONSHIPS			
In N/O N/A	**7.** Proper hot and cold holding temperatures		4	2
In N/O N/A	**8.** Time as a public health control; procedures & record		4	2
In N/O N/A	**9.** Proper cooling methods		4	2
In N/O N/A	**10.** Proper cooking time & temperatures		4	
In N/O N/A	**11.** Proper reheating procedures for hot holding		4	
	PROTECTION FROM CONTAMINATION			
In N/O N/A	**12.** Returned and reservice of food			2
In	**13.** Food in good condition, safe and unadulterated		4	2
In N/O N/A	**14.** Food contact surfaces: clean and sanitized		4	2
Sanitizer Type: Chlorine Quaternary Ammonia Hot Water Other **Sanitizer Concentration**				

	FOOD FROM APPROVED SOURCES	COS	MAJ	OUT
In	**15.** Food obtained from approved source		4	
In N/O N/A	**16.** Compliance with shell stock tags, condition, display			2
In N/O N/A	**17.** Compliance with Gulf Oyster Regulations			2
	CONFORMANCE WITH APPROVED PROCEDURES			
In N/A	**18.** Compliance with variance, specialized process, and HACCP Plan			2
	CONSUMER ADVISORY			
In N/O N/A	**19.** Consumer advisory provided for raw or undercooked foods			2
	HIGHLY SUSCEPTIBLE POPULATIONS			
In N/A	**20.** Licensed health care facilities/public and private schools; prohibited foods not offered		4	
	WATER/HOT WATER			
In	**21.** Hot and cold water available _____Temp		4	2
	LIQUID WASTE DISPOSAL			
In	**22.** Sewage and wastewater properly disposed		4	2
	VERMIN			
In	**23.** No rodents, insects, birds, or animals		4	2

SUPERVISION	OUT
24. Person in charge present and performs duties	1
PERSONAL CLEANLINESS	
25. Personal cleanliness and hair restraints	1
GENERAL FOOD SAFETY REQUIREMENTS	
26. Approved thawing methods used, frozen food	1
27. Food separated and protected	1
28. Washing fruits and vegetables	1
29. Toxic substances properly identified, stored, use	1
FOOD STORAGE/DISPLAY/SERVICE	
30. Food storage; food storage containers identified	1
31. Consumer self-service	1
32. Food properly labeled & honestly presented	1

EQUIPMENT/UTENSILS/LINENS	OUT
33. Nonfood contact surfaces clean	1
34. Warewashing facilities: installed, maintained, used	1
35. Equipment/Utensils approved; installed; clean; good repa	1
36. Equipment, utensils and linens: storage and use	1
37. Vending machines	1
38. Adequate ventilation and lighting; designated area	1
39. Thermometers provided and accurate	1
40. Wiping cloths: properly used and stored	1
PHYSICAL FACILITIES	
41. Plumbing: proper backflow devices	1
42. Garbage and refuse properly disposed; facilities m	1
43. Toilet facilities: properly constructed, supplied, clea	1
44. Premises; personal/cleaning items; vermin-proofin	1

PERMANENT FOOD FACILITIES	OUT
45. Floor, walls, ceilings: built, maintained, and clean	1
46. No unapproved private homes/living or sleeping qu	1
SIGNS REQUIREMENTS	
47. Signs posted; last inspection report available	1
48. Food worker cards	2
COMPLIANCE & ENFORCEMENT	
49. Permits Available	
50. Restrooms Required	
51. Plan Review	
52. VC&D	
53. Impoundment	
54. Permit Suspension	

County of San Bernardino • Department of Public Health
Division of Environmental Health Services

COMMUNITY ENVIRONMENTAL HEALTH
CAL CODE OFFICIAL INSPECTION REPORT

www.sbcounty.gov/dehs

(800) 442-2283

FACILITY NAME	DATE	SIGNATURE
CENTRAL CITY LUTHERAN MISSION	12/20/2012	Maria Medina
LOCATION		REHS
1354 N G ST, SAN BERNARDINO, CA 92405		John Babalola

Non-critical Violations

1: Demonstration of knowledge; food manager certifica

POINTS 2

Compliance date not specified

Not In Compliance

Violation Description: All food employees shall have adequate knowledge of and be trained in food safety as it relates to their assigned duties. (113947) Food facilities that prepare, handle or serve non-prepackaged potentially hazardous food, shall have an employee who has passed an approved food safety certification examination. (113947-113947.1)

Inspector Comments: Provide the manager food safety certification. No manager food safety certification observed.

Note: This is a continuous violation!

23: No rodents, insects, birds, or animals

POINTS 2

Compliance date not specified

Not In Compliance

Violation Description: Food facility shall be kept free of vermin: rodents (rats, mice), cockroaches, flies. (114259.1, 114259.4, 114259.5) Live animals are not allowed in a food facility unless, food employees with service animals may handle or care for their service animal if they wash their hands as required or persons who are licensed pursuant to Chapter 11.5 of Division 3 of the Business and Professions Code. (114259.4, 114259.5)

Inspector Comments: Observed mice droppings in the storage area.

35: Equipment/Utensils - approved; installed; clean; g

POINTS 1

Compliance date not specified

Not In Compliance

Violation Description: All utensils and equipment shall be fully operative and in good repair. (114175). All utensils and equipment shall be approved, installed properly, and meet applicable standards. (114130, 114130.1, 114130.2, 114130.3, 114130.4, 114130.5, 114132, 114133, 114137, 114139, 114153, 114155, 114163, 114165, 114167, 114169, 114177, 114180, 114182)

Inspector Comments: Grime observed on the can opener blade.

38: Adequate ventilation and lighting; designated area

POINTS 1

Compliance date not specified

Not In Compliance

Violation Description: Exhaust hoods shall be provided to remove toxic gases, heat, grease, vapors and smoke and be approved by the local building department. Canopy-type hoods shall extend 6" beyond all cooking equipment. All areas shall have sufficient ventilation to facilitate proper food storage. Toilet rooms shall be vented to the outside air by a screened openable window, an air shaft, or a light-switch activated exhaust fan, consistent with local building codes. (114149, 114149.1) Adequate lighting shall be provided in all areas to facilitate cleaning and inspection. Light fixtures in areas where open food is stored, served, prepared, and where utensils are washed shall be of shatterproof construction or protected with light shields. (114149.2, 114149.3, 114252, 114252.1)

Inspector Comments: Provide an exhaust fan to the men restroom or make the window openable. None observed at the time of inspection.

Note: This is a continuous violation.

41: Plumbing; proper backflow devices

POINTS 1

Compliance date not specified

Not In Compliance

Violation Description: The potable water supply shall be protected with a backflow or back siphonage protection device, as required by applicable plumbing codes. (114192) All plumbing and plumbing fixtures shall be installed in compliance with local plumbing ordinances, shall be maintained so as to prevent any contamination, and shall be kept clean, fully operative, and in good repair. Any hose used for conveying potable water shall be of approved materials, labeled, properly stored, and used for no other purpose. (114171, 114189.1, 114190, 114193, 114193.1, 114199, 114201, 114269)

Inspector Comments: Replace the missing control knob to the hot water faucet at the 3-compartment sink.

43: Toilet facilities: properly constructed, supplied,

POINTS 1

Compliance date not specified

Not In Compliance

Violation Description: Toilet facilities shall be maintained clean, sanitary and in good repair. Toilet rooms shall be separated by a well-fitting self-closing door. Toilet tissue shall be provided in a permanently installed dispenser at each toilet. The number of toilet facilities shall be in accordance with local building and plumbing ordinances. Toilet facilities shall be provided for patrons: in establishments with more than 20,000 sq ft.; establishments offering on-site liquor consumption. (114250, 114250.1, 114276)

County of San Bernardino • Department of Public Health
Division of Environmental Health Services

COMMUNITY ENVIRONMENTAL HEALTH
CAL CODE OFFICIAL INSPECTION REPORT

www.sbcounty.gov/dehs

(800) 442-2283

FACILITY NAME	DATE	SIGNATURE
CENTRAL CITY LUTHERAN MISSION	12/20/2012	Maria Medina
LOCATION		REHS
1354 N G ST, SAN BERNARDINO, CA 92405		John Babalola

Non-critical Violations

Inspector Comments: The 2 restroom doors are not self-closing.

Note: This is a continuous violation!

45: Floors, walls and ceilings: built, maintained, and

POINTS	
1	**Compliance date not specified** **Not In Compliance**

Violation Description: The walls / ceilings shall have durable, smooth, nonabsorbent, and washable surfaces. All floor surfaces, other than the customer service areas, shall be approved, smooth, durable and made of nonabsorbent material that is easily cleanable. Approved base coving shall be provided in all areas, except customer service areas and where food is stored in original unopened containers. Food facilities shall be fully enclosed. All food facilities shall be kept clean and in good repair. (114143 (d), 114257, 114266, 114268, 114268.1, 114271, 114272) Cleaning must be an approved dustless method. (114268.1) Mats and duckboards, if used, must be removable and easily cleanable. (114272) Open-air barbecues or wood-burning ovens floor surfaces must extend a minimum of five feet and be impervious or easily cleanable. (114143(d))

Inspector Comments: Repair the damaged ceiling inside the walk-in cooler.

The walk-in freezer door does not close properly. Make repairs.

Overall Inspection Comments

Posted an A grade placard.