



**County of San Bernardino • Department of Public Health
Division of Environmental Health Services
COMMUNITY ENVIRONMENTAL HEALTH
CAL CODE OFFICIAL INSPECTION REPORT**

www.sbcounty.gov/dehs

(800) 442-2283

FACILITY NAME EAST BARSTOW SHELL				DATE 12/21/2012	SIGNATURE <i>[Signature]</i>
LOCATION 1390 E MAIN ST, BARSTOW, CA 92311				REINSPECTION DATE 6/21/2013	PERMIT EXPIRATION 5/31/2013
MAILING ADDRESS 1390 E MAIN ST, BARSTOW CA 92311				<input type="checkbox"/> FACILITY <input type="checkbox"/> OWNER <input checked="" type="checkbox"/> ACCOUNT REHS Dawn LaFlower	
FA # FA0009635	PR # PR0010887	SR #	CO #	PE 1647	PROGRAM IDENTIFIER: None
TIME IN 1:47 PM	TIME OUT 2:18 PM	CONTACT Not Captured			SERVICE: 001 - Inspection - Routine
					RESULT: 03 - Corrective Action / No Follow up Required
					ACTION: 01 - No Further Action Required

Based on an inspection this day, the items marked below identify the violation(s) in operation or facilities which must be corrected. The Permittee has the right to a hearing if requested in writing within 15 calendar days of receipt of this notice, to show cause why the permit to operate should not be suspended or revoked.

Failure to correct listed violation(s) prior to the designated compliance date may necessitate an additional reinspection at a charge of \$61.25 per 15 minutes with a minimum time of 30 minutes, and a minimum charge of \$122.50.

SCORE
91

See the following pages for the code sections and general requirements that correspond to each violation listed below.

- In = In compliance
- N/O = Not observed
- N/A = Not applicable
- + COS = Corrected on-site
- ⊗ MAJ = Major violation
- ⊗ OUT = Out of compliance

DEMONSTRATION OF KNOWLEDGE			COS	MAJ	OUT
○ In	N/O	1. Demonstration of knowledge; food safety certification Food Safety Cert Name: Data not collected			2
EMPLOYEE HEALTH & HYGIENIC PRACTICES					
○ In		2. Communicable disease; reporting, restrictions & excl		4	
○ In	N/O	3. No discharge from eyes, nose, and mouth			2
○ In	N/O	4. Proper eating, tasting, drinking or tobacco use			2
PREVENTING CONTAMINATION BY HANDS					
○ In	N/O	5. Hands clean and properly washed; gloves used prop		4	2
	In	6. Adequate handwashing facilities supplied & accessib			⊗ OUT
TIME AND TEMPERATURE RELATIONSHIPS					
○ In	N/O	N/A		4	2
	In	N/O	○ N/A		4
	In	N/O	○ N/A		4
	In	N/O	○ N/A		4
	In	N/O	○ N/A		4
PROTECTION FROM CONTAMINATION					
	In	N/O	○ N/A		2
○ In		13. Food in good condition, safe and unadulterated		4	2
○ In	N/O	N/A		4	2
Sanitizer Type: Chlorine Quaternary Ammonia Hot Water Other Sanitizer Concentration					

FOOD FROM APPROVED SOURCES			COS	MAJ	OUT
○ In		15. Food obtained from approved source		4	
	In	N/O	○ N/A		2
	In	N/O	○ N/A		2
CONFORMANCE WITH APPROVED PROCEDURES					
	In		○ N/A		2
CONSUMER ADVISORY					
	In	N/O	○ N/A		2
HIGHLY SUSCEPTIBLE POPULATIONS					
	In		○ N/A		4
WATER/HOT WATER					
○ In		21. Hot and cold water available _____Temp		4	2
LIQUID WASTE DISPOSAL					
○ In		22. Sewage and wastewater properly disposed		4	2
VERMIN					
○ In		23. No rodents, insects, birds, or animals		4	2

SUPERVISION	OUT
24. Person in charge present and performs duties	1
PERSONAL CLEANLINESS	
25. Personal cleanliness and hair restraints	1
GENERAL FOOD SAFETY REQUIREMENTS	
26. Approved thawing methods used, frozen food	1
27. Food separated and protected	1
28. Washing fruits and vegetables	1
29. Toxic substances properly identified, stored, use	1
FOOD STORAGE/DISPLAY/SERVICE	
30. Food storage; food storage containers identified	1
31. Consumer self-service	1
32. Food properly labeled & honestly presented	1

EQUIPMENT/UTENSILS/LINENS	OUT
33. Nonfood contact surfaces clean	⊗ OUT
34. Warewashing facilities: installed, maintained, used	⊗ OUT
35. Equipment/Utensils approved; installed; clean; good repa	⊗ OUT
36. Equipment, utensils and linens: storage and use	1
37. Vending machines	1
38. Adequate ventilation and lighting; designated area	⊗ OUT
39. Thermometers provided and accurate	1
40. Wiping cloths: properly used and stored	1
PHYSICAL FACILITIES	
41. Plumbing: proper backflow devices	⊗ OUT
42. Garbage and refuse properly disposed; facilities m	1
43. Toilet facilities: properly constructed, supplied, clea	1
44. Premises; personal/cleaning items; vermin-proofin	1

PERMANENT FOOD FACILITIES	OUT
45. Floor, walls, ceilings: built, maintained, and clean	⊗ OUT
46. No unapproved private homes/living or sleeping qu	1
SIGNS REQUIREMENTS	
47. Signs posted; last inspection report available	⊗ OUT
48. Food worker cards	2
COMPLIANCE & ENFORCEMENT	
49. Permits Available	
50. Restrooms Required	
51. Plan Review	
52. VC&D	
53. Impoundment	
54. Permit Suspension	



County of San Bernardino • Department of Public Health
 Division of Environmental Health Services
COMMUNITY ENVIRONMENTAL HEALTH
CAL CODE OFFICIAL INSPECTION REPORT

www.sbcounty.gov/dehs

(800) 442-2283

FACILITY NAME EAST BARSTOW SHELL	DATE 12/21/2012	SIGNATURE
LOCATION 1390 E MAIN ST, BARSTOW, CA 92311	REHS Dawn LaFlower	

Non-critical Violations

6: Adequate handwashing facilities supplied & access

POINTS 2	Compliance date not specified	<i>Violation Description:</i> Handwashing soap and towels or drying device shall be provided in dispensers; dispensers shall be maintained in good repair. (113953.2) Adequate facilities shall be provided for hand washing. (113953, 113953.1, 114067(f)). Handwashing sink is not separated from a warewashing sink by a 6 inch high metal splashguard or 24 inch separation. (113953) Handwashing sinks shall not be obstructed, inaccessible, used improperly or kept unclean. (113953.1)
	Not In Compliance	

Inspector Comments: Provide handwashing supplies at all times.

Observed soap dispenser empty in restroom.

33: Nonfood-contact surfaces clean

POINTS 1	Compliance date not specified	<i>Violation Description:</i> All nonfood contact surfaces of utensils and equipment shall be clean. (114115 (c))
	Not In Compliance	

Inspector Comments: Clean and maintain all non-food contact surfaces.

Observed debris in cabinets under soda and coffee dispensers.

34: Warewashing facilities: installed, maintained, use

POINTS 1	Compliance date not specified	<i>Violation Description:</i> Food facilities that prepare food shall be equipped with warewashing facilities. Testing equipment and materials shall be provided to measure the applicable sanitization method. (114067(f,g), 114099, 114099.3, 114099.5, 114101(a), 114101.1, 114101.2, 114103, 114107, 114125) A thermometer must be readily available to monitor the temperature of the water at the warewashing sink. A warewashing sink used to wash wiping cloths, wash produce, or thaw food must be cleaned and sanitized before and after each use.
	Not In Compliance	

Inspector Comments: Provide sanitizer test strips to verify appropriate sanitizer levels are achieved when sanitizing soda nozzles and cleaning food contact surfaces. Chlorine sanitizer needs to be between 100-200 ppm.

Observed no test strips on site.

35: Equipment/Utensils - approved; installed; clean; g

POINTS 1	Compliance date not specified	<i>Violation Description:</i> All utensils and equipment shall be fully operative and in good repair. (114175). All utensils and equipment shall be approved, installed properly, and meet applicable standards. (114130, 114130.1, 114130.2, 114130.3, 114130.4, 114130.5, 114132, 114133, 114137, 114139, 114153, 114155, 114163, 114165, 114167, 114169, 114177, 114180, 114182)
	Not In Compliance	

Inspector Comments: Repair cabinet door under soda dispenser.

Observed removed from hinge.

38: Adequate ventilation and lighting; designated area

POINTS 1	Compliance date not specified	<i>Violation Description:</i> Exhaust hoods shall be provided to remove toxic gases, heat, grease, vapors and smoke and be approved by the local building department. Canopy-type hoods shall extend 6" beyond all cooking equipment. All areas shall have sufficient ventilation to facilitate proper food storage. Toilet rooms shall be vented to the outside air by a screened openable window, an air shaft, or a light-switch activated exhaust fan, consistent with local building codes. (114149, 114149.1) Adequate lighting shall be provided in all areas to facilitate cleaning and inspection. Light fixtures in areas where open food is stored, served, prepared, and where utensils are washed shall be of shatterproof construction or protected with light shields. (114149.2, 114149.3, 114252, 114252.1)
	Not In Compliance	

Inspector Comments: Provide vapor proof covers for lights in walk in cooler.

Observed covers missing.

41: Plumbing; proper backflow devices

POINTS 1	Compliance date not specified	<i>Violation Description:</i> The potable water supply shall be protected with a backflow or back siphonage protection device, as required by applicable plumbing codes. (114192) All plumbing and plumbing fixtures shall be installed in compliance with local plumbing ordinances, shall be maintained so as to prevent any contamination, and shall be kept clean, fully operative, and in good repair. Any hose used for conveying potable water shall be of approved materials, labeled, properly stored, and used for no other purpose. (114171, 114189.1, 114190, 114193, 114193.1, 114199, 114201, 114269)
	Not In Compliance	



County of San Bernardino • Department of Public Health
 Division of Environmental Health Services
COMMUNITY ENVIRONMENTAL HEALTH
CAL CODE OFFICIAL INSPECTION REPORT

www.sbcounty.gov/dehs

(800) 442-2283

FACILITY NAME EAST BARSTOW SHELL	DATE 12/21/2012	SIGNATURE
LOCATION 1390 E MAIN ST, BARSTOW, CA 92311	REHS Dawn LaFlower	

Non-critical Violations

Inspector Comments: Provide a minimum 1" air gap between wastewater pipes and rim of floor sink.

Observed drain pipe from soda machine draining directly into floor sink.

45: Floors, walls and ceilings: built, maintained, and

POINTS
1

Compliance date not specified
Not In Compliance

Violation Description: The walls / ceilings shall have durable, smooth, nonabsorbent, and washable surfaces. All floor surfaces, other than the customer service areas, shall be approved, smooth, durable and made of nonabsorbent material that is easily cleanable. Approved base coving shall be provided in all areas, except customer service areas and where food is stored in original unopened containers. Food facilities shall be fully enclosed. All food facilities shall be kept clean and in good repair. (114143 (d), 114257, 114266, 114268, 114268.1, 114271, 114272) Cleaning must be an approved dustless method. (114268.1) Mats and duckboards, if used, must be removable and easily cleanable. (114272) Open-air barbecues or wood-burning ovens floor surfaces must extend a minimum of five feet and be impervious or easily cleanable. (114143(d))

Inspector Comments: Immediately repair roof in back storage area.

Observed water leaking from roof onto floor.

47: Signs posted: last inspection report available

POINTS
1

Compliance date not specified
Not In Compliance

Violation Description: Handwashing signs shall be posted in each toilet room, directing attention to the need to thoroughly wash hands after using the restroom (113953.5) (b) No smoking signs shall be posted in food preparation, food storage, warewashing, and utensil storage areas (113978). (c) Consumers shall be notified that clean tableware is to be used when they return to self-service areas such as salad bars and buffets. (d) Any food facility constructed before January 1, 2004 without public toilet facilities, shall prominently post a sign within the food facility in a public area stating that toilet facilities are not provided (113725.1, 114381 (e)). A sign shall be posted stating that a copy of the most recent routine inspection report is available upon request. (113725.1) Permit shall be posted in conspicuous location. (114381(e)) Letter Grade Placecard shall be properly posted. SBCC 33.1406

Inspector Comments:

Overall Inspection Comments

"A" grade posted