



**County of San Bernardino • Department of Public Health
Division of Environmental Health Services
COMMUNITY ENVIRONMENTAL HEALTH PROGRAM
RETAIL FOOD PROTECTION - OFFICIAL INSPECTION REPORT**

www.sbcounty.gov/dehs

(800) 442-2283

FACILITY NAME TREVOR'S RUSTIC INN				DATE 1/9/2013	SIGNATURE
LOCATION 800 W KENDALL DR, SAN BERNARDINO, CA 92407				REINSPECTION DATE Not Specified	PERMIT EXPIRATION
MAILING ADDRESS 800 W KENDALL DR, SAN BERNARDINO, CA 92407				REHS Adela Evans	
FA # FA0009992	PR # Not Specified	SR # Not Specified	CO # CO0043918	PE 1621	PROGRAM IDENTIFIER: None
TIME IN 11:54 AM	TIME OUT 12:30 PM	CONTACT Not Captured			SERVICE: 004 - Complaint - Initial
					RESULT: 05 - Corrective Action / Follow up Required
					ACTION: 03 - Reinspection Required

RETAIL FOOD PROTECTION - PUBLIC EATING PL (25-99 SEATS)

Based on an inspection this day, the items marked below identify the violation(s) in operation or facilities which must be corrected. The Permittee has the right to a hearing if requested in writing within 15 calendar days of receipt of this notice, to show cause why the permit to operate should not be suspended. Failure to correct listed violation(s) prior to the designated compliance date may necessitate an additional reinspection at a charge of \$61.25 per 15 minutes with a minimum time of 30 minutes, and a minimum charge of \$122.50.

Inspection Violations

An inspection has been conducted on this date in response to a Complaint

1. Complaint Inspection

Compliance Date not Specified

Violation Description: A complaint report has been received by Environmental Health.

Not In Compliance

Inspector Comments: On 1/7/13, Environmental Health received a complaint alleging that a cockroach was observed running across a table. Per complainant, this was the second occurrence in one month.

Violation Reference: HSC

During the inspection, did not observe any roaches on any of the tables during the inspection. However, in the bar, did observe 4 dead roaches next to and underneath cocktail glasses in a cabinet, and 9 dead grasshoppers near the fire place in the dining room. In the kitchen, observed 2 live roaches scurry from underneath the hot water tank, and 1 crawling on the hot water tank. Per operator, facility receives professional pest control service 2 times a month. A professional pest control operator arrived on-site during the inspection.

Also observed large gaps in between the coping tile located in front of the walk-in refrigerator, grease and food debris located underneath the stove, and the locker room inaccessible due to storage of equipment and other miscellaneous items.

Seal gaps, clean and sanitize areas of grease and food debris build-up, organize and maintain locker room clean and accessible at all times, and work with the professional pest control operator to exclude and eliminate pests. A re-inspection will be conducted. Failure to comply by 1/16/13 may result in closure and/or other legal action.

Overall Inspection Comments

See signature on the routine inspection report.