



**County of San Bernardino • Department of Public Health  
Division of Environmental Health Services  
COMMUNITY ENVIRONMENTAL HEALTH  
CAL CODE OFFICIAL INSPECTION REPORT**

www.sbcounty.gov/dehs

**(800) 442-2283**

FACILITY NAME <b>YUCAIPA HIGH SCHOOL</b>				DATE <b>1/28/2013</b>	SIGNATURE	
LOCATION <b>33000 YUCAIPA BL, YUCAIPA, CA 92399</b>				REINSPECTION DATE <b>7/28/2013</b>	PERMIT EXPIRATION <b>9/30/2013</b>	
MAILING ADDRESS <b>12797 3RD ST, YUCAIPA CA 92399</b>				<input type="checkbox"/> FACILITY <input type="checkbox"/> OWNER <input checked="" type="checkbox"/> ACCOUNT REHS <b>Nick Thalasin</b>		
FA # <b>FA0006206</b>	PR # <b>PR0010726</b>	SR #	CO #	PE <b>1657</b>	PROGRAM IDENTIFIER: None	
TIME IN <b>9:45 AM</b>	TIME OUT <b>10:50 AM</b>	CONTACT <b>Not Captured</b>			SERVICE: 001 - Inspection - Routine	
					RESULT: 03 - Corrective Action / No Follow up Required	
					ACTION: 01 - No Further Action Required	

Based on an inspection this day, the items marked below identify the violation(s) in operation or facilities which must be corrected. The Permittee has the right to a hearing if requested in writing within 15 calendar days of receipt of this notice, to show cause why the permit to operate should not be suspended or revoked.

Failure to correct listed violation(s) prior to the designated compliance date may necessitate an additional reinspection at a charge of \$61.25 per 15 minutes with a minimum time of 30 minutes, and a minimum charge of \$122.50.

<b>SCORE</b>
<b>94</b>

See the following pages for the code sections and general requirements that correspond to each violation listed below.

- In = In compliance
- + COS = Corrected on-site
- N/O = Not observed
- ⊘ MAJ = Major violation
- N/A = Not applicable
- ⊘ OUT = Out of compliance

DEMONSTRATION OF KNOWLEDGE			COS	MAJ	OUT
<span style="color: green;">○</span> In	N/O	1. Demonstration of knowledge; food safety certification Food Safety Cert Name: <span style="color: red;">Data not collected</span>			2
EMPLOYEE HEALTH & HYGIENIC PRACTICES					
<span style="color: green;">○</span> In		2. Communicable disease; reporting, restrictions & excl		4	
<span style="color: green;">○</span> In	N/O	3. No discharge from eyes, nose, and mouth			2
<span style="color: green;">○</span> In	N/O	4. Proper eating, tasting, drinking or tobacco use			2
PREVENTING CONTAMINATION BY HANDS					
<span style="color: green;">○</span> In	<span style="color: blue;">○</span> N/O	5. Hands clean and properly washed; gloves used prop		4	2
<span style="color: green;">○</span> In		6. Adequate handwashing facilities supplied & accessib			2
TIME AND TEMPERATURE RELATIONSHIPS					
<span style="color: green;">○</span> In	N/O	N/A		4	<span style="color: red;">⊘</span> 2
<span style="color: green;">○</span> In	<span style="color: blue;">○</span> N/O	N/A		4	2
<span style="color: green;">○</span> In	<span style="color: blue;">○</span> N/O	N/A		4	2
<span style="color: green;">○</span> In	<span style="color: blue;">○</span> N/O	N/A		4	
<span style="color: green;">○</span> In	<span style="color: blue;">○</span> N/O	N/A		4	
PROTECTION FROM CONTAMINATION					
<span style="color: green;">○</span> In	<span style="color: blue;">○</span> N/O	N/A			2
<span style="color: green;">○</span> In		13. Food in good condition, safe and unadulterated		4	2
<span style="color: green;">○</span> In	N/O	N/A		4	2
<b>Sanitizer Type:</b> Chlorine Quaternary Ammonia Hot Water Other <b>Sanitizer Concentration</b>					

FOOD FROM APPROVED SOURCES			COS	MAJ	OUT
<span style="color: green;">○</span> In		15. Food obtained from approved source		4	
<span style="color: green;">○</span> In	N/O	<span style="color: blue;">○</span> N/A			2
<span style="color: green;">○</span> In	N/O	<span style="color: blue;">○</span> N/A			2
CONFORMANCE WITH APPROVED PROCEDURES					
<span style="color: green;">○</span> In		<span style="color: blue;">○</span> N/A			2
CONSUMER ADVISORY					
<span style="color: green;">○</span> In	N/O	<span style="color: blue;">○</span> N/A			2
HIGHLY SUSCEPTIBLE POPULATIONS					
<span style="color: green;">○</span> In		N/A		4	
WATER/HOT WATER					
<span style="color: green;">○</span> In		21. Hot and cold water available _____Temp		4	2
LIQUID WASTE DISPOSAL					
<span style="color: green;">○</span> In		22. Sewage and wastewater properly disposed		4	2
VERMIN					
<span style="color: green;">○</span> In		23. No rodents, insects, birds, or animals		4	2

SUPERVISION	OUT
24. Person in charge present and performs duties	1
PERSONAL CLEANLINESS	
25. Personal cleanliness and hair restraints	1
GENERAL FOOD SAFETY REQUIREMENTS	
26. Approved thawing methods used, frozen food	1
27. Food separated and protected	1
28. Washing fruits and vegetables	1
29. Toxic substances properly identified, stored, use	1
FOOD STORAGE/DISPLAY/SERVICE	
30. Food storage; food storage containers identified	1
31. Consumer self-service	1
32. Food properly labeled & honestly presented	1

EQUIPMENT/UTENSILS/LINENS	OUT
33. Nonfood contact surfaces clean	1
34. Warewashing facilities: installed, maintained, used	<span style="color: red;">⊘</span> 1
35. Equipment/Utensils approved; installed; clean; good repa	1
36. Equipment, utensils and linens: storage and use	1
37. Vending machines	1
38. Adequate ventilation and lighting; designated area	1
39. Thermometers provided and accurate	1
40. Wiping cloths: properly used and stored	1
PHYSICAL FACILITIES	
41. Plumbing: proper backflow devices	<span style="color: red;">⊘</span> 1
42. Garbage and refuse properly disposed; facilities m	1
43. Toilet facilities: properly constructed, supplied, clea	1
44. Premises; personal/cleaning items; vermin-proofin	1

PERMANENT FOOD FACILITIES	OUT
45. Floor, walls, ceilings: built, maintained, and clean	1
46. No unapproved private homes/living or sleeping qu	1
SIGNS REQUIREMENTS	
47. Signs posted; last inspection report available	1
48. Food worker cards	2
COMPLIANCE & ENFORCEMENT	
49. Permits Available	
50. Restrooms Required	
51. Plan Review	
52. VC&D	
53. Impoundment	
54. Permit Suspension	



County of San Bernardino • Department of Public Health  
 Division of Environmental Health Services  
**COMMUNITY ENVIRONMENTAL HEALTH**  
**CAL CODE OFFICIAL INSPECTION REPORT**

[www.sbcounty.gov/dehs](http://www.sbcounty.gov/dehs)

**(800) 442-2283**

FACILITY NAME <b>YUCAIPA HIGH SCHOOL</b>	DATE <b>1/28/2013</b>	SIGNATURE
LOCATION <b>33000 YUCAIPA BL, YUCAIPA, CA 92399</b>	REHS <b>Nick Thalasin</b>	

**Non-critical Violations**

**7: Proper hot and cold holding temperatures**

<b>POINTS</b> <b>4</b>	Compliance date not specified	<i>Violation Description:</i> Potentially hazardous foods shall be held at or below 41F or at or above 135F. (113996, 113998, 114037, 114343(a))
	Not In Compliance	
Violation Reference - HSC - 113996, 113998, 114037		<i>Inspector Comments:</i> Observed the Ham sandwiches in the Hobart Upright Pass-Through 2-Door Refrigerator are at 47 degrees F; Maintain all (cold holding) PHF at 41 degrees F or below.
<i>More Information:</i> <a href="http://www.sbcounty.gov/dehs/Depts/EnvironmentalHealth/FormsPublications/documents/510012_how_to_keep_food_out_of_danger_zone.pdf">http://www.sbcounty.gov/dehs/Depts/EnvironmentalHealth/FormsPublications/documents/510012_how_to_keep_food_out_of_danger_zone.pdf</a>		Note: Sandwiches moved to walk-in cooler - check Hobart Upright.

**34: Warewashing facilities: installed, maintained, use**

<b>POINTS</b> <b>1</b>	Compliance date not specified	<i>Violation Description:</i> Food facilities that prepare food shall be equipped with warewashing facilities. Testing equipment and materials shall be provided to measure the applicable sanitization method. (114067(f.g), 114099, 114099.3, 114099.5, 114101(a), 114101.1, 114101.2, 114103, 114107, 114125) A thermometer must be readily available to monitor the temperature of the water at the warewashing sink. A warewashing sink used to wash wiping cloths, wash produce, or thaw food must be cleaned and sanitized before and after each use.
	Not In Compliance	
Violation Reference - HSC - 114067(f.g), 114099		<i>Inspector Comments:</i> Observed that one of the Doors on the Hobart Upright Pass-Through 2-Door Hot Holding unit is in poor repair, will not stay shut; Repair unit immediately.
<i>More Information:</i> <a href="http://www.sbcounty.gov/dehs/Depts/EnvironmentalHealth/FormsPublications/documents/Three_Comp_Sink_Eng_Spn_final_11_30_11.pdf">http://www.sbcounty.gov/dehs/Depts/EnvironmentalHealth/FormsPublications/documents/Three_Comp_Sink_Eng_Spn_final_11_30_11.pdf</a>		

**41: Plumbing; proper backflow devices**

<b>POINTS</b> <b>1</b>	Compliance date not specified	<i>Violation Description:</i> The potable water supply shall be protected with a backflow or back siphonage protection device, as required by applicable plumbing codes. (114192) All plumbing and plumbing fixtures shall be installed in compliance with local plumbing ordinances, shall be maintained so as to prevent any contamination, and shall be kept clean, fully operative, and in good repair. Any hose used for conveying potable water shall be of approved materials, labeled, properly stored, and used for no other purpose. (114171, 114189.1, 114190, 114193, 114193.1, 114199, 114201, 114269)
	Not In Compliance	
Violation Reference - HSC - 114171, 114189.1		<i>Inspector Comments:</i> Observed extremely foul odor emanating from the floor sinks in the front serving area; Clean and sanitize sinks - if odor persists, Repair plumbing as needed.

**Overall Inspection Comments**

Note: Kitchen is very clean and well-kept!