



County of San Bernardino • Department of Public Health  
 Division of Environmental Health Services  
**COMMUNITY ENVIRONMENTAL HEALTH PROGRAM**  
**RETAIL FOOD PROTECTION - OFFICIAL INSPECTION REPORT**

[www.sbcounty.gov/dehs](http://www.sbcounty.gov/dehs)

**(800) 442-2283**

FACILITY NAME <b>JACK'S DONUT</b>				DATE <b>3/12/2013</b>	SIGNATURE <i>(Koang Ts)</i>
LOCATION <b>8188 SIERRA AV A, FONTANA, CA 92335</b>				REINSPECTION DATE <b>Not Specified</b>	PERMIT EXPIRATION
MAILING ADDRESS <b>8188 SIERRA AV A, FONTANA, CA 92335</b>				REHS <b>Cecilia Jones</b>	
FA # <b>FA0008361</b>	PR # <b>Not Specified</b>	SR # <b>Not Specified</b>	CO # <b>CO0044264</b>	PE <b>1620</b>	PROGRAM IDENTIFIER: <b>None</b>
TIME IN <b>10:21 AM</b>	TIME OUT <b>10:50 AM</b>	CONTACT <b>Not Captured</b>	SERVICE: <b>004 - Complaint - Initial</b>		
			RESULT: <b>03 - Corrective Action / No Follow up Required</b>		
			ACTION: <b>01 - No Further Action Required</b>		

**RETAIL FOOD PROTECTION - PUBLIC EATING PL (0-24 SEATS)**

Based on an inspection this day, the items marked below identify the violation(s) in operation or facilities which must be corrected. The Permittee has the right to a hearing if requested in writing within 15 calendar days of receipt of this notice, to show cause why the permit to operate should not be suspended

Failure to correct listed violation(s) prior to the designated compliance date may necessitate an additional reinspection at a charge of \$61.25 per 15 minutes with a minimum time of 30 minutes, and a minimum charge of \$122.50

**Inspection Violations**

No violations cited.

**Overall Inspection Comments**

Our department received a complaint stating that this facility was unsanitary and infested with roaches.

**Inspector observations:**

I observed no live or dead roaches. Possible roach droppings were observed on a section of wall where it meets the ceiling, but I was unable to verify.

I also observed facility walls, shelving, floor, and coving to be soiled and in need of repair. Ensure to clean and maintain as needed.

Facility had several flies in the facility, Keep exterior doors closed when not in use.

I observed a 5 gallon bucket filled with water and about 4 dozen cracked eggs. These eggs were holding at 64 degrees. Operator said it was salted water and that his wife prepares these to take home. I requested that these eggs be voluntarily discarded. The operator discarded the eggs in the dumpster.