



**County of San Bernardino • Department of Public Health
Division of Environmental Health Services
COMMUNITY ENVIRONMENTAL HEALTH
CAL CODE OFFICIAL INSPECTION REPORT**

(800) 442-2283

www.sbcounty.gov/dph/dehs

FACILITY NAME SUBWAY				DATE 8/21/2013	SIGNATURE <i>Eurich Santiago</i>
LOCATION 766 TENNESSEE ST, REDLANDS, CA 92373				REINSPECTION DATE 9/04/2013	PERMIT EXPIRATION 3/31/2014
MAILING ADDRESS PO BOX 310411, FONTANA CA 92331-0411				REHS Eurich Santiago	
FA # FA0001384	PR # PR0011100	SR #	CO #	PE 1620	PROGRAM IDENTIFIER: None
TIME IN 10:51 AM	TIME OUT 11:40 AM	CONTACT Not Captured	SERVICE: 001 - Inspection - Routine		
			RESULT: 03 - Corrective Action / No Follow up Required		
			ACTION: 01 - No Further Action Required		

Based on an inspection this day, the items marked below identify the violation(s) in operation or facilities which must be corrected. The Permittee has the right to a hearing if requested in writing within 15 calendar days of receipt of this notice, to show cause why the permit to operate should not be suspended or revoked.

Failure to correct listed violation(s) prior to the designated compliance date may necessitate an additional reinspection at a charge of \$61.25 per 15 minutes with a minimum time of 30 minutes, and a minimum charge of \$122.50.



SCORE 97

See the following pages for the code sections and general requirements that correspond to each violation listed below.

- In = In compliance
- N/O = Not observed
- N/A = Not applicable
- + COS = Corrected on-site
- ⊘ MAJ = Major violation
- ⊘ OUT = Out of compliance

DEMONSTRATION OF KNOWLEDGE			COS	MAJ	OUT
In	N/O	1. Demonstration of knowledge; food safety certification			2
EMPLOYEE HEALTH & HYGIENIC PRACTICES					
In		2. Communicable disease; reporting, restrictions & excl		4	
In	N/O	3. No discharge from eyes, nose, and mouth			2
In	N/O	4. Proper eating, tasting, drinking or tobacco use			2
PREVENTING CONTAMINATION BY HANDS					
In	N/O	5. Hands clean and properly washed; gloves used prop		4	2
In		6. Adequate handwashing facilities supplied & accessib			2
TIME AND TEMPERATURE RELATIONSHIPS					
In	N/O	N/A		4	2
In	N/O	N/A		4	2
In	N/O	N/A		4	2
In	N/O	N/A		4	
In	N/O	N/A		4	
PROTECTION FROM CONTAMINATION					
In	N/O	N/A			2
In		13. Food in good condition, safe and unadulterated		4	2
In	N/O	N/A		4	2

FOOD FROM APPROVED SOURCES			COS	MAJ	OUT
In		15. Food obtained from approved source		4	
In	N/O	N/A 16. Compliance with shell stock tags, condition, display			2
In	N/O	N/A 17. Compliance with Gulf Oyster Regulations			2
CONFORMANCE WITH APPROVED PROCEDURES					
In		N/A 18. Compliance with variance, specialized process, and HACCP Plan			2
CONSUMER ADVISORY					
In	N/O	N/A 19. Consumer advisory provided for raw or undercooked foods			2
HIGHLY SUSCEPTIBLE POPULATIONS					
In		N/A 20. Licensed health care facilities/public and private schools; prohibited foods not offered		4	
WATER/HOT WATER					
In		21. Hot and cold water available		4	2
LIQUID WASTE DISPOSAL					
In		22. Sewage and wastewater properly disposed		4	2
VERMIN					
In		23. No rodents, insects, birds, or animals		4	2

SUPERVISION	OUT
24. Person in charge present and performs duties	1
PERSONAL CLEANLINESS	
25. Personal cleanliness and hair restraints	1
GENERAL FOOD SAFETY REQUIREMENTS	
26. Approved thawing methods used, frozen food	⊘
27. Food separated and protected	1
28. Washing fruits and vegetables	1
29. Toxic substances properly identified, stored, use	1
FOOD STORAGE/DISPLAY/SERVICE	
30. Food storage; food storage containers identified	1
31. Consumer self-service	1
32. Food properly labeled & honestly presented	1

EQUIPMENT/UTENSILS/LINENS	OUT
33. Nonfood contact surfaces clean	1
34. Warewashing facilities: installed, maintained, used	1
35. Equipment/Utensils approved; installed; clean; good repa	⊘
36. Equipment, utensils and linens: storage and use	1
37. Vending machines	1
38. Adequate ventilation and lighting; designated area	1
39. Thermometers provided and accurate	1
40. Wiping cloths: properly used and stored	1
PHYSICAL FACILITIES	
41. Plumbing: proper backflow devices	⊘
42. Garbage and refuse properly disposed; facilities m	1
43. Toilet facilities: properly constructed, supplied, clea	1
44. Premises; personal/cleaning items; vermin-proofin	1

PERMANENT FOOD FACILITIES	OUT
45. Floor, walls, ceilings: built, maintained, and clean	1
46. No unapproved private homes/living or sleeping qu	1
SIGNS REQUIREMENTS	
47. Signs posted; last inspection report available	1
48. Food worker cards	2
COMPLIANCE & ENFORCEMENT	
49. Permits Available	
50. Restrooms Required	
51. Plan Review	
52. VC&D	
53. Impoundment	
54. Permit Suspension	



County of San Bernardino • Department of Public Health
 Division of Environmental Health Services
COMMUNITY ENVIRONMENTAL HEALTH
CAL CODE OFFICIAL INSPECTION REPORT

www.sbcounty.gov/dph/dehs

(800) 442-2283

FACILITY NAME SUBWAY	DATE 8/21/2013	SIGNATURE
LOCATION 766 TENNESSEE ST, REDLANDS, CA 92373	REHS Eurich Santiago	

26. APPROVED THAWING METHODS USED, FROZEN FOOD

POINTS 1	Compliance date not specified	Inspector Comments: Observed container of frozen chicken sitting out at room temperature. Employee states it was defrosting for use at cold holding table. Ensure all potentially hazardous foods are thawed using approved methods: in walk in/reach in cooler, under cold running water, or part of the cooking process.
	Not In Compliance	

Violation Description: Food shall be thawed under refrigeration; completely submerged under cold running water (less than 70F) of sufficient velocity to flush loose particles for less than 2 hours; in microwave oven; or during the cooking process. (114018, 114020, 114020.1)

More Information: http://www.sbcounty.gov/dehs/Depts/EnvironmentalHealth/FormsPublications/documents/Proper_Defrosting_Eng_Spn_11_29_11.pdf

35. EQUIPMENT/UTENSILS - APPROVED; INSTALLED; CLEAN; GOOD REPAIR, CAPACITY

POINTS 1	Compliance date not specified	Inspector Comments: Observed slime/mold build up on deflector inside ice machine. Clean and maintain.
	Not In Compliance	

Violation Description: All utensils and equipment shall be fully operative and in good repair. (114175). All utensils and equipment shall be approved, installed properly, and meet applicable standards. (114130, 114130.1, 114130.2, 114130.3, 114130.4, 114130.5, 114132, 114133, 114137, 114139, 114153, 114155, 114163, 114165, 114167, 114169, 114177, 114180, 114182)

41. PLUMBING; PROPER BACKFLOW DEVICES

POINTS 1	Compliance date not specified	Inspector Comments: Observed minor leak at food prep sink faucet. Repair/replace faucet.
	Not In Compliance	

Violation Description: The potable water supply shall be protected with a backflow or back siphonage protection device, as required by applicable plumbing codes. (114192) All plumbing and plumbing fixtures shall be installed in compliance with local plumbing ordinances, shall be maintained so as to prevent any contamination, and shall be kept clean, fully operative, and in good repair. Any hose used for conveying potable water shall be of approved materials, labeled, properly stored, and used for no other purpose. (114171, 114189.1, 114190, 114193, 114193.1, 114199, 114201, 114269)

Overall Inspection Comments

"A" Grade card posted.

Observed inoperable air curtain at front door. Repair/replace by next routine inspection.

Measure Quat sanitizer bucket at 100 ppm. Ensure Quat sanitizer level is maintained between 200 and 300 ppm for proper sanitizing.