



**County of San Bernardino • Department of Public Health
Division of Environmental Health Services
COMMUNITY ENVIRONMENTAL HEALTH
CAL CODE OFFICIAL INSPECTION REPORT**

(800) 442-2283

www.sbcounty.gov/dph/dehs

FACILITY NAME ROYAL TRUCK STOP				DATE 9/4/2013	SIGNATURE 	
LOCATION 2300 E STEEL RD, COLTON, CA 92324				REINSPECTION DATE 3/04/2014	PERMIT EXPIRATION 5/31/2014	
MAILING ADDRESS 2300 E STEEL RD, COLTON, CA 92324				REHS John Babalola		
FA # FA0005329	PR # PR0004728	SR #	CO #	PE 1620	PROGRAM IDENTIFIER: None SERVICE: 001 - Inspection - Routine RESULT: 03 - Corrective Action / No Follow up Required ACTION: 01 - No Further Action Required	
TIME IN 11:30 AM	TIME OUT 12:42 PM	CONTACT Not Captured				

Based on an inspection this day, the items marked below identify the violation(s) in operation or facilities which must be corrected. The Permittee has the right to a hearing if requested in writing within 15 calendar days of receipt of this notice, to show cause why the permit to operate should not be suspended or revoked.

Failure to correct listed violation(s) prior to the designated compliance date may necessitate an additional reinspection at a charge of \$61.25 per 15 minutes with a minimum time of 30 minutes, and a minimum charge of \$122.50.



SCORE 93

See the following pages for the code sections and general requirements that correspond to each violation listed below.

- In = In compliance
+ COS = Corrected on-site
- N/O = Not observed
⊗ MAJ = Major violation
- N/A = Not applicable
⊗ OUT = Out of compliance

DEMONSTRATION OF KNOWLEDGE				COS	MAJ	OUT
In	N/O	1. Demonstration of knowledge; food safety certification				2
EMPLOYEE HEALTH & HYGIENIC PRACTICES						
In		2. Communicable disease; reporting, restrictions & excl			4	
In	N/O	3. No discharge from eyes, nose, and mouth				2
In	N/O	4. Proper eating, tasting, drinking or tobacco use				2
PREVENTING CONTAMINATION BY HANDS						
In	N/O	5. Hands clean and properly washed; gloves used prop		4	2	
In		6. Adequate handwashing facilities supplied & accessib				2
TIME AND TEMPERATURE RELATIONSHIPS						
In	N/O	N/A	7. Proper hot and cold holding temperatures		4	2
In	N/O	N/A	8. Time as a public health control; procedures & record		4	2
In	N/O	N/A	9. Proper cooling methods		4	2
In	N/O	N/A	10. Proper cooking time & temperatures		4	
In	N/O	N/A	11. Proper reheating procedures for hot holding		4	
PROTECTION FROM CONTAMINATION						
In	N/O	N/A	12. Returned and reserve of food			2
In			13. Food in good condition, safe and unadulterated		4	2
In	N/O	N/A	14. Food contact surfaces: clean and sanitized		4	2

FOOD FROM APPROVED SOURCES				COS	MAJ	OUT
In		15. Food obtained from approved source			4	
In	N/O	N/A	16. Compliance with shell stock tags, condition, display			2
In	N/O	N/A	17. Compliance with Gulf Oyster Regulations			2
CONFORMANCE WITH APPROVED PROCEDURES						
In		N/A	18. Compliance with variance, specialized process, and HACCP Plan			2
CONSUMER ADVISORY						
In	N/O	N/A	19. Consumer advisory provided for raw or undercooked foods			2
HIGHLY SUSCEPTIBLE POPULATIONS						
In		N/A	20. Licensed health care facilities/public and private schools; prohibited foods not offered		4	
WATER/HOT WATER						
In			21. Hot and cold water available		4	2
LIQUID WASTE DISPOSAL						
In			22. Sewage and wastewater properly disposed		4	2
VERMIN						
In			23. No rodents, insects, birds, or animals		4	2

SUPERVISION	OUT
24. Person in charge present and performs duties	1
PERSONAL CLEANLINESS	
25. Personal cleanliness and hair restraints	1
GENERAL FOOD SAFETY REQUIREMENTS	
26. Approved thawing methods used, frozen food	1
27. Food separated and protected	1
28. Washing fruits and vegetables	1
29. Toxic substances properly identified, stored, use	1
FOOD STORAGE/DISPLAY/SERVICE	
30. Food storage; food storage containers identified	1
31. Consumer self-service	1
32. Food properly labeled & honestly presented	1

EQUIPMENT/UTENSILS/LINENS	OUT
33. Nonfood contact surfaces clean	⊗
34. Warewashing facilities: installed, maintained, used	1
35. Equipment/Utensils approved; installed; clean; good repa	⊗
36. Equipment, utensils and linens: storage and use	1
37. Vending machines	1
38. Adequate ventilation and lighting; designated area	⊗
39. Thermometers provided and accurate	1
40. Wiping cloths: properly used and stored	1
PHYSICAL FACILITIES	
41. Plumbing: proper backflow devices	⊗
42. Garbage and refuse properly disposed; facilities m	1
43. Toilet facilities: properly constructed, supplied, clea	⊗
44. Premises; personal/cleaning items; vermin-proofin	1

PERMANENT FOOD FACILITIES	OUT
45. Floor, walls, ceilings: built, maintained, and clean	⊗
46. No unapproved private homes/living or sleeping qu	1
SIGNS REQUIREMENTS	
47. Signs posted; last inspection report available	⊗
48. Food worker cards	2
COMPLIANCE & ENFORCEMENT	
49. Permits Available	
50. Restrooms Required	
51. Plan Review	
52. VC&D	
53. Impoundment	
54. Permit Suspension	



County of San Bernardino • Department of Public Health
 Division of Environmental Health Services
**COMMUNITY ENVIRONMENTAL HEALTH
 CAL CODE OFFICIAL INSPECTION REPORT**

(800) 442-2283

www.sbcounty.gov/dph/dehs

FACILITY NAME ROYAL TRUCK STOP	DATE 9/4/2013	SIGNATURE
LOCATION 2300 E STEEL RD, COLTON, CA 92324	REHS John Babalola	

33. NONFOOD-CONTACT SURFACES CLEAN

POINTS 1	Compliance date not specified	Inspector Comments: Debris buildup observed on the counter top under the equipment in th kitchen area.
	Not In Compliance	

Violation Description: All nonfood contact surfaces of utensils and equipment shall be clean. (114115 (c))

35. EQUIPMENT/UTENSILS - APPROVED; INSTALLED; CLEAN; GOOD REPAIR, CAPACITY

POINTS 1	Compliance date not specified	Inspector Comments: Replace the missing front plate cover to the ice machine. Ice buildup observed inside the upright refrigerator. Defrost and maintain clean.
	Not In Compliance	

Violation Description: All utensils and equipment shall be fully operative and in good repair. (114175). All utensils and equipment shall be approved, installed properly, and meet applicable standards. (114130, 114130.1, 114130.2, 114130.3, 114130.4, 114130.5, 114132, 114133, 114137, 114139, 114153, 114155, 114163, 114165, 114167, 114169, 114177, 114180, 114182)

38. ADEQUATE VENTILATION AND LIGHTING; DESIGNATED AREA

POINTS 1	Compliance date not specified	Inspector Comments: Replace the missing ceiling light plastic shatter-proof covers and the end-caps in the kitchen area and in the ice machine area.
	Not In Compliance	

Violation Description: Exhaust hoods shall be provided to remove toxic gases, heat, grease, vapors and smoke and be approved by the local building department. Canopy-type hoods shall extend 6" beyond all cooking equipment. All areas shall have sufficient ventilation to facilitate proper food storage. Toilet rooms shall be vented to the outside air by a screened openable window, an air shaft, or a light-switch activated exhaust fan, consistent with local building codes. (114149, 114149.1) Adequate lighting shall be provided in all areas to facilitate cleaning and inspection. Light fixtures in areas where open food is stored, served, prepared, and where utensils are washed shall be of shatterproof construction or protected with light shields. (114149.2, 114149.3, 114252, 114252.1)

41. PLUMBING; PROPER BACKFLOW DEVICES

POINTS 1	Compliance date not specified	Inspector Comments: Repair the leaking pipe under the employee hand washing sink in the kitchen.
	Not In Compliance	

Violation Description: The potable water supply shall be protected with a backflow or back siphonage protection device, as required by applicable plumbing codes. (114192) All plumbing and plumbing fixtures shall be installed in compliance with local plumbing ordinances, shall be maintained so as to prevent any contamination, and shall be kept clean, fully operative, and in good repair. Any hose used for conveying potable water shall be of approved materials, labeled, properly stored, and used for no other purpose. (114171, 114189.1, 114190, 114193, 114193.1, 114199, 114201, 114269)

43. TOILET FACILITIES: PROPERLY CONSTRUCTED, SUPPLIED, CLEANED

POINTS 1	Compliance date not specified	Inspector Comments: Repair/replace the non-functional exhaust fan in the restrooms. Replace the missing gender sign at the women restroom/shower door.
	Not In Compliance	

Violation Description: Toilet facilities shall be maintained clean, sanitary and in good repair for use by employees and patrons. Toilet rooms shall be separated by a well-fitting, self-closing door. Toilet tissue shall be provided in a permanently installed dispenser at each toilet. Location of toilet facilities used by patrons shall not be located to pass through food preparation, food storage, or utensil washing areas. (114250, 114250.1, 114276)



County of San Bernardino • Department of Public Health
 Division of Environmental Health Services
**COMMUNITY ENVIRONMENTAL HEALTH
 CAL CODE OFFICIAL INSPECTION REPORT**

(800) 442-2283

www.sbcounty.gov/dph/dehs

FACILITY NAME ROYAL TRUCK STOP	DATE 9/4/2013	SIGNATURE
LOCATION 2300 E STEEL RD, COLTON, CA 92324	REHS John Babalola	

45. FLOORS, WALLS AND CEILINGS: BUILT, MAINTAINED, AND CLEAN

POINTS 1	Compliance date not specified	Inspector Comments: Debris buildup observed on the floor, especially at corners, in the kitchen and in the storage area.
	Not In Compliance	

Violation Description: The walls / ceilings shall have durable, smooth, nonabsorbent, and washable surfaces. All floor surfaces, other than the customer service areas, shall be approved, smooth, durable and made of nonabsorbent material that is easily cleanable. Approved base coving shall be provided in all areas, except customer service areas and where food is stored in original unopened containers. Food facilities shall be fully enclosed. All food facilities shall be kept clean and in good repair. (114143 (d), 114257, 114266, 114268, 114268.1, 114271, 114272) Cleaning must be an approved dustless method. (114268.1) Mats and duckboards, if used, must be removable and easily cleanable. (114272) Open-air barbecues or wood-burning ovens floor surfaces must extend a minimum of five feet and be impervious or easily cleanable. (114143(d))

47. SIGNS POSTED; LAST INSPECTION REPORT AVAILABLE

POINTS 1	Compliance date not specified	Inspector Comments: The copy of the most recent official routine inspection report is not available on site at the time of inspection.
	Not In Compliance	

Violation Description: Handwashing signs shall be posted in each toilet room, directing attention to the need to thoroughly wash hands after using the restroom (113953.5) (b) No smoking signs shall be posted in food preparation, food storage, warewashing, and utensil storage areas (113978). (c) Consumers shall be notified that clean tableware is to be used when they return to self-service areas such as salad bars and buffets. (d) Any food facility constructed before January 1, 2004 without public toilet facilities, shall prominently post a sign within the food facility in a public area stating that toilet facilities are not provided (113725.1, 114381 (e)). A sign shall be posted stating that a copy of the most recent routine inspection report is available upon request. (113725.1) Permit shall be posted in conspicuous location. (114381(e)) Letter Grade Placecard shall be properly posted. SBCC 33.1406

Overall Inspection Comments

Note: The kitchen is not in use at the time of inspection.

Posted an A grade placard.