



**County of San Bernardino • Department of Public Health
Division of Environmental Health Services
COMMUNITY ENVIRONMENTAL HEALTH
CAL CODE OFFICIAL INSPECTION REPORT**

(800) 442-2283

www.sbcounty.gov/dph/dehs

FACILITY NAME THINNERY				DATE 10/22/2013	SIGNATURE <i>Shannon Johnson</i>
LOCATION 651 W FOOTHILL BL, UPLAND, CA 91786				REINSPECTION DATE 4/22/2014	PERMIT EXPIRATION 12/31/2013
MAILING ADDRESS 651 W FOOTHILL BL, UPLAND, CA 91786				REHS Shannon Johnson	
FA # FA0009031	PR # PR0005863	SR #	CO #	PE 1620	PROGRAM IDENTIFIER: None
TIME IN 12:50 PM	TIME OUT 2:05 PM	CONTACT Not Captured		SERVICE: 001 - Inspection - Routine	
				RESULT: 03 - Corrective Action / No Follow up Required	
				ACTION: 01 - No Further Action Required	

Based on an inspection this day, the items marked below identify the violation(s) in operation or facilities which must be corrected. The Permittee has the right to a hearing if requested in writing within 15 calendar days of receipt of this notice, to show cause why the permit to operate should not be suspended or revoked.

Failure to correct listed violation(s) prior to the designated compliance date may necessitate an additional reinspection at a charge of \$61.25 per 15 minutes with a minimum time of 30 minutes, and a minimum charge of \$122.50.



SCORE 90

See the following pages for the code sections and general requirements that correspond to each violation listed below.

- In = In compliance
+ COS = Corrected on-site
- N/O = Not observed
⊗ MAJ = Major violation
- N/A = Not applicable
⊗ OUT = Out of compliance

DEMONSTRATION OF KNOWLEDGE			COS	MAJ	OUT
In	N/O	1. Demonstration of knowledge; food safety certification			⊗
EMPLOYEE HEALTH & HYGIENIC PRACTICES					
In		2. Communicable disease; reporting, restrictions & excl		4	
In	N/O	3. No discharge from eyes, nose, and mouth			2
In	N/O	4. Proper eating, tasting, drinking or tobacco use			2
PREVENTING CONTAMINATION BY HANDS					
In	N/O	5. Hands clean and properly washed; gloves used prop		4	2
In		6. Adequate handwashing facilities supplied & accessib			2
TIME AND TEMPERATURE RELATIONSHIPS					
In	N/O	N/A		4	2
In	N/O	N/A		4	2
In	N/O	N/A		4	2
In	N/O	N/A		4	
In	N/O	N/A		4	
PROTECTION FROM CONTAMINATION					
In	N/O	N/A			2
In		13. Food in good condition, safe and unadulterated		4	2
In	N/O	N/A	+	4	⊗

FOOD FROM APPROVED SOURCES			COS	MAJ	OUT
In		15. Food obtained from approved source		4	
In	N/O	N/A			2
In	N/O	N/A			2
CONFORMANCE WITH APPROVED PROCEDURES					
In		N/A			2
CONSUMER ADVISORY					
In	N/O	N/A			2
HIGHLY SUSCEPTIBLE POPULATIONS					
In		N/A		4	
WATER/HOT WATER					
In		21. Hot and cold water available		4	2
LIQUID WASTE DISPOSAL					
In		22. Sewage and wastewater properly disposed		4	2
VERMIN					
In		23. No rodents, insects, birds, or animals		4	2

SUPERVISION	OUT
24. Person in charge present and performs duties	1
PERSONAL CLEANLINESS	
25. Personal cleanliness and hair restraints	1
GENERAL FOOD SAFETY REQUIREMENTS	
26. Approved thawing methods used, frozen food	1
27. Food separated and protected	⊗
28. Washing fruits and vegetables	1
29. Toxic substances properly identified, stored, use	1
FOOD STORAGE/DISPLAY/SERVICE	
30. Food storage; food storage containers identified	⊗
31. Consumer self-service	1
32. Food properly labeled & honestly presented	1

EQUIPMENT/UTENSILS/LINENS	OUT
33. Nonfood contact surfaces clean	1
34. Warewashing facilities: installed, maintained, used	1
35. Equipment/Utensils approved; installed; clean; good repa	⊗
36. Equipment, utensils and linens: storage and use	1
37. Vending machines	1
38. Adequate ventilation and lighting; designated area	⊗
39. Thermometers provided and accurate	1
40. Wiping cloths: properly used and stored	1
PHYSICAL FACILITIES	
41. Plumbing: proper backflow devices	1
42. Garbage and refuse properly disposed; facilities m	1
43. Toilet facilities: properly constructed, supplied, clea	1
44. Premises; personal/cleaning items; vermin-proofin	1

PERMANENT FOOD FACILITIES	OUT
45. Floor, walls, ceilings: built, maintained, and clean	⊗
46. No unapproved private homes/living or sleeping qu	1
SIGNS REQUIREMENTS	
47. Signs posted; last inspection report available	⊗
48. Food worker cards	2
COMPLIANCE & ENFORCEMENT	
49. Permits Available	
50. Restrooms Required	
51. Plan Review	
52. VC&D	
53. Impoundment	
54. Permit Suspension	



County of San Bernardino • Department of Public Health
 Division of Environmental Health Services
**COMMUNITY ENVIRONMENTAL HEALTH
 CAL CODE OFFICIAL INSPECTION REPORT**

www.sbcounty.gov/dph/dehs

(800) 442-2283

FACILITY NAME THINNERY	DATE 10/22/2013	SIGNATURE <i>Shannon Johnson</i>
LOCATION 651 W FOOTHILL BL, UPLAND, CA 91786		REHS Shannon Johnson

1. DEMONSTRATION OF KNOWLEDGE; FOOD SAFETY CERTIFICATION

POINTS 2	Compliance date not specified	Inspector Comments: Observed no one person with a valid Manager's Food Safety Certification working within this facility. At least one person must obtain this certification within 30 days or a charged inspection of \$122.50 will ensue at that time.
	Not In Compliance	

Violation Description: All food employees shall have adequate knowledge of and be trained in food safety as it relates to their assigned duties. (113947) Food facilities that prepare, handle or serve non-prepackaged potentially hazardous food, shall have an employee who has passed an approved food safety certification examination. (113947-113947.1)

More Information: <http://www.sbcounty.gov/uploads/dph/dehs/Depts/EnvironmentalHealth/FormsPublications/FoodSafetyPracticesOverview.pdf>

14. FOOD CONTACT SURFACES: CLEAN AND SANITIZED

POINTS 2	Compliance date not specified	Inspector Comments: Observed the sanitizer level in the sanitizer bucket to be between 50-100ppm chlorine at the time of this inspection. Towels were in use at the time and lying out on a food prep counter. Maintain the sanitizer level between 100-200ppm chlorine inside all sanitizer buckets and keep all soiled wiping towels submerged in a sanitizer solution when not in immediate use.
	Complied on 10/22/2013	

Violation Description: All food contact surfaces of utensils and equipment shall be clean and sanitized. (113984(e), 114097, 114099.1, 114099.4, 114099.6, 114101 (b-d), 114105, 114109, 114111, 114113, 114115 (a, b, d), 114117, 114125(b), 114135, 114141)

More Information: http://www.sbcounty.gov/dehs/Depts/EnvironmentalHealth/FormsPublications/documents/Towel_Sanitizing_solution_Eng_Spn_final_11_30_11.pdf

27. FOOD SEPARATED AND PROTECTED

POINTS 1	Compliance date not specified	Inspector Comments: Observed raw shell eggs stored above ready to eat food items inside of the Traulsen reach in refrigeration unit closest to the back service door. Store all raw food items below ready to eat food items at all times.
	Not In Compliance	

Violation Description: All food shall be separated and protected from contamination. (113984 (a, b, c, d, f), 113986, 114060, 114067(a, d, e, j), 114069(a, b), 114077, 114089.1 (c), 114143 (c)) All food shall be stored, prepared, displayed or held so that it is protected from contamination.

30. FOOD STORAGE; FOOD STORAGE CONTAINERS IDENTIFIED

POINTS 1	Compliance date not specified	Inspector Comments: Observed boxed food related items sitting directly on the floor near the back service door. Maintain all food/food related items at least six inches off of the floor at all times.
	Not In Compliance	

Violation Description: Food shall be stored in approved containers and labeled as to contents. Food shall be stored at least 6" above the floor on approved shelving in an approved location to prevent possible contamination. (114047, 114049, 114051, 114053, 114055, 114067(h), 14069 (b))

35. EQUIPMENT/UTENSILS - APPROVED; INSTALLED; CLEAN; GOOD REPAIR, CAPACITY

POINTS 1	Compliance date not specified	Inspector Comments: Observed an accumulation of food debris/grime in the bottom, top and sides of all Traulsen side by side refrigeration units. Clean and maintain as needed.
	Not In Compliance	

Violation Description: All utensils and equipment shall be fully operative and in good repair. (114175). All utensils and equipment shall be approved, installed properly, and meet applicable standards. (114130, 114130.1, 114130.2, 114130.3, 114130.4, 114130.5, 114132, 114133, 114137, 114139, 114153, 114155, 114163, 114165, 114167, 114169, 114177, 114180, 114182)



**County of San Bernardino • Department of Public Health
Division of Environmental Health Services
COMMUNITY ENVIRONMENTAL HEALTH
CAL CODE OFFICIAL INSPECTION REPORT**

(800) 442-2283

www.sbcounty.gov/dph/dehs

FACILITY NAME THINNERY	DATE 10/22/2013	SIGNATURE <i>Shannon Johnson</i>
LOCATION 651 W FOOTHILL BL, UPLAND, CA 91786		REHS Shannon Johnson

38. ADEQUATE VENTILATION AND LIGHTING; DESIGNATED AREA

POINTS 1	Compliance date not specified	Inspector Comments: Observed the vent inside of the employee restroom to be inoperable. Repair and maintain as needed.
	Not In Compliance	

Violation Description: Exhaust hoods shall be provided to remove toxic gases, heat, grease, vapors and smoke and be approved by the local building department. Canopy-type hoods shall extend 6" beyond all cooking equipment. All areas shall have sufficient ventilation to facilitate proper food storage. Toilet rooms shall be vented to the outside air by a screened openable window, an air shaft, or a light-switch activated exhaust fan, consistent with local building codes. (114149, 114149.1) Adequate lighting shall be provided in all areas to facilitate cleaning and inspection. Light fixtures in areas where open food is stored, served, prepared, and where utensils are washed shall be of shatterproof construction or protected with light shields. (114149.2, 114149.3, 114252, 114252.1)

45. FLOORS, WALLS AND CEILINGS: BUILT, MAINTAINED, AND CLEAN

POINTS 1	Compliance date not specified	Inspector Comments: Observed the flooring to be damaged near the back service entrance. Repair, clean and maintain as needed. Observed an accumulation of grime inside of the floor sink closest to the two compartment sink. Clean and maintain as needed. Observed the wall to be damaged around piping underneath the two compartment sink. Repair and maintain as needed. Observed an accumulation of debris on the wall above the two compartment ware wash sink. Clean and maintain as needed.
	Not In Compliance	

Violation Description: The walls / ceilings shall have durable, smooth, nonabsorbent, and washable surfaces. All floor surfaces, other than the customer service areas, shall be approved, smooth, durable and made of nonabsorbent material that is easily cleanable. Approved base coving shall be provided in all areas, except customer service areas and where food is stored in original unopened containers. Food facilities shall be fully enclosed. All food facilities shall be kept clean and in good repair. (114143 (d), 114257, 114266, 114268, 114268.1, 114271, 114272) Cleaning must be an approved dustless method. (114268.1) Mats and duckboards, if used, must be removable and easily cleanable. (114272) Open-air barbecues or wood-burning ovens floor surfaces must extend a minimum of five feet and be impervious or easily cleanable. (114143(d))

47. SIGNS POSTED; LAST INSPECTION REPORT AVAILABLE

POINTS 1	Compliance date not specified	Inspector Comments: Observed no sign prominently posted within this facility, in a public area, stating that toilet facilities are not provided to the public. Since this facility has a few seats and no public restroom, the sign has to be posted at all times.
	Not In Compliance	

Violation Description: Handwashing signs shall be posted in each toilet room, directing attention to the need to thoroughly wash hands after using the restroom (113953.5) (b) No smoking signs shall be posted in food preparation, food storage, warewashing, and utensil storage areas (113978). (c) Consumers shall be notified that clean tableware is to be used when they return to self-service areas such as salad bars and buffets. (d) Any food facility constructed before January 1, 2004 without public toilet facilities, shall prominently post a sign within the food facility in a public area stating that toilet facilities are not provided (113725.1, 114381 (e)). A sign shall be posted stating that a copy of the most recent routine inspection report is available upon request. (113725.1) Permit shall be posted in conspicuous location. (114381(e)) Letter Grade Placecard shall be properly posted. SBCC 33.1406

Overall Inspection Comments

Fax proof of Manager's Food Safety Certification to 909-387-4323 ATTN:Shannon H. Johnson.