



County of San Bernardino • Department of Public Health
 Division of Environmental Health Services
**COMMUNITY ENVIRONMENTAL HEALTH
 CAL CODE OFFICIAL INSPECTION REPORT**

(800) 442-2283

www.sbcounty.gov/dph/dehs

FACILITY NAME CHINA HOUSE				DATE 11/8/2013	SIGNATURE <i>[Signature]</i>
LOCATION 32716 HWY 18, LUCERNE VALLEY, CA 92356				REINSPECTION DATE 4/08/2014	PERMIT EXPIRATION 3/31/2014
MAILING ADDRESS PO BOX 1097 AV, LUCERNE VALLEY CA 92356				REHS Dawn LaFlower	
FA # FA0008020	PR # PR0006803	SR #	CO #	PE 1621	PROGRAM IDENTIFIER: None
TIME IN 12:38 PM	TIME OUT 1:34 PM	CONTACT Not Captured	SERVICE: 033 - Re-score Grade Inspection		
			RESULT: 03 - Corrective Action / No Follow up Required		
			ACTION: 01 - No Further Action Required		

Based on an inspection this day, the items marked below identify the violation(s) in operation or facilities which must be corrected. The Permittee has the right to a hearing if requested in writing within 15 calendar days of receipt of this notice, to show cause why the permit to operate should not be suspended or revoked.

Failure to correct listed violation(s) prior to the designated compliance date may necessitate an additional reinspection at a charge of \$61.25 per 15 minutes with a minimum time of 30 minutes, and a minimum charge of \$122.50.



SCORE 91

See the following pages for the code sections and general requirements that correspond to each violation listed below.

- In = In compliance
- N/O = Not observed
- N/A = Not applicable
- + COS = Corrected on-site
- ⊗ MAJ = Major violation
- ⊗ OUT = Out of compliance

DEMONSTRATION OF KNOWLEDGE			COS	MAJ	OUT
In	N/O	1. Demonstration of knowledge; food safety certification			⊗
EMPLOYEE HEALTH & HYGIENIC PRACTICES					
In		2. Communicable disease; reporting, restrictions & excl		4	
In	N/O	3. No discharge from eyes, nose, and mouth			2
In	N/O	4. Proper eating, tasting, drinking or tobacco use			2
PREVENTING CONTAMINATION BY HANDS					
In	N/O	5. Hands clean and properly washed; gloves used prop		4	2
In		6. Adequate handwashing facilities supplied & accessib			2
TIME AND TEMPERATURE RELATIONSHIPS					
In	N/O	N/A		4	2
In	N/O	N/A		4	2
In	N/O	N/A		4	2
In	N/O	N/A		4	2
In	N/O	N/A		4	2
PROTECTION FROM CONTAMINATION					
In	N/O	N/A			2
In		13. Food in good condition, safe and unadulterated		4	2
In	N/O	N/A		4	2

FOOD FROM APPROVED SOURCES			COS	MAJ	OUT
In		15. Food obtained from approved source		4	
In	N/O	N/A			2
In	N/O	N/A			2
CONFORMANCE WITH APPROVED PROCEDURES					
In		N/A			2
CONSUMER ADVISORY					
In	N/O	N/A			2
HIGHLY SUSCEPTIBLE POPULATIONS					
In		N/A		4	
WATER/HOT WATER					
In		21. Hot and cold water available		4	2
LIQUID WASTE DISPOSAL					
In		22. Sewage and wastewater properly disposed		4	⊗
VERMIN					
In		23. No rodents, insects, birds, or animals		4	2

SUPERVISION	OUT
24. Person in charge present and performs duties	1
PERSONAL CLEANLINESS	
25. Personal cleanliness and hair restraints	1
GENERAL FOOD SAFETY REQUIREMENTS	
26. Approved thawing methods used, frozen food	1
27. Food separated and protected	⊗
28. Washing fruits and vegetables	1
29. Toxic substances properly identified, stored, use	1
FOOD STORAGE/DISPLAY/SERVICE	
30. Food storage; food storage containers identified	1
31. Consumer self-service	1
32. Food properly labeled & honestly presented	1

EQUIPMENT/UTENSILS/LINENS	OUT
33. Nonfood contact surfaces clean	1
34. Warewashing facilities: installed, maintained, used	⊗
35. Equipment/Utensils approved; installed; clean; good repa	⊗
36. Equipment, utensils and linens: storage and use	1
37. Vending machines	1
38. Adequate ventilation and lighting; designated area	1
39. Thermometers provided and accurate	1
40. Wiping cloths: properly used and stored	⊗
PHYSICAL FACILITIES	
41. Plumbing: proper backflow devices	⊗
42. Garbage and refuse properly disposed; facilities m	1
43. Toilet facilities: properly constructed, supplied, clea	1
44. Premises; personal/cleaning items; vermin-proofin	1

PERMANENT FOOD FACILITIES	OUT
45. Floor, walls, ceilings: built, maintained, and clean	1
46. No unapproved private homes/living or sleeping qu	1
SIGNS REQUIREMENTS	
47. Signs posted; last inspection report available	1
48. Food worker cards	2
COMPLIANCE & ENFORCEMENT	
49. Permits Available	
50. Restrooms Required	
51. Plan Review	
52. VC&D	
53. Impoundment	
54. Permit Suspension	



County of San Bernardino • Department of Public Health
 Division of Environmental Health Services
COMMUNITY ENVIRONMENTAL HEALTH
CAL CODE OFFICIAL INSPECTION REPORT

www.sbcounty.gov/dph/dehs

(800) 442-2283

FACILITY NAME CHINA HOUSE	DATE 11/8/2013	SIGNATURE <i>[Signature]</i>
LOCATION 32716 HWY 18, LUCERNE VALLEY, CA 92356	REHS Dawn LaFlower	

1. DEMONSTRATION OF KNOWLEDGE; FOOD SAFETY CERTIFICATION

POINTS 2	Compliance date not specified	Inspector Comments: Ensure all employees can demonstrate knowledge and are properly trained in food safety. Observed one cook unable to demonstrate knowledge in proper cooking temperatures. Educated cook on proper cooking temperatures. Meats must be cooked to an internal temperature as follows: Chicken 165 degrees Beef 145 degrees Chopped beef 155 degrees Pork 145 degrees Fish and Seafood 145 degrees
	Not In Compliance	

Violation Description: All food employees shall have adequate knowledge of and be trained in food safety as it relates to their assigned duties. (113947) Food facilities that prepare, handle or serve non-prepackaged potentially hazardous food, shall have an employee who has passed an approved food safety certification examination. (113947-113947.1)

More Information: <http://www.sbcounty.gov/uploads/dph/dehs/Depts/EnvironmentalHealth/FormsPublications/FoodSafetyPracticesOverview.pdf>

22. SEWAGE AND WASTEWATER PROPERLY DISPOSED

POINTS 2	Compliance date not specified	Inspector Comments: Ensure all wastewater is disposed in an approved wastewater/sewage disposal system. Repeat violation. Observed condensation pipe from ice machine plumbed through wall with flexible tubing draining into container outside facility in which operator disposes when full. Drain pipe must be routed to a floor sink within facility and not directly plumbed to sewer/septic system.
	Not In Compliance	

Violation Description: All liquid waste must drain to an approved fully functioning sewage disposal system. (114197) Toilet facilities must be operable.

27. FOOD SEPARATED AND PROTECTED

POINTS 1	Compliance date not specified	Inspector Comments: Ensure to properly store foods to prevent cross contamination. Observed raw meats and raw eggs stored over and next to cooked food in reach in refrigerator. Repeat violation. Store food in this manner from top to bottom. Ready to eat foods/cooked foods Raw fish, seafood, beef, and pork Raw ground meats All poultry items
	Not In Compliance	

Violation Description: All food shall be separated and protected from contamination. (113984 (a, b, c, d, f), 113986, 114060, 114067(a, d, e, j), 114069(a, b), 114077, 114089.1 (c), 114143 (c)) All food shall be stored, prepared, displayed or held so that it is protected from contamination.

34. WAREWASHING FACILITIES: INSTALLED, MAINTAINED, USED; TEST STRIPS

POINTS 1	Compliance date not specified	Inspector Comments: Provide data plate for automatic warewash machine which provides minimum hot water and sanitizer requirements. Observed data plate missing on automatic warewash machine.
	Not In Compliance	

Violation Description: Food facilities that prepare food shall be equipped with warewashing facilities. Testing equipment and materials shall be provided to measure the applicable sanitization method. (114067(f,g), 114099, 114099.3, 114099.5, 114101(a), 114101.1, 114101.2, 114103, 114107, 114125) A thermometer must be readily available to monitor the temperature of the water at the warewashing sink. A warewashing sink used to wash wiping cloths, wash produce, or thaw food must be cleaned and sanitized before and after each use.

More Information: http://www.sbcounty.gov/dehs/Depts/EnvironmentalHealth/FormsPublications/documents/Three_Comp_Sink_Eng_Spn_final_11_30_11.pdf



County of San Bernardino • Department of Public Health
 Division of Environmental Health Services
**COMMUNITY ENVIRONMENTAL HEALTH
 CAL CODE OFFICIAL INSPECTION REPORT**

(800) 442-2283

www.sbcounty.gov/dph/dehs

FACILITY NAME CHINA HOUSE	DATE 11/8/2013	SIGNATURE <i>Dawn LaFlower</i>
LOCATION 32716 HWY 18, LUCERNE VALLEY, CA 92356		REHS Dawn LaFlower

35. EQUIPMENT/UTENSILS - APPROVED; INSTALLED; CLEAN; GOOD REPAIR, CAPACITY

POINTS 1	Compliance date not specified	Inspector Comments: Clean and maintain equipment on a routine basis. Observed food debris build up on doors and handles of prep refrigerator. Observed food debris build up on front of stove.
	Not In Compliance	
Use only NSF commercially approved equipment. Observed non-commercial freezer being used. Repeat violation.		

Violation Description: All utensils and equipment shall be fully operative and in good repair. (114175). All utensils and equipment shall be approved, installed properly, and meet applicable standards. (114130, 114130.1, 114130.2, 114130.3, 114130.4, 114130.5, 114132, 114133, 114137, 114139, 114153, 114155, 114163, 114165, 114167, 114169, 114177, 114180, 114182)

40. WIPING CLOTHS: PROPERLY USED AND STORED

POINTS 1	Compliance date not specified	Inspector Comments: Use only approved cleanable mats under cutting boards. Observed damp wiping towel used under cutting board on prep table.
	Not In Compliance	

Violation Description: Wiping cloths used to wipe service counters, scales or other surfaces that may come into contact with food shall be used only once unless kept in clean water with sanitizer. (114135, 114185.1, 114185.3 (d-e)) Sponges shall not be used in contact with cleaned and sanitized or in-use food contact surfaces. (114135)

41. PLUMBING; PROPER BACKFLOW DEVICES

POINTS 1	Compliance date not specified	Inspector Comments: Provide a minimum 1" air gap between drain pipe from stove and rim of floor sink. Observed pipe draining directly into floor sink.
	Not In Compliance	

Violation Description: The potable water supply shall be protected with a backflow or back siphonage protection device, as required by applicable plumbing codes. (114192) All plumbing and plumbing fixtures shall be installed in compliance with local plumbing ordinances, shall be maintained so as to prevent any contamination, and shall be kept clean, fully operative, and in good repair. Any hose used for conveying potable water shall be of approved materials, labeled, properly stored, and used for no other purpose. (114171, 114189.1, 114190, 114193, 114193.1, 114199, 114201, 114269)

Overall Inspection Comments

"A" grade card posted

Observed better compliance from routine inspection. Continue to clean and maintain, and plumb condensation pipe from ice machine to an approved waste water drainage system.

HELP pamphlet provided

Holding temperatures, handwashing, cooking temperature stickers provided