



**County of San Bernardino • Department of Public Health
Division of Environmental Health Services
COMMUNITY ENVIRONMENTAL HEALTH
CAL CODE OFFICIAL INSPECTION REPORT**

(800) 442-2283

www.sbcounty.gov/dph/dehs

FACILITY NAME MISSION COMMONS				DATE 11/22/2013	SIGNATURE <i>Malcolm Adams</i>
LOCATION 10 TERRACINA BL, REDLANDS, CA 92373				REINSPECTION DATE 12/06/2013	PERMIT EXPIRATION 12/31/2013
MAILING ADDRESS PO BOX 1700, LAKE OSWEGO OR 97035				REHS Robert Adams	
FA # FA0011589	PR # PR0001599	SR #	CO #	PE 1622	PROGRAM IDENTIFIER: None
TIME IN 10:10 AM	TIME OUT 12:06 PM	CONTACT Not Captured		SERVICE: 001 - Inspection - Routine	
				RESULT: 05 - Corrective Action / Follow up Required	
				ACTION: 03 - Reinspection Required	

Based on an inspection this day, the items marked below identify the violation(s) in operation or facilities which must be corrected. The Permittee has the right to a hearing if requested in writing within 15 calendar days of receipt of this notice, to show cause why the permit to operate should not be suspended or revoked.

Failure to correct listed violation(s) prior to the designated compliance date may necessitate an additional reinspection at a charge of \$61.25 per 15 minutes with a minimum time of 30 minutes, and a minimum charge of \$122.50.



SCORE 90

See the following pages for the code sections and general requirements that correspond to each violation listed below.

- In = In compliance
- N/O = Not observed
- N/A = Not applicable
- + COS = Corrected on-site
- ⊗ MAJ = Major violation
- ⊗ OUT = Out of compliance

DEMONSTRATION OF KNOWLEDGE			COS	MAJ	OUT
○ In	N/O	1. Demonstration of knowledge; food safety certification			2
EMPLOYEE HEALTH & HYGIENIC PRACTICES					
○ In		2. Communicable disease; reporting, restrictions & excl		4	
○ In	N/O	3. No discharge from eyes, nose, and mouth			2
○ In	N/O	4. Proper eating, tasting, drinking or tobacco use			2
PREVENTING CONTAMINATION BY HANDS					
○ In	N/O	5. Hands clean and properly washed; gloves used prop		4	2
○ In		6. Adequate handwashing facilities supplied & accessib			2
TIME AND TEMPERATURE RELATIONSHIPS					
○ In	N/O	N/A		4	2
○ In	N/O	N/A		4	2
○ In	N/O	N/A		4	2
○ In	N/O	N/A		4	2
○ In	N/O	N/A		4	2
PROTECTION FROM CONTAMINATION					
○ In	N/O	N/A			2
○ In		13. Food in good condition, safe and unadulterated		4	2
○ In	N/O	N/A		4	2

FOOD FROM APPROVED SOURCES			COS	MAJ	OUT
○ In		15. Food obtained from approved source		4	
○ In	N/O	N/A			2
○ In	N/O	N/A			2
CONFORMANCE WITH APPROVED PROCEDURES					
○ In		N/A			2
CONSUMER ADVISORY					
○ In	N/O	N/A			2
HIGHLY SUSCEPTIBLE POPULATIONS					
○ In		N/A		4	
WATER/HOT WATER					
○ In		21. Hot and cold water available		4	2
LIQUID WASTE DISPOSAL					
○ In		22. Sewage and wastewater properly disposed		4	2
VERMIN					
○ In		23. No rodents, insects, birds, or animals		4	⊗

SUPERVISION	OUT
24. Person in charge present and performs duties	1
PERSONAL CLEANLINESS	
25. Personal cleanliness and hair restraints	1
GENERAL FOOD SAFETY REQUIREMENTS	
26. Approved thawing methods used, frozen food	1
27. Food separated and protected	⊗
28. Washing fruits and vegetables	1
29. Toxic substances properly identified, stored, use	1
FOOD STORAGE/DISPLAY/SERVICE	
30. Food storage; food storage containers identified	1
31. Consumer self-service	1
32. Food properly labeled & honestly presented	1

EQUIPMENT/UTENSILS/LINENS	OUT
33. Nonfood contact surfaces clean	1
34. Warewashing facilities: installed, maintained, used	1
35. Equipment/Utensils approved; installed; clean; good repa	⊗
36. Equipment, utensils and linens: storage and use	⊗
37. Vending machines	1
38. Adequate ventilation and lighting; designated area	1
39. Thermometers provided and accurate	1
40. Wiping cloths: properly used and stored	⊗
PHYSICAL FACILITIES	
41. Plumbing: proper backflow devices	⊗
42. Garbage and refuse properly disposed; facilities m	1
43. Toilet facilities: properly constructed, supplied, clea	1
44. Premises; personal/cleaning items; vermin-proofin	1

PERMANENT FOOD FACILITIES	OUT
45. Floor, walls, ceilings: built, maintained, and clean	⊗
46. No unapproved private homes/living or sleeping qu	1
SIGNS REQUIREMENTS	
47. Signs posted; last inspection report available	1
48. Food worker cards	⊗
COMPLIANCE & ENFORCEMENT	
49. Permits Available	
50. Restrooms Required	
51. Plan Review	
52. VC&D	
53. Impoundment	
54. Permit Suspension	



County of San Bernardino • Department of Public Health
 Division of Environmental Health Services
COMMUNITY ENVIRONMENTAL HEALTH
CAL CODE OFFICIAL INSPECTION REPORT

(800) 442-2283

www.sbcounty.gov/dph/dehs

FACILITY NAME MISSION COMMONS	DATE 11/22/2013	SIGNATURE <i>Robert Adams</i>
LOCATION 10 TERRACINA BL, REDLANDS, CA 92373		REHS Robert Adams

23. NO RODENTS, INSECTS, BIRDS, OR ANIMALS

POINTS
2

Compliance date not specified
 Not In Compliance

Inspector Comments: Observed mouse droppings in the corner of the chemical supply room. Clean and sanitize the floor areas where mouse droppings are found. Contact licensed pest control service to have them address the concern.

Violation Description: Food facility shall be kept free of vermin: rodents (rats, mice), cockroaches, flies. (114259.1, 114259.4, 114259.5) Live animals are not allowed in a food facility unless, food employees with service animals may handle or care for their service animal if they wash their hands as required or persons who are licensed pursuant to Chapter 11.5 of Division 3 of the Business and Professions Code. (114259.4, 114259.5)

27. FOOD SEPARATED AND PROTECTED

POINTS
1

Compliance date not specified
 Not In Compliance

Inspector Comments: Observed wicker basket used to store bread. Discontinue the use of wicker basket or completely line the bottom and sides of basket before use.

Violation Description: All food shall be separated and protected from contamination. (113984 (a, b, c, d, f), 113986, 114060, 114067(a, d, e, j), 114069(a, b), 114077, 114089.1 (c), 114143 (c)) All food shall be stored, prepared, displayed or held so that it is protected from contamination.

35. EQUIPMENT/UTENSILS - APPROVED; INSTALLED; CLEAN; GOOD REPAIR, CAPACITY

POINTS
1

Compliance date not specified
 Not In Compliance

Inspector Comments: Observed non- NSF or ANSI certified freezer unit. Provide certification or discontinue and remove this equipment and replace with commercial unit of the same width so as not to displace other approved equipment.

Violation Description: All utensils and equipment shall be fully operative and in good repair. (114175). All utensils and equipment shall be approved, installed properly, and meet applicable standards. (114130, 114130.1, 114130.2, 114130.3, 114130.4, 114130.5, 114132, 114133, 114137, 114139, 114153, 114155, 114163, 114165, 114167, 114169, 114177, 114180, 114182)

36. EQUIPMENT, UTENSILS AND LINENS: STORAGE AND USE

POINTS
1

Compliance date not specified
 Not In Compliance

Inspector Comments: Observed bowl used as a scoop in a container of sugar and observed a small single service container inside of spices above cook line. Both scoops are unapproved scoops as they do not have a handle that can be kept out of the food or ingredients.

Violation Description: All clean and soiled linen shall be properly stored; non-food items shall be stored and displayed separate from food and food-contact surfaces. (114185.3 - 114185.4) Utensils and equipment shall be handled and stored so as to be protected from contamination. (114074 - 114075, 114081, 114119, 114121, 114161, 114178, 114179, 114083, 114185, 114185.2, 114185.5) Pressurized cylinders must be securely fastened to a rigid structure. (114172)

40. WIPING CLOTHS: PROPERLY USED AND STORED

POINTS
1

Compliance date not specified
 Not In Compliance

Inspector Comments: Observed towels in solution of less than 100ppm quat. Ensure sanitizer levels are maintained between 100ppm and 200ppm (chlorine) and 200ppm and 300ppm (quaternary ammonia).

Violation Description: Wiping cloths used to wipe service counters, scales or other surfaces that may come into contact with food shall be used only once unless kept in clean water with sanitizer. (114135, 114185.1, 114185.3 (d-e)) Sponges shall not be used in contact with cleaned and sanitized or in-use food contact surfaces. (114135)



County of San Bernardino • Department of Public Health
 Division of Environmental Health Services
**COMMUNITY ENVIRONMENTAL HEALTH
 CAL CODE OFFICIAL INSPECTION REPORT**

www.sbcounty.gov/dph/dehs

(800) 442-2283

FACILITY NAME MISSION COMMONS	DATE 11/22/2013	SIGNATURE <i>Robert Adams</i>
LOCATION 10 TERRACINA BL, REDLANDS, CA 92373		REHS Robert Adams

41. PLUMBING; PROPER BACKFLOW DEVICES

POINTS
1

Compliance date not specified
 Not In Compliance

Inspector Comments: Observed no backflow prevention device on the mop sink. Install an approved backflow prevention device to prevent backflow of harmful chemicals to your internal fixtures.

Observed drainage line for the high temp dish washing machine extending into the floor sink without an approved air gap. Provide a one inch air gap or more.

Observed disconnected drainage line under prep sink and rusty colored water in the floor sink for this prep sink. Employee stated they are repairing the line due to a clog. Repair or replace plumbing fixture.

Violation Description: The potable water supply shall be protected with a backflow or back siphonage protection device, as required by applicable plumbing codes. (114192) All plumbing and plumbing fixtures shall be installed in compliance with local plumbing ordinances, shall be maintained so as to prevent any contamination, and shall be kept clean, fully operative, and in good repair. Any hose used for conveying potable water shall be of approved materials, labeled, properly stored, and used for no other purpose. (114171, 114189.1, 114190, 114193, 114193.1, 114199, 114201, 114269)

45. FLOORS, WALLS AND CEILINGS: BUILT, MAINTAINED, AND CLEAN

POINTS
1

Compliance date not specified
 Not In Compliance

Inspector Comments: Observed food debris build-up on the dry storage room floor. Clean and maintain dry storage air free of food debris and other unwanted substances.

Violation Description: The walls / ceilings shall have durable, smooth, nonabsorbent, and washable surfaces. All floor surfaces, other than the customer service areas, shall be approved, smooth, durable and made of nonabsorbent material that is easily cleanable. Approved base coving shall be provided in all areas, except customer service areas and where food is stored in original unopened containers. Food facilities shall be fully enclosed. All food facilities shall be kept clean and in good repair. (114143 (d), 114257, 114266, 114268, 114268.1, 114271, 114272) Cleaning must be an approved dustless method. (114268.1) Mats and duckboards, if used, must be removable and easily cleanable. (114272) Open-air barbecues or wood-burning ovens floor surfaces must extend a minimum of five feet and be impervious or easily cleanable. (114143(d))

48. FOOD WORKER CERTIFICATION

POINTS
2

Compliance date not specified
 Not In Compliance

Inspector Comments: Observed 3 missing food workers cards. Ensure all food workers have a valid San Bernardino County food workers card. Food worker's card form left with person in charge. This form must be filled out with the birth date, valid San Bernardino County food workers card number, and faxed to (909) 387-4272 prior to 14 days from the date of this inspection. If not received there will be a charged inspection at the cost of \$245.00 per hour to follow up on the missing cards.

Violation Description: This facility is currently in violation with the food worker certification requirement for San Bernardino County, which states all food workers must obtain a valid food worker certificate within fourteen (14) days of employment (33.0410, 33.044). Failure to provide proof of food worker certification within fourteen (14) days will result in unannounced billable (at our current hourly rate) re-inspections to verify compliance.

This facility operator must complete the "Missing Food Worker" form provided by the inspector and fax to 909-387-4272.

More Information: http://www.sbcounty.gov/dehs/Depts/EnvironmentalHealth/FIRST/food_worker_training.aspx

Overall Inspection Comments

No summary comments have been made for this inspection.