



COMMUNITY ENVIRONMENTAL HEALTH PROGRAM
RETAIL FOOD PROTECTION - OFFICIAL INSPECTION REPORT

(800) 442-2283

www.sbcounty.gov/dph/dehs

FACILITY NAME JAX MARKETS		DATE 11/25/2013	SIGNATURE 	
LOCATION 426 N EUCLID AV, ONTARIO, CA 91762			REINSPECTION DATE Not Specified	PERMIT EXPIRATION 12/31/2013
MAILING ADDRESS 426 N EUCLID AV, ONTARIO, CA 91762			REHS Sierra Clayborn	
<input checked="" type="checkbox"/> FACILITY <input type="checkbox"/> OWNER <input type="checkbox"/> ACCOUNT			PROGRAM IDENTIFIER: Bakery	
FA # FA0011273	PR # PR0016200	SR # Not Specified	CO # Not Specified	PE 1611
TIME IN 9:36 AM	TIME OUT 10:09 AM	CONTACT Not Captured		
SERVICE: 003 - INSPECTION - FOLLOW UP INSPECTION				
RESULT: 03 - CORRECTIVE ACTION / NO FOLLOW UP REQ				
ACTION: 15 - PERMIT REINSTATED / FACILITY RE-OPENED				

RETAIL FOOD PROTECTION - FOOD HANDLING PL (500-2499 SQFT)

16K994 Reinspection

Compliance Date: Not Specified

Inspector Comments: Reinspection conducted to confirm compliance for vermin-free facility requirement.

Not In Compliance

Violation Reference - HSC

Violation Description: Reinspection conducted at this time to determine compliance from prior inspection.

Overall Inspection Comments

Observed bakery with a few dead roaches in dry storage area and nearby the proofer. Proofer needs to be WASHED, RINSED and SANITIZED on a DAILY basis.

If roach issue persists inside proofer, equipment needs to be thoroughly cleaned inside of machine, have experienced maintenance personel perform task. Consult pest control if roaches continue to persist within equipment.

ALL INOPERABLE equipment must be cleaned on a biweekly basis to prevent vermin harborage, including the inoperable stove in deli and upstairs walk-in cooler. Observed source of roaches in upstairs inoperable walk-in cooler under control, with no alive roaches present at time of reinspection.

Bakery reopened for business. Continue with pest control service to completely eliminate roach presence from bakery area in future, cleaning and sanitizing all food contact equipment before resuming food service after fumigations. Observed gasket around proofer doors damaged and cracked. REPLACE as soon as possible to help prevent vermin entry into equipment.

Photo Attachments:

No Photo Attachments