



**County of San Bernardino • Department of Public Health
Division of Environmental Health Services
COMMUNITY ENVIRONMENTAL HEALTH
CAL CODE OFFICIAL INSPECTION REPORT**


(800) 442-2283

www.sbcounty.gov/dph/dehs

FACILITY NAME FANTASY THEATRE					DATE 11/25/2013	SIGNATURE <i>John Babalola</i>	
LOCATION 1091 S LA CADENA, COLTON, CA 92324					REINSPECTION DATE 5/25/2014	PERMIT EXPIRATION 11/30/2013	
MAILING ADDRESS 1091 S LA CADENA, COLTON, CA 92324					<input checked="" type="checkbox"/> FACILITY <input type="checkbox"/> OWNER <input type="checkbox"/> ACCOUNT REHS John Babalola		
FA # FA0009410	PR # PR0006687	SR #	CO #	PE 1622	PROGRAM IDENTIFIER: None		
TIME IN 2:23 PM	TIME OUT 3:49 PM	CONTACT Not Captured			SERVICE: 001 - Inspection - Routine		
					RESULT: 03 - Corrective Action / No Follow up Required		
					ACTION: 01 - No Further Action Required		

Based on an inspection this day, the items marked below identify the violation(s) in operation or facilities which must be corrected. The Permittee has the right to a hearing if requested in writing within 15 calendar days of receipt of this notice, to show cause why the permit to operate should not be suspended or revoked.

Failure to correct listed violation(s) prior to the designated compliance date may necessitate an additional reinspection at a charge of \$61.25 per 15 minutes with a minimum time of 30 minutes, and a minimum charge of \$122.50.



SCORE 93

See the following pages for the code sections and general requirements that correspond to each violation listed below.

- In = In compliance
- N/O = Not observed
- N/A = Not applicable
- + COS = Corrected on-site
- ⊗ MAJ = Major violation
- ⊗ OUT = Out of compliance

DEMONSTRATION OF KNOWLEDGE				COS	MAJ	OUT
○ In	N/O	1. Demonstration of knowledge; food safety certification				2
EMPLOYEE HEALTH & HYGIENIC PRACTICES						
○ In		2. Communicable disease; reporting, restrictions & excl			4	
○ In	N/O	3. No discharge from eyes, nose, and mouth				2
○ In	N/O	4. Proper eating, tasting, drinking or tobacco use				2
PREVENTING CONTAMINATION BY HANDS						
○ In	N/O	5. Hands clean and properly washed; gloves used prop		4		2
	In	6. Adequate handwashing facilities supplied & accessib				⊗ OUT
TIME AND TEMPERATURE RELATIONSHIPS						
○ In	N/O	N/A	7. Proper hot and cold holding temperatures		4	2
	In	N/O	N/A	8. Time as a public health control; procedures & record	4	2
	In	N/O	N/A	9. Proper cooling methods	4	2
	In	N/O	N/A	10. Proper cooking time & temperatures	4	
	In	N/O	N/A	11. Proper reheating procedures for hot holding	4	
PROTECTION FROM CONTAMINATION						
	In	N/O	N/A	12. Returned and reserve of food		2
○ In			13. Food in good condition, safe and unadulterated		4	2
○ In	N/O	N/A	14. Food contact surfaces: clean and sanitized		4	2

FOOD FROM APPROVED SOURCES				COS	MAJ	OUT
○ In			15. Food obtained from approved source			4
	In	N/O	N/A	16. Compliance with shell stock tags, condition, display		2
	In	N/O	N/A	17. Compliance with Gulf Oyster Regulations		2
CONFORMANCE WITH APPROVED PROCEDURES						
	In		N/A	18. Compliance with variance, specialized process, and HACCP Plan		2
CONSUMER ADVISORY						
	In	N/O	N/A	19. Consumer advisory provided for raw or undercooked foods		2
HIGHLY SUSCEPTIBLE POPULATIONS						
	In		N/A	20. Licensed health care facilities/public and private schools; prohibited foods not offered		4
WATER/HOT WATER						
○ In			21. Hot and cold water available		4	2
LIQUID WASTE DISPOSAL						
○ In			22. Sewage and wastewater properly disposed		4	2
VERMIN						
○ In			23. No rodents, insects, birds, or animals		4	2

SUPERVISION	OUT
24. Person in charge present and performs duties	1
PERSONAL CLEANLINESS	
25. Personal cleanliness and hair restraints	1
GENERAL FOOD SAFETY REQUIREMENTS	
26. Approved thawing methods used, frozen food	1
27. Food separated and protected	1
28. Washing fruits and vegetables	1
29. Toxic substances properly identified, stored, use	1
FOOD STORAGE/DISPLAY/SERVICE	
30. Food storage; food storage containers identified	1
31. Consumer self-service	1
32. Food properly labeled & honestly presented	1

EQUIPMENT/UTENSILS/LINENS	OUT
33. Nonfood contact surfaces clean	1
34. Warewashing facilities: installed, maintained, used	⊗ OUT
35. Equipment/Utensils approved; installed; clean; good repa	⊗ OUT
36. Equipment, utensils and linens: storage and use	1
37. Vending machines	1
38. Adequate ventilation and lighting; designated area	⊗ OUT
39. Thermometers provided and accurate	⊗ OUT
40. Wiping cloths: properly used and stored	1
PHYSICAL FACILITIES	
41. Plumbing: proper backflow devices	1
42. Garbage and refuse properly disposed; facilities m	1
43. Toilet facilities: properly constructed, supplied, clea	1
44. Premises; personal/cleaning items; vermin-proofin	1

PERMANENT FOOD FACILITIES	OUT
45. Floor, walls, ceilings: built, maintained, and clean	⊗ OUT
46. No unapproved private homes/living or sleeping qu	1
SIGNS REQUIREMENTS	
47. Signs posted; last inspection report available	1
48. Food worker cards	2
COMPLIANCE & ENFORCEMENT	
49. Permits Available	
50. Restrooms Required	
51. Plan Review	
52. VC&D	
53. Impoundment	
54. Permit Suspension	



County of San Bernardino • Department of Public Health
 Division of Environmental Health Services
COMMUNITY ENVIRONMENTAL HEALTH
CAL CODE OFFICIAL INSPECTION REPORT

www.sbcounty.gov/dph/dehs

(800) 442-2283

FACILITY NAME FANTASY THEATRE	DATE 11/25/2013	SIGNATURE
LOCATION 1091 S LA CADENA, COLTON, CA 92324	REHS John Babalola	

6. ADEQUATE HANDWASHING FACILITIES SUPPLIED & ACCESSIBLE

POINTS
2

Compliance date not specified
Not In Compliance

Inspector Comments: Make the hand washing sink accessible for its intended use in the bar area. It is being used for storage at the time of inspection.

Refill the empty soap and paper towel dispensers at the hand washing sink in the bar area.

Violation Description: Handwashing soap and towels or drying device shall be provided in dispensers; dispensers shall be maintained in good repair. (113953.2) Adequate facilities shall be provided for hand washing. (113953, 113953.1, 114067(f)). Handwashing sink is not separated from a warewashing sink by a 6 inch high metal splashguard or 24 inch separation. (113953) Handwashing sinks shall not be obstructed, inaccessible, used improperly or kept unclean. (113953.1)

34. WAREWASHING FACILITIES: INSTALLED, MAINTAINED, USED; TEST STRIPS

POINTS
1

Compliance date not specified
Not In Compliance

Inspector Comments: No test strips available for quaternary ammonium sanitizer water.

Violation Description: Food facilities that prepare food shall be equipped with warewashing facilities. Testing equipment and materials shall be provided to measure the applicable sanitization method. (114067(f,g), 114099, 114099.3, 114099.5, 114101(a), 114101.1, 114101.2, 114103, 114107, 114125) A thermometer must be readily available to monitor the temperature of the water at the warewashing sink. A warewashing sink used to wash wiping cloths, wash produce, or thaw food must be cleaned and sanitized before and after each use.

More Information: http://www.sbcounty.gov/dehs/Depts/EnvironmentalHealth/FormsPublications/documents/Three_Comp_Sink_Enq_Spn_final_11_30_11.pdf

35. EQUIPMENT/UTENSILS - APPROVED; INSTALLED; CLEAN; GOOD REPAIR, CAPACITY

POINTS
1

Compliance date not specified
Not In Compliance

Inspector Comments: Lip stick marks observed on the drinking glasses in the bar area.

Violation Description: All utensils and equipment shall be fully operative and in good repair. (114175). All utensils and equipment shall be approved, installed properly, and meet applicable standards. (114130, 114130.1, 114130.2, 114130.3, 114130.4, 114130.5, 114132, 114133, 114137, 114139, 114153, 114155, 114163, 114165, 114167, 114169, 114177, 114180, 114182)

38. ADEQUATE VENTILATION AND LIGHTING; DESIGNATED AREA

POINTS
1

Compliance date not specified
Not In Compliance

Inspector Comments: Repair/replace the non-functional exhaust fan in the women restroom.

Violation Description: Exhaust hoods shall be provided to remove toxic gases, heat, grease, vapors and smoke and be approved by the local building department. Canopy-type hoods shall extend 6" beyond all cooking equipment. All areas shall have sufficient ventilation to facilitate proper food storage. Toilet rooms shall be vented to the outside air by a screened openable window, an air shaft, or a light-switch activated exhaust fan, consistent with local building codes. (114149, 114149.1) Adequate lighting shall be provided in all areas to facilitate cleaning and inspection. Light fixtures in areas where open food is stored, served, prepared, and where utensils are washed shall be of shatterproof construction or protected with light shields. (114149.2, 114149.3, 114252, 114252.1)

39. THERMOMETERS PROVIDED AND ACCURATE

POINTS
1

Compliance date not specified
Not In Compliance

Inspector Comments: Replace the missing thermometer inside the refrigeration unit in the bar area.

Violation Description: An accurate easily readable metal probe thermometer suitable for measuring temperature of food shall be available to the food handler. A thermometer +/- 2 F shall be provided for each hot and cold holding unit of potentially hazardous foods and high temperature warewashing machines. (114157, 114159)

More Information: <http://www.sbcounty.gov/dehs/Depts/EnvironmentalHealth/FormsPublications/documents/CalibratingThermometer.pdf>



County of San Bernardino • Department of Public Health
 Division of Environmental Health Services
**COMMUNITY ENVIRONMENTAL HEALTH
 CAL CODE OFFICIAL INSPECTION REPORT**

www.sbcounty.gov/dph/dehs

(800) 442-2283

FACILITY NAME FANTASY THEATRE	DATE 11/25/2013	SIGNATURE
LOCATION 1091 S LA CADENA, COLTON, CA 92324	REHS John Babalola	

45. FLOORS, WALLS AND CEILINGS: BUILT, MAINTAINED, AND CLEAN

POINTS 1	Compliance date not specified	Inspector Comments: Debris buildup observed on the floor, especially at corners, inside the walk-in cooler.
	Not In Compliance	

Violation Description: The walls / ceilings shall have durable, smooth, nonabsorbent, and washable surfaces. All floor surfaces, other than the customer service areas, shall be approved, smooth, durable and made of nonabsorbent material that is easily cleanable. Approved base coving shall be provided in all areas, except customer service areas and where food is stored in original unopened containers. Food facilities shall be fully enclosed. All food facilities shall be kept clean and in good repair. (114143 (d), 114257, 114266, 114268, 114268.1, 114271, 114272) Cleaning must be an approved dustless method. (114268.1) Mats and duckboards, if used, must be removable and easily cleanable. (114272) Open-air barbecues or wood-burning ovens floor surfaces must extend a minimum of five feet and be impervious or easily cleanable. (114143(d))

Overall Inspection Comments

Posted an A grade placard.