



**COMMUNITY ENVIRONMENTAL HEALTH PROGRAM  
RETAIL FOOD PROTECTION - OFFICIAL INSPECTION REPORT**

(800) 442-2283

[www.sbcounty.gov/dph/dehs](http://www.sbcounty.gov/dph/dehs)

|  |                            |                                |                              |   |   |
|--|----------------------------|--------------------------------|------------------------------|---|---|
| FACILITY NAME<br><b>FRANKS PLACE</b>                           |                            |                                |                              | DATE<br><b>2/7/2014</b>   | SIGNATURE<br><i>Antonio Fields</i>                |
| LOCATION<br><b>1802 MENTONE BL, MENTONE, CA 92359</b>          |                            |                                |                              | REINSPECTION DATE<br><b>7/07/2014</b>   | PERMIT EXPIRATION<br><b>12/31/2014</b>            |
| MAILING ADDRESS<br><b>7412 LOS FELIZ DR, HIGHLAND CA 92346</b> |                            |                                |                              | <input type="checkbox"/> FACILITY <input type="checkbox"/> OWNER <input checked="" type="checkbox"/> ACCOUNT<br>REHS<br><b>Antonio Fields</b> |   |
| FA #<br><b>FA0007941</b>                                       | PR #<br><b>PR0006072</b>   | SR #<br><b>Not Specified</b>   | CO #<br><b>Not Specified</b> | PE<br><b>1620</b>   | PROGRAM IDENTIFIER: None                          |
| TIME IN<br><b>1:27 PM</b>                                      | TIME OUT<br><b>3:10 PM</b> | CONTACT<br><b>Not Captured</b> |                              |   | SERVICE: 003 - INSPECTION - FOLLOW UP INSPECTION  |
|  |                            |                                |                              |   | RESULT: 03 - CORRECTIVE ACTION / NO FOLLOW UP REQ |
|  |                            |                                |                              |   | ACTION: 01 - NO FURTHER ACTION REQUIRED           |

**RETAIL FOOD PROTECTION - PUBLIC EATING PL (0-24 SEATS)**

**No Violations Cited**

**Overall Inspection Comments**

Slight improvement observed since the last inspection.

Rodent droppings observed in the back storage area with unused equipment, droppings observed under the counter in the bar area, droppings observed on the floor behind the door near the food prep table, dropping observed in the customer dining area under the tables, droppings observed in the back area with pool table. Dead roach carcasses observed under the seats in the dining area and under the cabinets in the bar area. Termite droppings observed on the walls throughout the facility. Ensure the facility is free of vermin. Continue to provide a form of pest control as often as needed. Provide vermin-proofing as often as needed.

Unused equipment observed inside in the back storage area and outside in the back of the facility. Remove all unused equipment from the premises.

Cracks and gap observed along the walls and floors in the back storage area where unused equipment is located; also observed along the wall with food prep table. Gaps observed under the front door entry. Gaps observed in the bottom of cabinets located in the bar area. Gap observed in the ceiling by the hot water heater. Seal all cracks and crevices.

Holes observed in the walls outside and inside of the facility. Maintain the floors, walls, and ceiling in good repair. Provide sealing (i.e. foam) as often as needed. Provide proper coving to the floor wall juncture.

Empty beer bottles and cans observed stored on the ground in the back of the facility. Operator stated the bottles are picked up for recycling once every two weeks. Store bottles and cans in an concealed area/compartments. Ensure recycling is done on a more consistent basis (i.e. once/twice every week).

A billable follow up inspection may take place within 1 week. Upon the inspection the inspector will check to ensure the facility is free of all signs of vermin activity, droppings and cockroach carcasses have been removed, locations of droppings have been cleaned and sanitized, and a form of sealing has been provided to the areas necessary. Failure to comply may result in permit suspension, office hearing, additional billable inspection, and/or other legal actions.

**Photo Attachments:**

No Photo Attachments