



**COMMUNITY ENVIRONMENTAL HEALTH PROGRAM  
RETAIL FOOD PROTECTION - OFFICIAL INSPECTION REPORT**

[www.sbcounty.gov/dph/dehs](http://www.sbcounty.gov/dph/dehs)

(800) 442-2283

FACILITY NAME <b>SUBWAY 1319</b>				DATE <b>2/19/2014</b>	SIGNATURE	
LOCATION <b>1080 E WASHINGTON ST 1A, COLTON, CA 92324</b>				REINSPECTION DATE <b>2/19/2014</b>	PERMIT EXPIRATION <b>8/31/2013</b>	
MAILING ADDRESS <b>1080 E WASHINGTON ST UNIT 1A, COLTON CA 92324</b>				REHS <b>Joshua Sarmiento</b>		
<input type="checkbox"/> FACILITY <input type="checkbox"/> OWNER <input checked="" type="checkbox"/> ACCOUNT				PROGRAM IDENTIFIER: None		
FA # <b>FA0006090</b>	PR # <b>PR0011267</b>	SR # <b>Not Specified</b>	CO # <b>Not Specified</b>	PE <b>1620</b>	SERVICE: 003 - INSPECTION - FOLLOW UP INSPECTION	
TIME IN <b>11:25 AM</b>	TIME OUT <b>11:26 AM</b>	CONTACT <b>Not Captured</b>				RESULT: 01 - CORRECTIVE ACTION NOT REQUIRED
				ACTION: 01 - NO FURTHER ACTION REQUIRED		

**RETAIL FOOD PROTECTION - PUBLIC EATING PL (0-24 SEATS)**

**16K889 Food Worker Certification - Reinspection**

Compliance Date: Not Specified      Inspector Comments:

Not In Compliance

Violation Reference - SBCC - 33.0410

**Violation Description:** During your last routine inspection, it was noted that your facility was in violation of the food worker certification requirement for San Bernardino County. Since the inspection, food worker certification has been verified by Environmental Health staff and 100% compliance has been achieved. No further action is required at this time for this violation.

**Overall Inspection Comments**

No summary comments have been made for this inspection.

**Photo Attachments:**  
No Photo Attachments