



**COMMUNITY ENVIRONMENTAL HEALTH PROGRAM
RETAIL FOOD PROTECTION - OFFICIAL INSPECTION REPORT**

www.sbcounty.gov/dph/dehs

(800) 442-2283

FACILITY NAME WABA GRILL				DATE 4/18/2014	SIGNATURE <i>Alex Gaspard</i>
LOCATION 9870 SIERRA AV D, FONTANA, CA 92335				REINSPECTION DATE Not Specified	PERMIT EXPIRATION
MAILING ADDRESS 9870 SIERRA AV D, FONTANA, CA 92335				REHS Amanda Gaspard	
FA # FA0005661	PR # Not Specified	SR # Not Specified	CO # CO0047364	PE 1620	PROGRAM IDENTIFIER: None
TIME IN 1:40 PM	TIME OUT 1:59 PM	CONTACT Not Captured			SERVICE: 004 - COMPLAINT - INITIAL
				RESULT: 03 - CORRECTIVE ACTION / NO FOLLOW UP REQ	
				ACTION: 01 - NO FURTHER ACTION REQUIRED	

RETAIL FOOD PROTECTION - PUBLIC EATING PL (0-24 SEATS)

16K994 Reinspection

Compliance Date: Not Specified
Not In Compliance
Violation Reference - HSC

Inspector Comments: Received complaint; complainant stated that "this facility is filthy." Complainant alleged that the grill has not been scrubbed in years. Complainant alleged that food workers were eating and drinking where food was being prepared. Complainant alleges that there was dust build-up "everywhere."

During complaint investigation on 4-18-14:
1) Observed that facility was not filthy. Observed facility in good working order. Routine inspection was also conducted on 4-18-14; see routine inspection report. No major violations were observed.
2) Observed grill clean and in good working order. Person-in-charge moved grill / equipment so that the floor in back of equipment could be viewed; it was clean. Person-in-charge stated that they conduct regular cleaning.
3) Did not observe food workers eating or drinking in food preparation area. Observed an open, uncovered employee beverage near the cash registers. See violation category #44 on routine inspection report.
4) Did not observe dust build-up throughout facility. Observed slight dust/debris build-up on the fan guards in the walk-in refrigerator. Person-in-charge stated that they will clean the fan guards.

Complaint is now closed.

Violation Description: Reinspection conducted at this time to determine compliance from prior inspection.

Overall Inspection Comments

Complaint is now closed.

Photo Attachments:
No Photo Attachments