



County of San Bernardino • Department of Public Health
Division of Environmental Health Services
COMMUNITY ENVIRONMENTAL HEALTH PROGRAM
BODY ART - OFFICIAL INSPECTION REPORT

www.sbcounty.gov/dph/dehs

(800) 442-2283

FACILITY NAME IGNITION TATTOO				DATE 5/7/2014	SIGNATURE
LOCATION 21065 BEAR VALLEY RD 4, APPLE VALLEY, CA 92308				REINSPECTION DATE 5/07/2015	PERMIT EXPIRATION 3/31/2015
MAILING ADDRESS 21065 BEAR VALLEY RD 4, APPLE VALLEY, CA 92308				REHS Dior Porter	
FA # FA0013756	PR # PR0018203	SR #	CO #	PE 2502	PROGRAM IDENTIFIER:
TIME IN 1:24 PM	TIME OUT 3:00 PM	CONTACT		SERVICE: 001 - INSPECTION - ROUTINE	
				RESULT: 01 - CORRECTIVE ACTION NOT REQUIRED	
				ACTION: 01 - NO FURTHER ACTION REQUIRED	

BODY ART - BODY ART FACILITY

Based on an inspection this day, the items marked below identify the violation(s) in operation or facilities which must be corrected. The Permittee has the right to a hearing if requested in writing within 15 calendar days of receipt of this notice, to show cause why the permit to operate should not be suspended or revoked.

Failure to correct listed violation(s) prior to the designated compliance date may necessitate an additional reinspection at a charge of \$61.25 per 15 minutes with a minimum time of 30 minutes, and a minimum charge of \$122.50

BODY ART INSPECTION

1	<input checked="" type="checkbox"/> IN <input type="checkbox"/> NA <input type="checkbox"/> OUT	- Autoclave effective - passed integrator test
2	<input checked="" type="checkbox"/> IN <input type="checkbox"/> NA <input type="checkbox"/> OUT	- Process of cleaning, labeling, packaging and sterilizing items appropriate
3	<input checked="" type="checkbox"/> IN <input type="checkbox"/> NA <input type="checkbox"/> OUT	- Autoclave loaded correctly/packages allowed to dry
4	<input checked="" type="checkbox"/> IN <input type="checkbox"/> NA <input type="checkbox"/> OUT	- Integrators used/monthly spore test/log maintained
5	<input checked="" type="checkbox"/> IN <input type="checkbox"/> NA <input type="checkbox"/> OUT	- Decontamination/sanitation area separate and supplied appropriately *
6	<input checked="" type="checkbox"/> IN <input type="checkbox"/> NA <input type="checkbox"/> OUT	- Invoices and log kept for disposable, pre-sterilized equipment, backup supplies adequate *
7	<input checked="" type="checkbox"/> IN <input type="checkbox"/> NA <input type="checkbox"/> OUT	- Sharps containers supplied, labeled, used and disposed of appropriately *
8	<input type="checkbox"/> IN <input checked="" type="checkbox"/> NA <input type="checkbox"/> OUT	- Jewelry, tattoo and piercing equipment - clean and sterilized
9	<input checked="" type="checkbox"/> IN <input type="checkbox"/> NA <input type="checkbox"/> OUT	- No eating, drinking or smoking - clean clothes
10	<input checked="" type="checkbox"/> IN <input type="checkbox"/> NA <input type="checkbox"/> OUT	- Hands washed effectively and timely
11	<input checked="" type="checkbox"/> IN <input type="checkbox"/> NA <input type="checkbox"/> OUT	- Handwashing facilities properly supplied and accessible, warm potable water *
12	<input checked="" type="checkbox"/> IN <input type="checkbox"/> NA <input type="checkbox"/> OUT	- Appropriate personal protective equipment available and used, eyewash station available *
13	<input type="checkbox"/> IN <input checked="" type="checkbox"/> NA <input type="checkbox"/> OUT	- Branding is completed with no other customers in procedure area
14	<input checked="" type="checkbox"/> IN <input type="checkbox"/> NA <input type="checkbox"/> OUT	- Customers eighteen (18) years of age or older
15	<input checked="" type="checkbox"/> IN <input type="checkbox"/> NA <input type="checkbox"/> OUT	- Skin adequately prepared for procedure.
16	<input checked="" type="checkbox"/> IN <input type="checkbox"/> NA <input type="checkbox"/> OUT	- Client records approved and available - Consent form & questionnaire
17	<input checked="" type="checkbox"/> IN <input type="checkbox"/> NA <input type="checkbox"/> OUT	- Appropriate aftercare instructions given to client
18	<input checked="" type="checkbox"/> IN <input type="checkbox"/> NA <input type="checkbox"/> OUT	- Safe machine design
19	<input checked="" type="checkbox"/> IN <input type="checkbox"/> NA <input type="checkbox"/> OUT	- Machines cleaned and disinfected between clients
20	<input checked="" type="checkbox"/> IN <input type="checkbox"/> NA <input type="checkbox"/> OUT	- Parts replaced between clients - grommets, elastic bands, etc.
21	<input checked="" type="checkbox"/> IN <input type="checkbox"/> NA <input type="checkbox"/> OUT	- Workstation/procedure area decontaminated
22	<input checked="" type="checkbox"/> IN <input type="checkbox"/> NA <input type="checkbox"/> OUT	- Appropriate chemical disinfectant used Chemical used:
23	<input checked="" type="checkbox"/> IN <input type="checkbox"/> NA <input type="checkbox"/> OUT	- Disinfectant used appropriately/sufficient contact time Wet contact time provided:
24	<input checked="" type="checkbox"/> IN <input type="checkbox"/> NA <input type="checkbox"/> OUT	- Barriers available and used appropriately *
25	<input checked="" type="checkbox"/> IN <input type="checkbox"/> NA <input type="checkbox"/> OUT	- Products applied to skin are single use/dispensed aseptically
26	<input checked="" type="checkbox"/> IN <input type="checkbox"/> NA <input type="checkbox"/> OUT	- Storage of inks, pigments, needles, tubes, etc.
27	<input checked="" type="checkbox"/> IN <input type="checkbox"/> NA <input type="checkbox"/> OUT	- Jewelry, Inks, Needles etc approved and used correctly
28	<input checked="" type="checkbox"/> IN <input type="checkbox"/> NA <input type="checkbox"/> OUT	- Cross-contamination avoided during all phases of procedure
29	<input checked="" type="checkbox"/> IN <input type="checkbox"/> NA <input type="checkbox"/> OUT	- Areas separated/no living or sleeping quarters/no animals *
30	<input checked="" type="checkbox"/> IN <input type="checkbox"/> NA <input type="checkbox"/> OUT	- Floors and walls clean and in good repair, adequate light *
31	<input checked="" type="checkbox"/> IN <input type="checkbox"/> NA <input type="checkbox"/> OUT	- Workstation, surfaces, including chairs, armrests, etc. in good repair; trash removed frequently *
32	<input checked="" type="checkbox"/> IN <input type="checkbox"/> NA <input type="checkbox"/> OUT	- Permit/registration and required signs posted *
33	<input checked="" type="checkbox"/> IN <input type="checkbox"/> NA <input type="checkbox"/> OUT	- IPCP and employee training records and Hepatitis B vaccination status present
34	<input checked="" type="checkbox"/> IN <input type="checkbox"/> NA <input type="checkbox"/> OUT	- Restrooms available, stocked *
35	<input type="checkbox"/> IN <input checked="" type="checkbox"/> NA <input type="checkbox"/> OUT	- Plan Review
36	<input checked="" type="checkbox"/> IN <input type="checkbox"/> NA <input type="checkbox"/> OUT	- Permits Obtained & Available *
37	<input type="checkbox"/> IN <input type="checkbox"/> NA <input type="checkbox"/> OUT	- Impoundment
38	<input type="checkbox"/> IN <input type="checkbox"/> NA <input type="checkbox"/> OUT	- Hearing Scheduled



County of San Bernardino • Department of Public Health
 Division of Environmental Health Services
COMMUNITY ENVIRONMENTAL HEALTH PROGRAM
BODY ART - OFFICIAL INSPECTION REPORT

(800) 442-2283

www.sbcounty.gov/dph/dehs

FACILITY NAME IGNITION TATTOO	DATE 5/7/2014	SIGNATURE
LOCATION 21065 BEAR VALLEY RD 4, APPLE VALLEY, CA 92308	REHS Dior Porter	

BODY ART INSPECTION

39 IN NA OUT - Closure *

Overall Inspection Comments:

Note: Consent form missing statement from AB1168 section 119303 (4). "tattoo inks, dyes, and pigments have not been approved by the Federal Food and Drug Administration and the health consequences of using these products are unknown".

Outstanding job Ignition Tattoo! Thank you for doing your part to help protect public health.

Attachments:

No Attachments

Person in Charge:

Inspector: Dior Porter

Follow-up:

Yes

No

Follow-up Date: