



**COMMUNITY ENVIRONMENTAL HEALTH PROGRAM
RETAIL FOOD PROTECTION - OFFICIAL INSPECTION REPORT**

www.sbcounty.gov/dph/dehs

(800) 442-2283

| | | | | | | |
|---|------------------------------|--------------------------------|--------------------------|---|---|--|
| FACILITY NAME STOCKADE | | | | DATE 10/20/2014 | SIGNATURE | |
| LOCATION 23881 LAKE DR, CRESTLINE, CA 92325 | | | | REINSPECTION DATE Not Specified | PERMIT EXPIRATION | |
| MAILING ADDRESS 23881 LAKE DR, CRESTLINE, CA 92325 | | | | REHS Dior Porter | | |
| <input type="checkbox"/> FACILITY <input type="checkbox"/> OWNER <input type="checkbox"/> ACCOUNT | | | | PROGRAM IDENTIFIER: None | | |
| FA # FA0007477 | PR # Not Specified | SR # Not Specified | CO # CO0049238 | PE 1621 | SERVICE: 004 - COMPLAINT - INITIAL | |
| TIME IN 1:10 PM | TIME OUT 1:25 PM | CONTACT Not Captured | | | RESULT: 01 - CORRECTIVE ACTION NOT REQUIRED | |
| | | | | ACTION: 01 - NO FURTHER ACTION REQUIRED | | |

RETAIL FOOD PROTECTION - Public Eating PI (25-99 Seats)

16K999 Complaint Inspection

Compliance Date: Not Specified
Not In Compliance
Violation Reference - HSC

Inspector Comments: The program of Environmental Health has received a complaint stating that the owner has set up a large bbq in front of the liquor store and daily from 11:30 to 8:00pm is outside cooking large amounts of meat. Upon complaint investigation observed a large, enclosed bbq in front of the permitted food facility. Please note the following guidelines shall be met:

- (a) The open-air barbecue or outdoor wood-burning oven is operated on the same premises as, in reasonable proximity to, and in conjunction with, a permanent food facility that is approved for food preparation. The permitholder of the permanent food facility shall be deemed to be the permitholder of the open-air barbecue or outdoor wood-burning oven, and shall be responsible for ensuring that it is operated in full compliance with this part.
- (b) The open-air barbecue or outdoor wood-burning oven is not operated in, or out of, any motor vehicle, or in any area or location that may constitute a fire hazard, as determined by the enforcement officer.
- (c) The open-air barbecue or outdoor wood-burning oven is separated from public access to prevent food contamination or injury to the public by using ropes or other approved methods.
- (d) If the open-air barbecue or outdoor wood-burning oven is a permanent structure, it shall be equipped with an impervious and easily cleanable floor surface that extends a minimum of five feet from the open-air barbecue or outdoor wood-burning oven facility on all open sides.
- (e) Sanitary facilities, including, but not limited to, toilet facilities and handwashing facilities shall be available for use within 200 feet in travel distance of the open-air barbecue or outdoor wood-burning oven and shall comply with all provisions of this part.

Upon inspection the above requirements appear to be met. Complaint closed.

Violation Description: A complaint report has been received by Environmental Health.

Overall Inspection Comments

No summary comments have been made for this inspection.

Photo Attachments:
No Photo Attachments