



**COMMUNITY ENVIRONMENTAL HEALTH PROGRAM**  
**RETAIL FOOD PROTECTION - OFFICIAL INSPECTION REPORT**

(800) 442-2283

[www.sbcounty.gov/dph/dehs](http://www.sbcounty.gov/dph/dehs)

FACILITY NAME <b>ESSENTIAL HEALTH</b>				DATE <b>11/4/2014</b>	SIGNATURE 
LOCATION <b>587 BONANZA TR, BIG BEAR LAKE, CA 92315</b>				REINSPECTION DATE <b>Not Specified</b>	PERMIT EXPIRATION <b>1/31/2014</b>
MAILING ADDRESS <b>PO BOX 1049, BIG BEAR LAKE CA 92315</b>				REHS <b>Sierra Clayborn</b>	
<input type="checkbox"/> FACILITY <input type="checkbox"/> OWNER <input checked="" type="checkbox"/> ACCOUNT				PROGRAM IDENTIFIER: None	
FA # <b>FA0022928</b>	PR # <b>PR0030189</b>	SR # <b>Not Specified</b>	CO # <b>Not Specified</b>	PE <b>1620</b>	SERVICE: 112 - INVESTIGATION - LICENSE / PERMIT
TIME IN <b>9:25 AM</b>	TIME OUT <b>9:49 AM</b>	CONTACT <b>Not Captured</b>			RESULT: 03 - CORRECTIVE ACTION / NO FOLLOW UP REQ
					ACTION: 01 - NO FURTHER ACTION REQUIRED

**RETAIL FOOD PROTECTION - Public Eating PI (0-24 Seats)**

**16K991 Permit Investigation**

**Compliance Date:** Not Specified  
**Not In Compliance**  
**Violation Reference** - HSC

**Inspector Comments:** Observed new owners on site. Manuel Fuentes, had purchased the facility from Sonia approximately 2 weeks ago, at this time, there are no plans to change the current business type. Facility is currently set up as a Herbal Life smoothie bar. Powdered Herbal Life product is mixed with water using a blender and served to customers. The facility has a 3 compartment sink, hand sink, 1 deep commercial freezer and 1 non-commercial combination refrigerator and freezer. Mr. Fuentes may purchase a commercial prepackaged refrigerator for sodas and other non-perishable prepackaged drinks for customers in the future. Facility has adequate pressurized hot and cold water, maximum temperature measured at 121 F.

New Facility Owner, Manuel Fuentes, is required to complete transfer of ownership paperwork as soon as possible at Environmental Health Services office.  
Once transfer of ownership is approved by Plan Check, a valid health permit must be obtained by EHS.

**Violation Description:** Obtain a valid health permit within 3 days or as specified to avoid facility closure and/or other possible legal action.

**Overall Inspection Comments**

No summary comments have been made for this inspection.

**Photo Attachments:**  
No Photo Attachments