



**County of San Bernardino • Department of Public Health
Division of Environmental Health Services
COMMUNITY ENVIRONMENTAL HEALTH
CAL CODE OFFICIAL INSPECTION REPORT**

(800) 442-2283

www.sbcounty.gov/dph/dehs

FACILITY NAME JACK IN THE BOX 199				DATE 11/7/2014	SIGNATURE <i>Patrick Baccari</i>
LOCATION 10110 SIERRA AV, FONTANA, CA 92335				REINSPECTION DATE 5/07/2015	PERMIT EXPIRATION 12/31/2014
MAILING ADDRESS 10110 SIERRA AV, FONTANA, CA 92335				REHS Patrick Baccari	
FA # FA0009713	PR # PR0005634	SR #	CO #	PE 1621	PROGRAM IDENTIFIER: None
TIME IN 9:34 AM	TIME OUT 10:23 AM	CONTACT Not Captured		SERVICE: 001 - Inspection - Routine	
				RESULT: 03 - Corrective Action / No Follow up Required	
				ACTION: 01 - No Further Action Required	

Based on an inspection this day, the items marked below identify the violation(s) in operation or facilities which must be corrected. The Permittee has the right to a hearing if requested in writing within 15 calendar days of receipt of this notice, to show cause why the permit to operate should not be suspended or revoked.

Failure to correct listed violation(s) prior to the designated compliance date may necessitate an additional reinspection at a charge of \$61.25 per 15 minutes with a minimum time of 30 minutes, and a minimum charge of \$122.50.



SCORE 98

See the following pages for the code sections and general requirements that correspond to each violation listed below.

- In = In compliance
+ COS = Corrected on-site
- N/O = Not observed
⊗ MAJ = Major violation
- N/A = Not applicable
⊗ OUT = Out of compliance

DEMONSTRATION OF KNOWLEDGE			COS	MAJ	OUT
In	N/O	1. Demonstration of knowledge; food safety certification			2
EMPLOYEE HEALTH & HYGIENIC PRACTICES					
In		2. Communicable disease; reporting, restrictions & excl		4	
In	N/O	3. No discharge from eyes, nose, and mouth			2
In	N/O	4. Proper eating, tasting, drinking or tobacco use			2
PREVENTING CONTAMINATION BY HANDS					
In	N/O	5. Hands clean and properly washed; gloves used prop		4	2
In		6. Adequate handwashing facilities supplied & accessib			2
TIME AND TEMPERATURE RELATIONSHIPS					
In	N/O	N/A		4	2
In	N/O	N/A		4	2
In	N/O	N/A		4	2
In	N/O	N/A		4	
In	N/O	N/A		4	
PROTECTION FROM CONTAMINATION					
In	N/O	N/A			2
In		13. Food in good condition, safe and unadulterated		4	2
In	N/O	N/A		4	2

FOOD FROM APPROVED SOURCES			COS	MAJ	OUT
In		15. Food obtained from approved source		4	
In	N/O	N/A			2
In	N/O	N/A			2
CONFORMANCE WITH APPROVED PROCEDURES					
In		N/A			2
CONSUMER ADVISORY					
In	N/O	N/A			2
HIGHLY SUSCEPTIBLE POPULATIONS					
In		N/A		4	
WATER/HOT WATER					
In		21. Hot and cold water available		4	2
LIQUID WASTE DISPOSAL					
In		22. Sewage and wastewater properly disposed		4	2
VERMIN					
In		23. No rodents, insects, birds, or animals		4	2

SUPERVISION	OUT
24. Person in charge present and performs duties	1
PERSONAL CLEANLINESS	
25. Personal cleanliness and hair restraints	1
GENERAL FOOD SAFETY REQUIREMENTS	
26. Approved thawing methods used, frozen food	1
27. Food separated and protected	1
28. Washing fruits and vegetables	1
29. Toxic substances properly identified, stored, use	1
FOOD STORAGE/DISPLAY/SERVICE	
30. Food storage; food storage containers identified	1
31. Consumer self-service	1
32. Food properly labeled & honestly presented	1

EQUIPMENT/UTENSILS/LINENS	OUT
33. Nonfood contact surfaces clean	1
34. Warewashing facilities: installed, maintained, used	1
35. Equipment/Utensils approved; installed; clean; good repa	⊗
36. Equipment, utensils and linens: storage and use	1
37. Vending machines	1
38. Adequate ventilation and lighting; designated area	1
39. Thermometers provided and accurate	1
40. Wiping cloths: properly used and stored	1
PHYSICAL FACILITIES	
41. Plumbing: proper backflow devices	1
42. Garbage and refuse properly disposed; facilities m	1
43. Toilet facilities: properly constructed, supplied, clea	1
44. Premises; personal/cleaning items; vermin-proofin	1

PERMANENT FOOD FACILITIES	OUT
45. Floor, walls, ceilings: built, maintained, and clean	⊗
46. No unapproved private homes/living or sleeping qu	1
SIGNS REQUIREMENTS	
47. Signs posted; last inspection report available	1
48. Food worker cards	2
COMPLIANCE & ENFORCEMENT	
49. Permits Available	
50. Restrooms Required	
51. Plan Review	
52. VC&D	
53. Impoundment	
54. Permit Suspension	



County of San Bernardino • Department of Public Health
 Division of Environmental Health Services
**COMMUNITY ENVIRONMENTAL HEALTH
 CAL CODE OFFICIAL INSPECTION REPORT**

(800) 442-2283

www.sbcounty.gov/dph/dehs

FACILITY NAME JACK IN THE BOX 199	DATE 11/7/2014	SIGNATURE
LOCATION 10110 SIERRA AV, FONTANA, CA 92335	REHS Patrick Baccari	

35. EQUIPMENT/UTENSILS - APPROVED; INSTALLED; CLEAN; GOOD REPAIR, CAPACITY

POINTS 1	Compliance date not specified	Inspector Comments: Discontinue to use broken wire fryer basket.
	Not In Compliance	

Violation Description: All utensils and equipment shall be fully operative and in good repair. (114175). All utensils and equipment shall be approved, installed properly, and meet applicable standards. (114130, 114130.1, 114130.2, 114130.3, 114130.4, 114130.5, 114132, 114133, 114137, 114139, 114153, 114155, 114163, 114165, 114167, 114169, 114177, 114180, 114182)

45. FLOORS, WALLS AND CEILINGS: BUILT, MAINTAINED, AND CLEAN

POINTS 1	Compliance date not specified	Inspector Comments: Provide cleaning to floor in water heater room.
	Not In Compliance	

Violation Description: The walls / ceilings shall have durable, smooth, nonabsorbent, and washable surfaces. All floor surfaces, other than the customer service areas, shall be approved, smooth, durable and made of nonabsorbent material that is easily cleanable. Approved base coving shall be provided in all areas, except customer service areas and where food is stored in original unopened containers. Food facilities shall be fully enclosed. All food facilities shall be kept clean and in good repair. (114143 (d), 114257, 114266, 114268, 114268.1, 114271, 114272) Cleaning must be an approved dustless method. (114268.1) Mats and duckboards, if used, must be removable and easily cleanable. (114272) Open-air barbecues or wood-burning ovens floor surfaces must extend a minimum of five feet and be impervious or easily cleanable. (114143(d))

Overall Inspection Comments

No summary comments have been made for this inspection.