



**COMMUNITY ENVIRONMENTAL HEALTH PROGRAM
RETAIL FOOD PROTECTION - OFFICIAL INSPECTION REPORT**

(800) 442-2283

www.sbcounty.gov/dph/dehs

FACILITY NAME SUBWAY 2627				DATE 2/6/2015	SIGNATURE
LOCATION 298 S MOUNTAIN AV, UPLAND, CA 91786				REINSPECTION DATE Not Specified	PERMIT EXPIRATION
MAILING ADDRESS 298 S MOUNTAIN AV, UPLAND, CA 91786				REHS Denise Martinez	
FA # FA0005158	PR # Not Specified	SR # Not Specified	CO # CO0049882	PE 1620	PROGRAM IDENTIFIER: None
TIME IN 11:12 AM	TIME OUT 11:42 AM	CONTACT Not Captured			SERVICE: 004 - COMPLAINT - INITIAL
					RESULT: 01 - CORRECTIVE ACTION NOT REQUIRED
					ACTION: 01 - NO FURTHER ACTION REQUIRED

RETAIL FOOD PROTECTION - Public Eating PI (0-24 Seats)

16K999 Complaint Inspection

Compliance Date: Not Specified
Not In Compliance
Violation Reference - HSC

Inspector Comments: A complaint investigation was conducted today, February 6th, 2015. According to the complainant, it was alleged that this facility is very dirty in regards to their floors, glass doors, glass casing in front of condiments, and containers holding food items.

Upon inspection the following was observed:

Glass door entrance and glass windows of facility were found to be clean and in compliance. There is some staining on the front door and some windows of the facility from past window advertisements. Manager on duty stated that there is a lady from a private company that comes by and cleans the external windows of each facility of the shopping center daily. Additionally, Subway employees fully clean windows both internally and externally at least 2x a week – when areas of windows are noticed to be dirty, they are cleaned more than 2x a week.

The glass casing and containers were found to be clean and in compliance. Manager explained subway procedure and protocol, stating that casing is cleaned daily, and that containers storing food items are rotated and sent to the warewashing station once empty. There appeared to be a very slight white residue on the top of some containers, however upon further inspection it was noted to be condensation/ice build up from the cold-holding unit, not debris of any kind.

At the time of complaint investigation, facility was found to be in compliance. Complaint has been addressed and closed.

Violation Description: A complaint report has been received by Environmental Health.

Overall Inspection Comments

Complaint is now closed.

Photo Attachments:

No Photo Attachments