



**Public Health**  
Environmental Health Services

**BODY ART - OFFICIAL INSPECTION REPORT**

FACILITY NAME REDRUM TATTOO		DATE 4/1/2015	REINSPECTION DATE Next Routine	PERMIT EXPIRATION 3/31/2016
LOCATION 16138 MAIN ST, HESPERIA, CA 92345			INSPECTOR Hui Chieng	
MAILING ADDRESS 16138 MAIN ST, HESPERIA CA 92345			IDENTIFIER: SERVICE: 001 - INSPECTION - ROUTINE RESULT: 01 - CORRECTIVE ACTION NOT REQUIRED ACTION: 01 - NO FURTHER ACTION REQUIRED	
TIME IN 12:32 PM	TIME OUT 2:17 PM	FACILITY ID FA0013663	RELATED ID PR0018085	PE 2502

**BODY ART - Body Art Facility**

Based on an inspection this day, the items marked below identify the violation(s) in operation or facilities which must be corrected. The Permittee has the right to a hearing if requested in writing within 15 calendar days of receipt of this notice, to show cause why the permit to operate should not be suspended or revoked.

**SCORE**  
**86**

Failure to correct listed violation(s) prior to the designated compliance date may necessitate an additional reinspection at a charge of \$ 61.25 per 15 minutes with a minimum time of 30 minutes, and a minimum charge of \$122.50.

**BODY ART INSPECTION**

1	119315(b)(1)(2)(3) - Autoclave effective - passed integrator test
2	119309(e-g),315(a)(c-d) - Process of cleaning, labeling, packaging and sterliziing items appropriate
3	119315(b)(e) - Autoclave loaded correctly/packages allowed to dry
4	119315(b)(2-5) - Integrators used/monthly spore test/log maintained

<b>POINTS</b> <b>3</b>	<b>Inspector Comments:</b> Operator was unable to provide records of the monthly spore testing results, however a record of the used integrators for each sterilization batch was reviewed and retained. The autoclave unit also passed the integrator test during the inspection.
	Retain all monthly spore testing results on site for review during all inspections.

**Violation Description:**

- 119315 (b) (2) Sterilization equipment shall be tested using a commercial biological indicator monitoring system after the initial installation, after any major repair, and at least once per month. The expiration date of the monitor shall be checked prior to each use.
- 119315 (b) (3) Each sterilization load shall include, at a minimum, a Class V integrator.
- 119315 (b) (4) Biological indicator monitoring test results shall be recorded in a log that shall be kept on site for three years after the date of the results.
- 119315 (b) (5)A written log of each sterilization cycle shall be maintained for three years, shall be available for inspection by the enforcement officer, and shall include all of the following information:
  - (A) The date of the load.
  - (B) A list of the contents of the load.
  - (C) The exposure time and temperature.
  - (D) The results of the Class V integrator.
  - (E) For cycles where the results of the biological indicator monitoring test are positive, how the items were cleaned, and proof of a negative test before reuse.

5	119314(c)(1)(2) - Decontamination/sanitation area separate and supplied appropriately *
6	119315(f)(1-3), 119318(c) - Invoices and log kept for disposable, pre-sterilized equipment, backup supplies adequate *

<b>POINTS</b> <b>3</b>	<b>Inspector Comments:</b> Written proof of sterilization for the single-use disposable instruments was not provided by the operator.
	Obtain written proof of sterilization on company letterhead for the disposable instruments used within the facility. These records shall be maintained on site for inspection.

**Violation Description:**

- 119315 (f) A body art facility that does not afford access to a decontamination and sterilization area that meets the standards of subdivision (c) of Section 119314 or that does not have sterilization equipment shall use only purchased disposable, single-use, presterilized instruments. In place of the requirements for maintaining sterilization records, the following records shall be kept and maintained for a minimum of 90 days following the use of the instruments at the site of practice for the purpose of verifying the use of disposable, single-use, presterilized instruments:

- (1) A record of purchase and use of all single-use instruments.
- (2) A log of all procedures, including the names of the practitioner and client and the date of the procedure. A record of purchase and use of all single-use instruments. A log of all procedures, including the names of the practitioner and client and the date of the procedure.
- (3) Written proof on company or laboratory letterhead showing that the presterilized instruments have undergone a sterilization process. Written proof shall clearly identify the instruments sterilized by name or item number and shall identify the lot or batch number of the sterilizer run.

119318 (c) The sponsor of a temporary body art event shall be responsible for ensuring the availability of support facilities and supplies for practitioners and vendors.

7	119311 (g), 119314 (e) - Sharps containers supplied, labeled, used and disposed of appropriately *
8	119310(a-c);311(f);315d,e - Jewelry, tattoo and piercing equipment - clean and sterilized
9	119309(i);119308 (a)(2) - No eating, drinking or smoking - clean clothes
10	119301(m)(1-2);308(a)1,4 - Hands washed effectively and timely



# Public Health

## Environmental Health Services

[www.SBCounty.gov](http://www.SBCounty.gov)

### BODY ART - OFFICIAL INSPECTION REPORT

FACILITY NAME REDRUM TATTOO	DATE 4/1/2015	INSPECTOR Hui Chieng
LOCATION 16138 MAIN ST., HESPERIA, CA 92345		

#### BODY ART INSPECTION

11 119314(b-c);317(g);318(b) - Handwashing facilities properly supplied and accessible, warm potable water \*

POINTS  
**3**

**Inspector Comments:**

The decontamination area didn't have an accessible touchless paper towel dispenser within the designated area, however paper towel dispensers were provided at each artist station adjacent to the decontamination area.

Provide a touchless paper towel dispenser within the designated decontamination area.

**Violation Description:**

119314 (b) (4) Procedure area shall be equipped with a sink, hot and cold running water, containerized liquid soap, and single-use paper towels dispensed from a wall-mounted, touchless dispenser that is readily accessible to the practitioner.

119314 (b) (5) All sinks shall be permanently plumbed and meet local building and plumbing codes. Facilities that were issued a permit prior to January 1, 2014, shall have until July 1, 2014, to comply with this section

119314 (c) (2) Decontamination and sterilization areas shall be equipped with a sink, hot and cold running water, containerized liquid soap, and single-use paper towels dispensed from a wall-mounted, touchless dispenser that is readily accessible to the practitioner.

119317 (g) (1) For temporary body art events consisting of one demonstration booth, the booth shall be equipped with hand washing equipment that, at a minimum, consists of containerized liquid soap, single-use paper towels, a five-gallon or larger container of potable water accessible via spigot, and a wastewater collection and holding tank of corresponding size. Potable water shall be refilled and the holding tank evacuated frequently to provide uninterrupted use, or as determined by the local enforcement agency.

119318 (b) (2) Restrooms that have flush toilets supplied with toilet paper, and hand wash sinks supplied with hot and cold potable running water, soap, and single-use paper towels to which practitioners have direct access.

12 119308(a)(2-4);119309(d) - Appropriate personal protective equipment available and used, eyewash station available \*

13 119309(j) - Branding is completed with no other customers in procedure area

14 119302(a-d) - Customers eighteen (18) years of age or older

15 119308(a)(5)(6) - Skin adequately prepared for procedure.

16 119303(a)(1-5),(b)(1-4) - Client records approved and available - Consent form & questionnaire

POINTS  
**3**

**Inspector Comments:**

The client consent form lacked the following statements:

- Whether the client has a history of herpes infection at the proposed procedure site, diabetes, allergic reactions to latex or antibiotics, hemophilia or other bleeding disorder, or cardiac valve disease.
- Whether the client has a history of medication use or is currently using medication, including being prescribed antibiotics prior to dental or surgical procedures.
- Other risk factors for bloodborne pathogen exposure.
- Notice that tattoo inks, dyes, and pigments have not been approved by the federal Food and Drug Administration and that the health consequences of using these products are unknown.

Incorporate the listed statements onto the client consent and questionnaire forms.

**Violation Description:**

119303 (a) Prior to the performance of body art, the client shall read, complete, and sign an informed consent form that shall include, but not be limited to, all of the following information:

- A description of the procedure.
- A description of what the client should expect following the procedure, including suggested care and any medical complications that may occur as a result of the procedure.
- A statement regarding the permanent nature of body art.
- Notice that tattoo inks, dyes, and pigments have not been approved by the federal Food and Drug Administration and that the health consequences of using these products are unknown.
- Postprocedure instructions that include all of the following: A. Information on the care of the procedure site. B. Restrictions on physical activities such as bathing, recreational water activities, gardening, or contact with animals, and the duration of the restrictions. C. Signs and symptoms of infection, including, but not limited to, redness, swelling, tenderness of the procedure site, red streaks going from the procedure site towards the heart, elevated body temperature, or purulent drainage from the procedure site.

119303 (b) Prior to the performance of body art, the client shall receive, complete, and sign a questionnaire that includes all of the following information:

- Whether the client may be pregnant.
- Whether the client has a history of herpes infection at the proposed procedure site, diabetes, allergic reactions to latex or antibiotics, hemophilia or other bleeding disorder, or cardiac valve disease.
- Whether the client has a history of medication use or is currently using medication, including being prescribed antibiotics prior to dental or surgical procedures.
- Other risk factors for bloodborne pathogen exposure.

17 119308(b)(1)(2) - Appropriate aftercare instructions given to client

18 119311(i) - Safe machine design

19 119308(b)(6),309(e)311(h) - Machines cleaned and disinfected between clients

20 119311(g) - Parts replaced between clients - grommets, elastic bands, etc.



## Public Health

### Environmental Health Services

[www.SBCounty.gov](http://www.SBCounty.gov)

### BODY ART - OFFICIAL INSPECTION REPORT

FACILITY NAME REDRUM TATTOO	DATE 4/1/2015	INSPECTOR Hui Chieng
LOCATION 16138 MAIN ST., HESPERIA, CA 92345		

#### BODY ART INSPECTION

21	119309(a-c) - Workstation/procedure area decontaminated
22	119301(k) - Appropriate chemical disinfectant used
23	119301(b) - Disinfectant used appropriately/sufficient contact time Wet contact time provided:
24	119311(h) - Barriers available and used appropriately *
25	119311(a)(c)(d) - Products applied to skin are single use/dispensed aseptically
26	119309(h);119315(d)(e) - Storage of inks, pigments, needles, tubes, etc.
27	119310(b),119311 - Jewelry, Inks, Needles etc approved and used correctly
28	119308(a-b);119309;119311 - Cross-contamination avoided during all phases of procedure
29	119314(a)(f), 119317(b) - Areas separated/no living or sleeping quarters/no animals *
30	119314(a)(1);119317(e) - Floors and walls clean and in good repair, adequate light *
31	119309(b);119318(b)(5) - Workstation, surfaces, including chairs, armrests, etc. in good repair; trash removed frequently *
32	119306;312(g);318(d,e) - Permit/registration and required signs posted *

POINTS

2

**Inspector Comments:**

Stephen Steele has been observed with an expired San Bernardino County Body Art Practitioner's Registration.

Immediately obtain a valid San Bernardino County Body Art Practitioner's Registration within 1 week from today. Failure to comply shall result in billable re-inspections at a rate of \$245 per hour or further legal action may result.

**Violation Description:**

119306 (c) As a condition of registration, the applicant shall provide all of the following: Evidence of current hepatitis B vaccination, including applicable boosters, unless the practitioner can demonstrate hepatitis B immunity or has complied with current federal OSHA hepatitis B vaccination declination requirements. Evidence of completion of OSHA Bloodborne Pathogen Training consistent with Section 119307 and pursuant to paragraph (2) of subdivision (g) of Section 5193 of Title 8 of the California Code of Regulations or its successor. Proof that he or she is 18 years of age or older. Self-certification of, knowledge of, and commitment to meet state law and relevant local regulations pertaining to body art safety. His or her business address and the address at which he or she will perform any activity regulated by this chapter. Payment of a registration fee directly to the local enforcement agency. The local enforcement agency shall set the fee at an amount not to exceed the amount necessary but that is sufficient to cover the actual costs of administering the program. The local enforcement agency shall issue a health permit after an investigation has determined that the proposed body art facility and its method of operation meets the specifications of the approved plans or conforms to the requirements of this article.

119306 (d) A practitioner shall display, in a place readily visible to the public at the body art facility where the practitioner is performing body art, the certificate confirming registration with the local enforcement agency in the jurisdiction in which that practice is conducted.

119306 (e) A valid and current registration issued by a local enforcement agency shall be valid in any other jurisdiction for no more than five consecutive days, or 15 days total, in any one calendar year.

119312 (g) The health permit shall be posted in a conspicuous place at the body art facility. Certificates of registration for all practitioners performing body art in that facility shall also be prominently displayed either near the health permit or at the individual practitioner's procedure area if each practitioner has a designated area.

119318 (d) The name, telephone number, and directions to an emergency room near the temporary body art event shall be posted in a conspicuous location.

119318 (e) Each practitioner working in a booth at a temporary body art event shall display his or her certificate of registration, or keep the certificate in a folder that is available for inspection upon request of the enforcement officer or a client.

33	119306, 119307, 119318 - IPCP and employee training records and Hepatitis B vaccination status present
34	119316(4);119318(b)(2) - Restrooms available, stocked *
35	119314(e,f,h) - Plan Review
36	119306; 312; 317; 318 - Permits Obtained & Available *
37	119319(c) - Impoundment
38	119320(d) - Hearing Scheduled
39	119320(a-c);119321 - Closure *

**Overall Inspection Comments:**

The facility perform permanent body art and body piercing. A decontamination area is provided within the shop and currently operates with one artist/piercer.

**Signature(s) of Acknowledgement**



**Public Health**  
Environmental Health Services

**BODY ART - OFFICIAL INSPECTION REPORT**

FACILITY NAME REDRUM TATTOO	DATE 4/1/2015	INSPECTOR Hui Chieng
LOCATION 16138 MAIN ST , HESPERIA, CA 92345		

NAME:  
TITLE:

Total # of Images: 0