



**Public Health**  
Environmental Health Services

**BODY ART - OFFICIAL INSPECTION REPORT**

FACILITY NAME <b>BRAVE NEW WORLD CA CUSTOM TATTOO</b>		DATE <b>5/6/2015</b>	REINSPECTION DATE <b>Next Routine</b>	PERMIT EXPIRATION <b>3/31/2016</b>
LOCATION <b>631 E FOOTHILL BL, UPLAND, CA 92786</b>			INSPECTOR <b>Grizelda Reisinger</b>	
MAILING ADDRESS <b>631 E FOOTHILL BL, UPLAND CA 91786</b>			IDENTIFIER: SERVICE: 001 - INSPECTION - ROUTINE RESULT: 03 - CORRECTIVE ACTION / NO FOLLOW UP R ACTION: 01 - NO FURTHER ACTION REQUIRED	
TIME IN <b>2:44 PM</b>	TIME OUT <b>4:07 PM</b>	FACILITY ID <b>FA0023819</b>	RELATED ID <b>PR0031143</b>	PE <b>2502</b>

**BODY ART - Body Art Facility**

Based on an inspection this day, the items marked below identify the violation(s) in operation or facilities which must be corrected. The Permittee has the right to a hearing if requested in writing within 15 calendar days of receipt of this notice, to show cause why the permit to operate should not be suspended or revoked.

**SCORE**  
**95**

Failure to correct listed violation(s) prior to the designated compliance date may necessitate an additional reinspection at a charge of \$ 61.25 per 15 minutes with a minimum time of 30 minutes, and a minimum charge of \$122.50.

**BODY ART INSPECTION**

1	119315(b)(1)(2)(3) - Autoclave effective - passed integrator test
2	119309(e-g),315(a)(c-d) - Process of cleaning, labeling, packaging and sterliziing items appropriate
3	119315(b)(e) - Autoclave loaded correctly/packages allowed to dry
4	119315(b)(2-5) - Integrators used/monthly spore test/log maintained

<b>POINTS</b> <b>3</b>	<b>Inspector Comments:</b>
	No spore testing is being conducted at this time. Monthly spore testing is required. Contact Sterile Check at 877.287.1199 for service.

**Violation Description:**

- 119315 (b) (2) Sterilization equipment shall be tested using a commercial biological indicator monitoring system after the initial installation, after any major repair, and at least once per month. The expiration date of the monitor shall be checked prior to each use.
- 119315 (b) (3) Each sterilization load shall include, at a minimum, a Class V integrator.
- 119315 (b) (4) Biological indicator monitoring test results shall be recorded in a log that shall be kept on site for three years after the date of the results.
- 119315 (b) (5)A written log of each sterilization cycle shall be maintained for three years, shall be available for inspection by the enforcement officer, and shall include all of the following information:
  - (A) The date of the load.
  - (B) A list of the contents of the load.
  - (C) The exposure time and temperature.
  - (D) The results of the Class V integrator.
  - (E) For cycles where the results of the biological indicator monitoring test are positive, how the items were cleaned, and proof of a negative test before reuse.

5	119314(c)(1)(2) - Decontamination/sanitation area separate and supplied appropriately *
6	119315(f)(1-3), 119318(c) - Invoices and log kept for disposable, pre-sterilized equipment, backup supplies adequate *
7	119311 (g), 119314 (e) - Sharps containers supplied, labeled, used and disposed of appropriately *
8	119310(a-c);311(f);315d,e - Jewelry, tattoo and piercing equipment - clean and sterilized
9	119309(i);119308 (a)(2) - No eating, drinking or smoking - clean clothes
10	119301(m)(1-2);308(a)1,4 - Hands washed effectively and timely
11	119314(b-c);317(g);318(b) - Handwashing facilities properly supplied and accessible, warm potable water *
12	119308(a)(2-4);119309(d) - Appropriate personal protective equipment available and used, eyewash station available *
13	119309(j) - Branding is completed with no other customers in procedure area
14	119302(a-d) - Customers eighteen (18) years of age or older
15	119308(a)(5)(6) - Skin adequately prepared for procedure.
16	119303(a)(1-5),(b)(1-4) - Client records approved and available - Consent form & questionnaire
17	119308(b)(1)(2) - Appropriate aftercare instructions given to client
18	119311(i) - Safe machine design
19	119308(b)(6),309(e)311(h) - Machines cleaned and disinfected between clients
20	119311(g) - Parts replaced between clients - grommets, elastic bands, etc.
21	119309(a-c) - Workstation/procedure area decontaminated
22	119301(k) - Appropriate chemical disinfectant used
23	119301(b) - Disinfectant used appropriately/sufficient contact time Wet contact time provided:
24	119311(h) - Barriers available and used appropriately *
25	119311(a)(c)(d) - Products applied to skin are single use/dispensed aseptically
26	119309(h);119315(d)(e) - Storage of inks, pigments, needles, tubes, etc.
27	119310(b),119311 - Jewelry, Inks, Needles etc approved and used correctly
28	119308(a-b);119309;119311 - Cross-contamination avoided during all phases of procedure



## Public Health

### Environmental Health Services

### BODY ART - OFFICIAL INSPECTION REPORT

FACILITY NAME BRAVE NEW WORLD CA CUSTOM TATTOO	DATE 5/6/2015	INSPECTOR Grizelda Reisinger
LOCATION 631 E FOOTHILL BL., UPLAND, CA 92786		

#### BODY ART INSPECTION

29	119314(a)(f), 119317(b) - Areas separated/no living or sleeping quarters/no animals *
30	119314(a)(1);119317(e) - Floors and walls clean and in good repair, adequate light *
31	119309(b);119318(b)(5) - Workstation, surfaces, including chairs, armrests, etc. in good repair; trash removed frequently *
32	119306;312(g);318(d,e) - Permit/registration and required signs posted *

#### POINTS

2

#### Inspector Comments:

Two expired practitioner registrations were observed during this inspection. Piercer, Eyerene Fayloga expired on 1/31/14. BBP training cert was observed. Operator stated she would obtain her registration tomorrow. Sean Krietlow, is a new practitioner. Obtain your practitioner registration so that you may practice in SB County.

#### Violation Description:

119306 (c) As a condition of registration, the applicant shall provide all of the following: Evidence of current hepatitis B vaccination, including applicable boosters, unless the practitioner can demonstrate hepatitis B immunity or has complied with current federal OSHA hepatitis B vaccination declination requirements. Evidence of completion of OSHA Bloodborne Pathogen Training consistent with Section 119307 and pursuant to paragraph (2) of subdivision (g) of Section 5193 of Title 8 of the California Code of Regulations or its successor. Proof that he or she is 18 years of age or older. Self-certification of, knowledge of, and commitment to meet state law and relevant local regulations pertaining to body art safety. His or her business address and the address at which he or she will perform any activity regulated by this chapter. Payment of a registration fee directly to the local enforcement agency. The local enforcement agency shall set the fee at an amount not to exceed the amount necessary but that is sufficient to cover the actual costs of administering the program. The local enforcement agency shall issue a health permit after an investigation has determined that the proposed body art facility and its method of operation meets the specifications of the approved plans or conforms to the requirements of this article.

119306 (d) A practitioner shall display, in a place readily visible to the public at the body art facility where the practitioner is performing body art, the certificate confirming registration with the local enforcement agency in the jurisdiction in which that practice is conducted.

119306 (e) A valid and current registration issued by a local enforcement agency shall be valid in any other jurisdiction for no more than five consecutive days, or 15 days total, in any one calendar year.

119312 (g) The health permit shall be posted in a conspicuous place at the body art facility. Certificates of registration for all practitioners performing body art in that facility shall also be prominently displayed either near the health permit or at the individual practitioner's procedure area if each practitioner has a designated area.

119318 (d) The name, telephone number, and directions to an emergency room near the temporary body art event shall be posted in a conspicuous location.

119318 (e) Each practitioner working in a booth at a temporary body art event shall display his or her certificate of registration, or keep the certificate in a folder that is available for inspection upon request of the enforcement officer or a client.

33 119306, 119307, 119318 - IPCP and employee training records and Hepatitis B vaccination status present

34 119316(4);119318(b)(2) - Restrooms available, stocked \*

35 119314(e,f,h) - Plan Review

36 119306; 312; 317; 318 - Permits Obtained & Available \*

37 119319(c) - Impoundment

38 119320(d) - Hearing Scheduled

39 119320(a-c);119321 - Closure \*

#### Overall Inspection Comments:

An annual inspection of this body art facility was conducted on this date. Several artist have expired registrations. This facility conducts both tattoo and piercing procedures.

Tattoo artist at this facility use 100% disposable instruments. Piercer sterilizes instruments onsite. Provide monthly spore testing results upon next inspection.

Good compliance observed during this inspection.

Should you have any questions or concerns, please do not hesitate to contact Grizelda Reisinger in the Body Art Program at 909-322-8384 or via email at Grizelda.reisinger@dph.sbcounty.gov

#### Signature(s) of Acknowledgement



**Public Health**  
Environmental Health Services

**BODY ART - OFFICIAL INSPECTION REPORT**

FACILITY NAME BRAVE NEW WORLD CA CUSTOM TATTOO	DATE 5/6/2015	INSPECTOR Grizelda Reisinger
LOCATION 631 E FOOTHILL BL , UPLAND, CA 92786		

NAME:  
TITLE:

Total # of Images: 0