



Public Health
Environmental Health Services
BODY ART - OFFICIAL INSPECTION REPORT

| | | | | |
|---|----------------------------|---------------------------------|--|---------------------------------------|
| FACILITY NAME KILLER TATTOOS | | DATE 6/24/2015 | REINSPECTION DATE Next Routine | PERMIT EXPIRATION 8/31/2015 |
| LOCATION 4027 HOLT BL , MONTCLAIR, CA 91763 | | | INSPECTOR Grace Santos | |
| MAILING ADDRESS 761 WILLIAM ST, POMONA CA 91768 | | | IDENTIFIER: SERVICE: 001 - INSPECTION - ROUTINE | |
| TIME IN 2:03 PM | TIME OUT 2:57 PM | FACILITY ID FA0026245 | RELATED ID PR0034450 | PE 2502 |
| | | | RESULT: 03 - CORRECTIVE ACTION / NO FOLLOW UP R ACTION: 01 - NO FURTHER ACTION REQUIRED | |

BODY ART - Body Art Facility

Based on an inspection this day, the items marked below identify the violation(s) in operation or facilities which must be corrected. The Permittee has the right to a hearing if requested in writing within 15 calendar days of receipt of this notice, to show cause why the permit to operate should not be suspended or revoked.

Failure to correct listed violation(s) prior to the designated compliance date may necessitate an additional reinspection at a charge of \$ 4.08 per 1 minute with a minimum time of 30 minutes, and a minimum charge of \$122.50.

SCORE
86

BODY ART INSPECTION

| | |
|---|--|
| 1 | 119315(b)(1)(2)(3) - Autoclave effective - passed integrator test |
| 2 | 119309(e-g),315(a)(c-d) - Process of cleaning, labeling, packaging and sterliziing items appropriate |
| 3 | 119315(b)(e) - Autoclave loaded correctly/packages allowed to dry |
| 4 | 119315(b)(2-5) - Integrators used/monthly spore test/log maintained |
| 5 | 119314(c)(1)(2) - Decontamination/sanitation area separate and supplied appropriately * |
| 6 | 119315(f)(1-3), 119318(c) - Invoices and log kept for disposable, pre-sterilized equipment, backup supplies adequate * |

| | |
|---------------------------|--|
| POINTS 3 | Inspector Comments: Observed written proof for pre-sterilization of disposable items not available on site. Obtain the letter from disposable items supplier company according to the code. Ensure the written proof must be provided on the company or laboratory's letterhead. |
| | Observed no invoice or record of purchase for the single-use equipments is available for review on site. Ensure to maintain records of purchase for the single-use equipment on site for review at all times. |

Violation Description:

119315 (f) A body art facility that does not afford access to a decontamination and sterilization area that meets the standards of subdivision (c) of Section 119314 or that does not have sterilization equipment shall use only purchased disposable, single-use, presterilized instruments. In place of the requirements for maintaining sterilization records, the following records shall be kept and maintained for a minimum of 90 days following the use of the instruments at the site of practice for the purpose of verifying the use of disposable, single-use, presterilized instruments:

- (1) A record of purchase and use of all single-use instruments.
- (2) A log of all procedures, including the names of the practitioner and client and the date of the procedure.A record of purchase and use of all single-use instruments. A log of all procedures, including the names of the practitioner and client and the date of the procedure.
- (3) Written proof on company or laboratory letterhead showing that the presterilized instruments have undergone a sterilization process. Written proof shall clearly identify the instruments sterilized by name or item number and shall identify the lot or batch number of the sterilizer run.

119318 (c) The sponsor of a temporary body art event shall be responsible for ensuring the availability of support facilities and supplies for practitioners and vendors.

| | |
|---|--|
| 7 | 119311 (g), 119314 (e) - Sharps containers supplied, labeled, used and disposed of appropriately * |
|---|--|



Public Health
Environmental Health Services

www.SBCounty.gov

BODY ART - OFFICIAL INSPECTION REPORT

| | | |
|---|--------------------------|----------------------------------|
| FACILITY NAME KILLER TATTOOS | DATE 6/24/2015 | INSPECTOR Grace Santos |
| LOCATION 4027 HOLT BL , MONTCLAIR, CA 91763 | | |

BODY ART INSPECTION

8 119310(a-c);311(f);315d,e - Jewelry, tattoo and piercing equipment - clean and sterilized

| | |
|---------------------------|--|
| POINTS 3 | Inspector Comments: Observed 10 expired needles inside Jose's workstation. Discontinue the use or storage of expired equipment on site. Ensure to utilize and maintain only approved equipment on site. Remove and properly discard of the expired equipment using an approved method. |
|---------------------------|--|

Violation Description:

119310 (a) Jewelry placed in newly pierced skin shall be sterilized prior to piercing as specified in Section 119315 or shall be purchased presterilized. Sterile jewelry packs shall be evaluated before use and, if the integrity of a pack is compromised, including, but not limited to, being torn, wet, or punctured, the pack shall be discarded or reprocessed before use.

119310 (b) Only jewelry made of ASTM F138, ISO 5832-1, and AISI 316L or AISI 316LVM implant grade stainless steel, solid 14-karat through 18-karat yellow or white gold, niobium, ASTM F 136 6A4V titanium, platinum, or other materials found to be equally biocompatible shall be placed in newly pierced skin.

119310 (c) Ear piercing equipment with a disposable, single-use, presterilized stud and clasp may be used only for piercing the ear pursuant to Article 7 (commencing with Section 119325).

119310 (d) If measuring the body piercing site is necessary, clean calipers shall be used and the skin marked using clean toothpicks and ink or a single-use marking pen.

119311 (f) Only single-use needles and needle bars shall be used in tattooing and the application of permanent cosmetics. Needles and needle bars that are purchased in a nonsterilized state, shall be sterilized, pursuant to the process required by Section 119315.

119315 (d) Sterilized instruments shall be stored in the intact sterilization packaging or in the sterilization equipment cartridge until time of use.

119315 (e) Sterile instrument packs shall be evaluated at the time of storage and before use. If the integrity of a pack is compromised, including, but not limited to, cases where the pack is torn, punctured, wet, or displaying any evidence of moisture contamination, the pack shall be discarded or reprocessed before use.

9 119309(i);119308 (a)(2) - No eating, drinking or smoking - clean clothes

10 119301(m)(1-2);308(a)1,4 - Hands washed effectively and timely

11 119314(b-c);317(g);318(b) - Handwashing facilities properly supplied and accessible, warm potable water *

12 119308(a)(2-4);119309(d) - Appropriate personal protective equipment available and used, eyewash station available *

13 119309(j) - Branding is completed with no other customers in procedure area

14 119302(a-d) - Customers eighteen (18) years of age or older

15 119308(a)(5)(6) - Skin adequately prepared for procedure.

| | |
|---------------------------|--|
| POINTS 3 | Inspector Comments: Operator stated client's skin is being prepared prior to the procedure using diluted green soap. Ensure to use an approved method to prepare skin for procedure. |
|---------------------------|--|

Violation Description:

119308 (a) (5) If the skin at the procedure site is to be shaved, the skin shall be first washed with soap and water. A single-use, disposable razor shall be used to shave the procedure site and then discarded into a sharps container.

119308 (a) (6) Immediately prior to performing the body art, the client's skin shall be prepared with an antiseptic solution, antimicrobial, or microbicide, according to manufacturer's instructions. The item used for application shall be discarded after use.



Public Health
Environmental Health Services

BODY ART - OFFICIAL INSPECTION REPORT

| | | |
|---|--------------------------|----------------------------------|
| FACILITY NAME KILLER TATTOOS | DATE 6/24/2015 | INSPECTOR Grace Santos |
| LOCATION 4027 HOLT BL , MONTCLAIR, CA 91763 | | |

BODY ART INSPECTION

16 119303(a)(1-5),(b)(1-4) - Client records approved and available - Consent form & questionnaire

POINTS
3

Inspector Comments:

Observed no client questionnaire form is utilized on site. Provide a complete and approved client questionnaire form for all procedure. Section 119303 (b) (1-4).

Violation Description:

119303 (a) Prior to the performance of body art, the client shall read, complete, and sign an informed consent form that shall include, but not be limited to, all of the following information:

- (1) A description of the procedure.
- (2) A description of what the client should expect following the procedure, including suggested care and any medical complications that may occur as a result of the procedure.
- (3) A statement regarding the permanent nature of body art.
- (4) Notice that tattoo inks, dyes, and pigments have not been approved by the federal Food and Drug Administration and that the health consequences of using these products are unknown.
- (5) Postprocedure instructions that include all of the following: A. Information on the care of the procedure site. B. Restrictions on physical activities such as bathing, recreational water activities, gardening, or contact with animals, and the duration of the restrictions. C. Signs and symptoms of infection, including, but not limited to, redness, swelling, tenderness of the procedure site, red streaks going from the procedure site towards the heart, elevated body temperature, or purulent drainage from the procedure site.

119303 (b) Prior to the performance of body art, the client shall receive, complete, and sign a questionnaire that includes all of the following information:

- (1) Whether the client may be pregnant.
- (2) Whether the client has a history of herpes infection at the proposed procedure site, diabetes, allergic reactions to latex or antibiotics, hemophilia or other bleeding disorder, or cardiac valve disease.
- (3) Whether the client has a history of medication use or is currently using medication, including being prescribed antibiotics prior to dental or surgical procedures.
- (4) Other risk factors for bloodborne pathogen exposure.

| | |
|----|---|
| 17 | 119308(b)(1)(2) - Appropriate aftercare instructions given to client |
| 18 | 119311(i) - Safe machine design |
| 19 | 119308(b)(6),309(e)311(h) - Machines cleaned and disinfected between clients |
| 20 | 119311(g) - Parts replaced between clients - grommets, elastic bands, etc. |
| 21 | 119309(a-c) - Workstation/procedure area decontaminated |
| 22 | 119301(k) - Appropriate chemical disinfectant used |
| 23 | 119301(b) - Disinfectant used appropriately/sufficient contact time Wet contact time provided: |
| 24 | 119311(h) - Barriers available and used appropriately * |
| 25 | 119311(a)(c)(d) - Products applied to skin are single use/dispensed aseptically |
| 26 | 119309(h);119315(d)(e) - Storage of inks, pigments, needles, tubes, etc. |
| 27 | 119310(b),119311 - Jewelry, Inks, Needles etc approved and used correctly |
| 28 | 119308(a-b);119309;119311 - Cross-contamination avoided during all phases of procedure |
| 29 | 119314(a)(f), 119317(b) - Areas separated/no living or sleeping quarters/no animals * |
| 30 | 119314(a)(1);119317(e) - Floors and walls clean and in good repair, adequate light * |
| 31 | 119309(b);119318(b)(5) - Workstation, surfaces, including chairs, armrests, etc. in good repair; trash removed frequently * |



Public Health
Environmental Health Services

BODY ART - OFFICIAL INSPECTION REPORT

| | | |
|---|--------------------------|----------------------------------|
| FACILITY NAME KILLER TATTOOS | DATE 6/24/2015 | INSPECTOR Grace Santos |
| LOCATION 4027 HOLT BL , MONTCLAIR, CA 91763 | | |

BODY ART INSPECTION

| | |
|---------------------------|--|
| 32 | 119306;312(g);318(d,e) - Permit/registration and required signs posted * |
| POINTS 2 | <p>Inspector Comments: Observed two artists on site without proof of practitioner registration: Noe Guijosa and Alan Dominguez. The practitioners must immediately discontinue practice until registration renewal is approved by this department.</p> <p>Ensure all artist working on site must possess proper practitioner registration by this Department at all times.</p> |

Violation Description:
 119306 (c) As a condition of registration, the applicant shall provide all of the following: Evidence of current hepatitis B vaccination, including applicable boosters, unless the practitioner can demonstrate hepatitis B immunity or has complied with current federal OSHA hepatitis B vaccination declination requirements. Evidence of completion of OSHA Bloodborne Pathogen Training consistent with Section 119307 and pursuant to paragraph (2) of subdivision (g) of Section 5193 of Title 8 of the California Code of Regulations or its successor. Proof that he or she is 18 years of age or older. Self-certification of, knowledge of, and commitment to meet state law and relevant local regulations pertaining to body art safety. His or her business address and the address at which he or she will perform any activity regulated by this chapter. Payment of a registration fee directly to the local enforcement agency. The local enforcement agency shall set the fee at an amount not to exceed the amount necessary but that is sufficient to cover the actual costs of administering the program. The local enforcement agency shall issue a health permit after an investigation has determined that the proposed body art facility and its method of operation meets the specifications of the approved plans or conforms to the requirements of this article.

119306 (d) A practitioner shall display, in a place readily visible to the public at the body art facility where the practitioner is performing body art, the certificate confirming registration with the local enforcement agency in the jurisdiction in which that practice is conducted.

119306 (e) A valid and current registration issued by a local enforcement agency shall be valid in any other jurisdiction for no more than five consecutive days, or 15 days total, in any one calendar year.

119312 (g) The health permit shall be posted in a conspicuous place at the body art facility. Certificates of registration for all practitioners performing body art in that facility shall also be prominently displayed either near the health permit or at the individual practitioner's procedure area if each practitioner has a designated area.

119318 (d) The name, telephone number, and directions to an emergency room near the temporary body art event shall be posted in a conspicuous location.

119318 (e) Each practitioner working in a booth at a temporary body art event shall display his or her certificate of registration, or keep the certificate in a folder that is available for inspection upon request of the enforcement officer or a client.

| | |
|----|--|
| 33 | 119306, 119307, 119318 - IPCP and employee training records and Hepatitis B vaccination status present |
| 34 | 119316(4);119318(b)(2) - Restrooms available, stocked * |
| 35 | 119314(e,f,h) - Plan Review |
| 36 | 119306; 312; 317; 318 - Permits Obtained & Available * |
| 37 | 119319(c) - Impoundment |
| 38 | 119320(d) - Hearing Scheduled |
| 39 | 119320(a-c);119321 - Closure * |

Overall Inspection Comments:

Signature(s) of Acknowledgement

NAME:
 TITLE:
 Total # of Images: 0