



Public Health
Environmental Health Services

www.SBCounty.gov

BODY ART - OFFICIAL INSPECTION REPORT

FACILITY NAME HEAVY HITTERS INK		DATE 9/8/2015	REINSPECTION DATE Next Routine	PERMIT EXPIRATION 7/31/2016
LOCATION 17264 FOOTHILL C, FONTANA, CA 92336			INSPECTOR Grace Santos	
MAILING ADDRESS 17264 FOOTHILL C, FONTANA, CA 92336			IDENTIFIER: SERVICE: 001 - INSPECTION - ROUTINE	
TIME IN 3:11 PM	TIME OUT 4:14 PM	FACILITY ID FA0011210	RELATED ID PR0002606	PE 2502
			RESULT: 03 - CORRECTIVE ACTION / NO FOLLOW UP R ACTION: 01 - NO FURTHER ACTION REQUIRED	

BODY ART - Body Art Facility

Based on an inspection this day, the items marked below identify the violation(s) in operation or facilities which must be corrected. Failure to correct listed violation(s) prior to the designated compliance date may necessitate an additional reinspection at a charge of \$4.08 per 1 minute with a minimum time of 30 minutes, and a minimum charge of \$122.50.

SCORE
86

Administrative Order to Show Cause (OSC): The Permittee has the right to a hearing if requested in writing within 15 calendar days of receipt of this notice, to show cause why the permit to operate should not be suspended or revoked; otherwise the right to a hearing shall be deemed waived.

See the following pages for the code sections and general requirements that correspond to each violation listed below.

BODY ART INSPECTION

1	119315(b)(1)(2)(3) - Autoclave effective - passed integrator test
2	119309(e-g),315(a)(c-d) - Process of cleaning, labeling, packaging and sterliziing items appropriate
3	119315(b)(e) - Autoclave loaded correctly/packages allowed to dry
4	119315(b)(2-5) - Integrators used/monthly spore test/log maintained
5	119314(c)(1)(2) - Decontamination/sanitation area separate and supplied appropriately *
6	119315(f)(1-3), 119318(c) - Invoices and log kept for disposable, pre-sterilized equipment, backup supplies adequate *

POINTS 3	Inspector Comments: Observed no invoice or record of purchase for the single-use equipments is available for review on site. Ensure to maintain records of purchase for the single-use equipment on site for review at all times.
	Observed written proof for pre-sterilization of disposable items not available on site. Obtain the letter from disposable items supplier company according to the code. Ensure the written proof must be provided on the company or laboratory's letterhead.

Violation Description:

119315 (f) A body art facility that does not afford access to a decontamination and sterilization area that meets the standards of subdivision (c) of Section 119314 or that does not have sterilization equipment shall use only purchased disposable, single-use, presterilized instruments. In place of the requirements for maintaining sterilization records, the following records shall be kept and maintained for a minimum of 90 days following the use of the instruments at the site of practice for the purpose of verifying the use of disposable, single-use, presterilized instruments:

- (1) A record of purchase and use of all single-use instruments.
- (2) A log of all procedures, including the names of the practitioner and client and the date of the procedure. A record of purchase and use of all single-use instruments. A log of all procedures, including the names of the practitioner and client and the date of the procedure.
- (3) Written proof on company or laboratory letterhead showing that the presterilized instruments have undergone a sterilization process. Written proof shall clearly identify the instruments sterilized by name or item number and shall identify the lot or batch number of the sterilizer run.

119318 (c) The sponsor of a temporary body art event shall be responsible for ensuring the availability of support facilities and supplies for practitioners and vendors.

7	119311 (g), 119314 (e) - Sharps containers supplied, labeled, used and disposed of appropriately *
---	--



Public Health

Environmental Health Services

www.SBCounty.gov

BODY ART - OFFICIAL INSPECTION REPORT

FACILITY NAME HEAVY HITTERS INK	DATE 9/8/2015	INSPECTOR Grace Santos
LOCATION 17264 FOOTHILL C, FONTANA, CA 92336		

BODY ART INSPECTION

8 119310(a-c);311(f);315d,e - Jewelry, tattoo and piercing equipment - clean and sterilized

POINTS
3

Inspector Comments:

Observed 4 expired needles and tubes inside the front left workstation. Discontinue the use or storage of expired equipment on site. Ensure to utilize and maintain only approved equipment on site. Remove and properly discard of the expired equipment using an approved method.

Violation Description:

119310 (a) Jewelry placed in newly pierced skin shall be sterilized prior to piercing as specified in Section 119315 or shall be purchased presterilized. Sterile jewelry packs shall be evaluated before use and, if the integrity of a pack is compromised, including, but not limited to, being torn, wet, or punctured, the pack shall be discarded or reprocessed before use.

119310 (b) Only jewelry made of ASTM F138, ISO 5832-1, and AISI 316L or AISI 316LVM implant grade stainless steel, solid 14-karat through 18-karat yellow or white gold, niobium, ASTM F 136 6A4V titanium, platinum, or other materials found to be equally biocompatible shall be placed in newly pierced skin.

119310 (c) Ear piercing equipment with a disposable, single-use, presterilized stud and clasp may be used only for piercing the ear pursuant to Article 7 (commencing with Section 119325).

119310 (d) If measuring the body piercing site is necessary, clean calipers shall be used and the skin marked using clean toothpicks and ink or a single-use marking pen.

119311 (f) Only single-use needles and needle bars shall be used in tattooing and the application of permanent cosmetics. Needles and needle bars that are purchased in a nonsterilized state, shall be sterilized, pursuant to the process required by Section 119315.

119315 (d) Sterilized instruments shall be stored in the intact sterilization packaging or in the sterilization equipment cartridge until time of use.

119315 (e) Sterile instrument packs shall be evaluated at the time of storage and before use. If the integrity of a pack is compromised, including, but not limited to, cases where the pack is torn, punctured, wet, or displaying any evidence of moisture contamination, the pack shall be discarded or reprocessed before use.

9 119309(i);119308 (a)(2) - No eating, drinking or smoking - clean clothes

10 119301(m)(1-2);308(a)1,4 - Hands washed effectively and timely

11 119314(b-c);317(g);318(b) - Handwashing facilities properly supplied and accessible, warm potable water *

POINTS
3

Inspector Comments:

Observed no soap or paper towels were available in the dispenser. Provide adequate hand washing supplies at all times to ensure proper hand washing is practiced.

Violation Description:

119314 (b) (4) Procedure area shall be equipped with a sink, hot and cold running water, containerized liquid soap, and single-use paper towels dispensed from a wall-mounted, touchless dispenser that is readily accessible to the practitioner.

119314 (b) (5) All sinks shall be permanently plumbed and meet local building and plumbing codes. Facilities that were issued a permit prior to January 1, 2014, shall have until July 1, 2014, to comply with this section

119314 (c) (2) Decontamination and sterilization areas shall be equipped with a sink, hot and cold running water, containerized liquid soap, and single-use paper towels dispensed from a wall-mounted, touchless dispenser that is readily accessible to the practitioner.

119317 (g) (1) For temporary body art events consisting of one demonstration booth, the booth shall be equipped with hand washing equipment that, at a minimum, consists of containerized liquid soap, single-use paper towels, a five-gallon or larger container of potable water accessible via spigot, and a wastewater collection and holding tank of corresponding size. Potable water shall be refilled and the holding tank evacuated frequently to provide uninterrupted use, or as determined by the local enforcement agency.

119318 (b) (2) Restrooms that have flush toilets supplied with toilet paper, and hand wash sinks supplied with hot and cold potable running water, soap, and single-use paper towels to which practitioners have direct access.

12 119308(a)(2-4);119309(d) - Appropriate personal protective equipment available and used, eyewash station available *

13 119309(j) - Branding is completed with no other customers in procedure area

14 119302(a-d) - Customers eighteen (18) years of age or older

15 119308(a)(5)(6) - Skin adequately prepared for procedure.

16 119303(a)(1-5),(b)(1-4) - Client records approved and available - Consent form & questionnaire

17 119308(b)(1)(2) - Appropriate aftercare instructions given to client

18 119311(i) - Safe machine design

19 119308(b)(6),309(e)311(h) - Machines cleaned and disinfected between clients

20 119311(g) - Parts replaced between clients - grommets, elastic bands, etc.

21 119309(a-c) - Workstation/procedure area decontaminated

22 119301(k) - Appropriate chemical disinfectant used

23 119301(b) - Disinfectant used appropriately/sufficient contact time Wet contact time provided:

24 119311(h) - Barriers available and used appropriately *

25 119311(a)(c)(d) - Products applied to skin are single use/dispensed aseptically

26 119309(h);119315(d)(e) - Storage of inks, pigments, needles, tubes, etc.



Public Health

Environmental Health Services

www.SBCounty.gov

BODY ART - OFFICIAL INSPECTION REPORT

FACILITY NAME HEAVY HITTERS INK	DATE 9/8/2015	INSPECTOR Grace Santos
LOCATION 17264 FOOTHILL C, FONTANA, CA 92336		

BODY ART INSPECTION

27	119310(b),119311 - Jewelry, Inks, Needles etc approved and used correctly
28	119308(a-b);119309;119311 - Cross-contamination avoided during all phases of procedure
29	119314(a)(f), 119317(b) - Areas separated/no living or sleeping quarters/no animals *
30	119314(a)(1);119317(e) - Floors and walls clean and in good repair, adequate light *
31	119309(b);119318(b)(5) - Workstation, surfaces, including chairs, armrests, etc. in good repair; trash removed frequently *
32	119306;312(g);318(d,e) - Permit/registration and required signs posted *

POINTS

2

Inspector Comments:

Observed artist Luis Lizarraga without proof of practitioner registration. Practitioner must immediately discontinue practice until registration renewal is approved by this department. Ensure all artist working on site must possess proper practitioner registration by this Department at all times.

Violation Description:

119306 (c) As a condition of registration, the applicant shall provide all of the following: Evidence of current hepatitis B vaccination, including applicable boosters, unless the practitioner can demonstrate hepatitis B immunity or has complied with current federal OSHA hepatitis B vaccination declination requirements. Evidence of completion of OSHA Bloodborne Pathogen Training consistent with Section 119307 and pursuant to paragraph (2) of subdivision (g) of Section 5193 of Title 8 of the California Code of Regulations or its successor. Proof that he or she is 18 years of age or older. Self-certification of, knowledge of, and commitment to meet state law and relevant local regulations pertaining to body art safety. His or her business address and the address at which he or she will perform any activity regulated by this chapter. Payment of a registration fee directly to the local enforcement agency. The local enforcement agency shall set the fee at an amount not to exceed the amount necessary but that is sufficient to cover the actual costs of administering the program. The local enforcement agency shall issue a health permit after an investigation has determined that the proposed body art facility and its method of operation meets the specifications of the approved plans or conforms to the requirements of this article.

119306 (d) A practitioner shall display, in a place readily visible to the public at the body art facility where the practitioner is performing body art, the certificate confirming registration with the local enforcement agency in the jurisdiction in which that practice is conducted.

119306 (e) A valid and current registration issued by a local enforcement agency shall be valid in any other jurisdiction for no more than five consecutive days, or 15 days total, in any one calendar year.

119312 (g) The health permit shall be posted in a conspicuous place at the body art facility. Certificates of registration for all practitioners performing body art in that facility shall also be prominently displayed either near the health permit or at the individual practitioner's procedure area if each practitioner has a designated area.

119318 (d) The name, telephone number, and directions to an emergency room near the temporary body art event shall be posted in a conspicuous location.

119318 (e) Each practitioner working in a booth at a temporary body art event shall display his or her certificate of registration, or keep the certificate in a folder that is available for inspection upon request of the enforcement officer or a client.

33	119306, 119307, 119318 - IPCP and employee training records and Hepatitis B vaccination status present
34	119316(4);119318(b)(2) - Restrooms available, stocked *

POINTS

3

Inspector Comments:

Observed no paper towels available in the restroom. Provide adequate supplies of restroom supplies at all times.

Violation Description:

119316 (4) A mobile body art facility shall only be operated within 200 feet of an accessible restroom.

119318 (b) (2) Restrooms that have flush toilets supplied with toilet paper, and hand wash sinks supplied with hot and cold potable running water, soap, and single-use paper towels to which practitioners have direct access.

35	119314(e,f,h) - Plan Review
36	119306; 312; 317; 318 - Permits Obtained & Available *
37	119319(c) - Impoundment
38	119320(d) - Hearing Scheduled
39	119320(a-c);119321 - Closure *

Overall Inspection Comments:

Facility is approved for conducting body piercing, facility has appropriate decontamination area in place. During the time of inspection, operator stated facility is not practicing body piercing at this time. Observed no piercing equipment on site, and has been performing any autoclave activity up-to-date. Operator is advised to contact DEHS prior to resume body piercing activity to ensure autoclave is working properly.



Public Health
Environmental Health Services

BODY ART - OFFICIAL INSPECTION REPORT

FACILITY NAME HEAVY HITTERS INK	DATE 9/8/2015	INSPECTOR Grace Santos
LOCATION 17264 FOOTHILL C, FONTANA, CA 92336		

Signature(s) of Acknowledgement

NAME:

TITLE:

Total # of Images: 0