



RETAIL FOOD PROTECTION - OFFICIAL INSPECTION REPORT

FACILITY NAME FUJI RESTAURANT			REINSPECTION DATE Not Specified	INSPECTOR Matthew Reighter	DATE 3/10/2016
LOCATION 41025 BIG BEAR BL, BIG BEAR LAKE, CA 92315			PERMIT EXPIRATION	IDENTIFIER: None	
TIME IN 3:00 PM	TIME OUT 4:00 PM	FACILITY ID FA0009498	RELATED ID CO0053533	PE 1621	SERVICE: 004 - COMPLAINT - INITIAL RESULT: 03 - CORRECTIVE ACTION / NO FOLLOW UP RE ACTION: 01 - NO FURTHER ACTION REQUIRED

RETAIL FOOD PROTECTION - Public Eating PI (25-99 Seats)

Based on an inspection this day, the items marked below identify the violation(s) in operation or facilities which must be corrected. Failure to correct listed violation(s) prior to the designated compliance date may necessitate an additional inspection to be billed at the hourly rate as provided in the San Bernardino County Code, [Schedule of Fees](#).

Administrative Order to Show Cause (OSC): The Permittee has the right to a hearing if requested in writing within 15 calendar days of receipt of this notice, to show cause why the permit to operate should not be suspended or revoked; otherwise the right to a hearing shall be deemed waived.

See the following pages for the code sections and general requirements that correspond to each violation listed below.

16K999 Complaint Inspection

Compliance Date: Not Specified

Not In Compliance

Reference - HSC

Inspector Comments: This visit is in response to a notification stating that this facility has a fire. The owner was present at the visit. A fire occurred in the rear exhaust hood and resulted in a discharge of fire suppression chemicals. A restoration company was present and inventorying all product and equipment for insurance purposes. The owner stated that all food will be discarded.

Prior to opening, please complete the following:

1. Clean and sanitize all affected areas.
2. Discard all contaminated food product.
3. Replace any damaged equipment.

If new equipment is installed, please call for prior approval.

4. Call (800) 442-2283 for approval to open.

Description: A complaint report has been received by Environmental Health.

Overall Inspection Comments

No summary comments have been made for this inspection.

Signature(s) of Acknowledgement

NAME:

TITLE:

Total # of Images: 0