



Public Health
Environmental Health Services

BODY ART - OFFICIAL INSPECTION REPORT

FACILITY NAME LAUGHING BUDDHA BODY PIERCING		DATE 4/5/2016	REINSPECTION DATE Next Routine	PERMIT EXPIRATION 9/30/2016
LOCATION 2176 W FOOTHILL BL E, UPLAND, CA 91786			INSPECTOR Grizelda Reisinger	
MAILING ADDRESS 2176 W FOOTHILL BL E, UPLAND, CA 91786			IDENTIFIER: SERVICE: 001 - INSPECTION - ROUTINE RESULT: 01 - CORRECTIVE ACTION NOT REQUIRED ACTION: 01 - NO FURTHER ACTION REQUIRED	
TIME IN 1:30 PM	TIME OUT 2:16 PM	FACILITY ID FA0000266	RELATED ID PR0012937	PE 2502

BODY ART - Body Art Facility

Based on an inspection this day, the items marked below identify the violation(s) in operation or facilities which must be corrected. Failure to correct listed violation(s) prior to the designated compliance date may necessitate an additional reinspection at a charge of \$4.08 per 1 minute with a minimum time of 30 minutes, and a minimum charge of \$122.50.

SCORE
100

Administrative Order to Show Cause (OSC): The Permittee has the right to a hearing if requested in writing within 15 calendar days of receipt of this notice, to show cause why the permit to operate should not be suspended or revoked; otherwise the right to a hearing shall be deemed waived.

See the following pages for the code sections and general requirements that correspond to each violation listed below.

BODY ART INSPECTION

1	119315(b)(1)(2)(3) - Autoclave effective - passed integrator test
2	119309(e-g);315(a)(c-d) - Process of cleaning, labeling, packaging and sterilizing items appropriate
3	119315(b)(e) - Autoclave loaded correctly/packages allowed to dry
4	119315(b)(2-5) - Integrators used/monthly spore test/log maintained
5	119314(c)(1)(2) - Decontamination/sanitation area separate and supplied appropriately *
6	119315(f)(1-3), 119318(c) - Invoices and log kept for disposable, pre-sterilized equipment, backup supplies adequate *
7	119311 (g), 119314 (e) - Sharps containers supplied, labeled, used and disposed of appropriately *
8	119310(a-c);311(f);315d,e - Jewelry, tattoo and piercing equipment - clean and sterilized
9	119309(i);119308 (a)(2) - No eating, drinking or smoking - clean clothes
10	119301(m)(1-2);308(a)1,4 - Hands washed effectively and timely
11	119314(b-c);317(g);318(b) - Handwashing facilities properly supplied and accessible, warm potable water *
12	119308(a)(2-4);119309(d) - Appropriate personal protective equipment available and used, eyewash station available *
13	119309(j) - Branding is completed with no other customers in procedure area
14	119302(a-d) - Customers eighteen (18) years of age or older
15	119308(a)(5)(6) - Skin adequately prepared for procedure.
16	119303(a)(1-5),(b)(1-4) - Client records approved and available - Consent form & questionnaire
17	119308(b)(1)(2) - Appropriate aftercare instructions given to client
18	119311(i) - Safe machine design
19	119308(b)(6),309(e)311(h) - Machines cleaned and disinfected between clients
20	119311(g) - Parts replaced between clients - grommets, elastic bands, etc.
21	119309(a-c) - Workstation/procedure area decontaminated
22	119301(k) - Appropriate chemical disinfectant used
23	119301(b) - Disinfectant used appropriately/sufficient contact time Wet contact time provided:
24	119311(h) - Barriers available and used appropriately *
25	119311(a)(c)(d) - Products applied to skin are single use/dispensed aseptically
26	119309(h);119315(d)(e) - Storage of inks, pigments, needles, tubes, etc.
27	119310(b),119311 - Jewelry, Inks, Needles etc approved and used correctly
28	119308(a-b);119309;119311 - Cross-contamination avoided during all phases of procedure
29	119314(a)(f), 119317(b) - Areas separated/no living or sleeping quarters/no animals *
30	119314(a)(1);119317(e) - Floors and walls clean and in good repair, adequate light *
31	119309(b);119318(b)(5) - Workstation, surfaces, including chairs, armrests, etc. in good repair; trash removed frequently *
32	119306;312(g);318(d,e) - Permit/registration and required signs posted *
33	119306, 119307, 119318 - IPCP and employee training records and Hepatitis B vaccination status present
34	119316(4);119318(b)(2) - Restrooms available, stocked *
35	119314(e,f,h) - Plan Review
36	119306; 312; 317; 318 - Permits Obtained & Available *
37	119319(c) - Impoundment



Public Health
Environmental Health Services

BODY ART - OFFICIAL INSPECTION REPORT

<small>FACILITY NAME</small> LAUGHING BUDDHA BODY PIERCING	<small>DATE</small> 4/5/2016	<small>INSPECTOR</small> Grizelda Reisinger
<small>LOCATION</small> 2176 W FOOTHILL BL E, UPLAND, CA 91786		

BODY ART INSPECTION

- 38 119320(d) - Hearing Scheduled
- 39 119320(a-c);119321 - Closure *

Overall Inspection Comments:

An annual inspection of this body art facility was conducted on this date. No piercing activities were being conducted during this inspection. No violations were observed. Facility was found to be in compliance with AB1168. Should you have any questions, please contact Grizelda Reisinger at 909-841-1464.

Signature(s) of Acknowledgement

NAME:
 TITLE:

Total # of Images: 0