



Public Health
Environmental Health Services

BODY ART - OFFICIAL INSPECTION REPORT

FACILITY NAME UPLAND INTERNATIONAL ART STUDIO		DATE 5/4/2016	REINSPECTION DATE 5/11/2016	PERMIT EXPIRATION 2/28/2017
LOCATION 241 N MOUNTAIN AV, UPLAND, CA 91786		INSPECTOR Turonda Crumpler		
MAILING ADDRESS 241 N MOUNTAIN AV, UPLAND CA 91786		IDENTIFIER: SERVICE: 001 - INSPECTION - ROUTINE RESULT: 05 - CORRECTIVE ACTION / FOLLOW UP REQ ACTION: 03 - REINSPECTION REQUIRED		
TIME IN 11:15 AM	TIME OUT 12:10 PM	FACILITY ID FA0025332	RELATED ID PR0033255	PE 2502

BODY ART - Body Art Facility

Based on an inspection this day, the items marked below identify the violation(s) in operation or facilities which must be corrected. Failure to correct listed violation(s) prior to the designated compliance date may necessitate an additional reinspection at a charge of \$4.08 per 1 minute with a minimum time of 30 minutes, and a minimum charge of \$122.50.

SCORE
85

Administrative Order to Show Cause (OSC): The Permittee has the right to a hearing if requested in writing within 15 calendar days of receipt of this notice, to show cause why the permit to operate should not be suspended or revoked; otherwise the right to a hearing shall be deemed waived.

See the following pages for the code sections and general requirements that correspond to each violation listed below.

BODY ART INSPECTION

1	119315(b)(1)(2)(3) - Autoclave effective - passed integrator test
2	119309(e-g);315(a)(c-d) - Process of cleaning, labeling, packaging and sterilizing items appropriate
3	119315(b)(e) - Autoclave loaded correctly/packages allowed to dry
4	119315(b)(2-5) - Integrators used/monthly spore test/log maintained
5	119314(c)(1)(2) - Decontamination/sanitation area separate and supplied appropriately *
6	119315(f)(1-3), 119318(c) - Invoices and log kept for disposable, pre-sterilized equipment, backup supplies adequate *
7	119311 (g), 119314 (e) - Sharps containers supplied, labeled, used and disposed of appropriately *
8	119310(a-c);311(f);315d,e - Jewelry, tattoo and piercing equipment - clean and sterilized

POINTS 3	Inspector Comments:
	Observed expired needles (dated 5/2012) in H.E. procedure area.

Violation Description:

119310 (a) Jewelry placed in newly pierced skin shall be sterilized prior to piercing as specified in Section 119315 or shall be purchased presterilized. Sterile jewelry packs shall be evaluated before use and, if the integrity of a pack is compromised, including, but not limited to, being torn, wet, or punctured, the pack shall be discarded or reprocessed before use.

119310 (b) Only jewelry made of ASTM F138, ISO 5832-1, and AISI 316L or AISI 316LVM implant grade stainless steel, solid 14-karat through 18-karat yellow or white gold, niobium, ASTM F 136 6A4V titanium, platinum, or other materials found to be equally biocompatible shall be placed in newly pierced skin.

119310 (c) Ear piercing equipment with a disposable, single-use, presterilized stud and clasp may be used only for piercing the ear pursuant to Article 7 (commencing with Section 119325).

119310 (d) If measuring the body piercing site is necessary, clean calipers shall be used and the skin marked using clean toothpicks and ink or a single-use marking pen.

119311 (f) Only single-use needles and needle bars shall be used in tattooing and the application of permanent cosmetics. Needles and needle bars that are purchased in a nonsterilized state, shall be sterilized, pursuant to the process required by Section 119315.

119315 (d) Sterilized instruments shall be stored in the intact sterilization packaging or in the sterilization equipment cartridge until time of use.

119315 (e) Sterile instrument packs shall be evaluated at the time of storage and before use. If the integrity of a pack is compromised, including, but not limited to, cases where the pack is torn, punctured, wet, or displaying any evidence of moisture contamination, the pack shall be discarded or reprocessed before use.

9	119309(i);119308 (a)(2) - No eating, drinking or smoking - clean clothes
10	119301(m)(1-2);308(a)1,4 - Hands washed effectively and timely
11	119314(b-c);317(g);318(b) - Handwashing facilities properly supplied and accessible, warm potable water *
12	119308(a)(2-4);119309(d) - Appropriate personal protective equipment available and used, eyewash station available *
13	119309(j) - Branding is completed with no other customers in procedure area
14	119302(a-d) - Customers eighteen (18) years of age or older
15	119308(a)(5)(6) - Skin adequately prepared for procedure.



Public Health

Environmental Health Services

www.SBCounty.gov

BODY ART - OFFICIAL INSPECTION REPORT

FACILITY NAME UPLAND INTERNATIONAL ART STUDIO	DATE 5/4/2016	INSPECTOR Turonda Crumpler
LOCATION 241 N MOUNTAIN AV , UPLAND, CA 91786		

BODY ART INSPECTION

16 119303(a)(1-5),(b)(1-4) - Client records approved and available - Consent form & questionnaire

POINTS
3

Inspector Comments:

Repeat Violation: Consent form did not include a notice that states" tattoo, ink, dyes and pigments have not been approved by the Federal Food Drug Administration (FDA) and that the health consequences of using these products are unknown."

Violation Description:

119303 (a) Prior to the performance of body art, the client shall read, complete, and sign an informed consent form that shall include, but not be limited to, all of the following information:

- (1) A description of the procedure.
- (2) A description of what the client should expect following the procedure, including suggested care and any medical complications that may occur as a result of the procedure.
- (3) A statement regarding the permanent nature of body art.
- (4) Notice that tattoo inks, dyes, and pigments have not been approved by the federal Food and Drug Administration and that the health consequences of using these products are unknown.
- (5) Postprocedure instructions that include all of the following: A. Information on the care of the procedure site. B. Restrictions on physical activities such as bathing, recreational water activities, gardening, or contact with animals, and the duration of the restrictions.C. Signs and symptoms of infection, including, but not limited to, redness, swelling, tenderness of the procedure site, red streaks going from the procedure site towards the heart, elevated body temperature, or purulent drainage from the procedure site.

119303 (b) Prior to the performance of body art, the client shall receive, complete, and sign a questionnaire that includes all of the following information:

- (1) Whether the client may be pregnant.
- (2) Whether the client has a history of herpes infection at the proposed procedure site, diabetes, allergic reactions to latex or antibiotics, hemophilia or other bleeding disorder, or cardiac valve disease.
- (3) Whether the client has a history of medication use or is currently using medication, including being prescribed antibiotics prior to dental or surgical procedures.
- (4) Other risk factors for bloodborne pathogen exposure.

17 119308(b)(1)(2) - Appropriate aftercare instructions given to client

POINTS
3

Inspector Comments:

Repeat violation: After care procedures missing information as stated in Section 119303(5)(B)(C)

Violation Description:

119308 (b) At the completion of the procedure, the practitioner shall do all of the following:

- (1) Answer questions regarding the procedure site.
- (2) Provide postprocedure instructions.

18	119311(i) - Safe machine design
19	119308(b)(6),309(e)311(h) - Machines cleaned and disinfected between clients
20	119311(g) - Parts replaced between clients - grommets, elastic bands, etc.
21	119309(a-c) - Workstation/procedure area decontaminated
22	119301(k) - Appropriate chemical disinfectant used
23	119301(b) - Disinfectant used appropriately/sufficient contact time Wet contact time provided:
24	119311(h) - Barriers available and used appropriately *
25	119311(a)(c)(d) - Products applied to skin are single use/dispensed aseptically
26	119309(h);119315(d)(e) - Storage of inks, pigments, needles, tubes, etc.



Public Health
Environmental Health Services

BODY ART - OFFICIAL INSPECTION REPORT

FACILITY NAME UPLAND INTERNATIONAL ART STUDIO	DATE 5/4/2016	INSPECTOR Turonda Crumpler
LOCATION 241 N MOUNTAIN AV , UPLAND, CA 91786		

BODY ART INSPECTION

27 119310(b),119311 - Jewelry, Inks, Needles etc approved and used correctly

POINTS 3	Inspector Comments: Observed unlabeled bottles in two procedure areas
--------------------	--

Violation Description:

119310 (b) Only jewelry made of ASTM F138, ISO 5832-1, and AISI 316L or AISI 316LVM implant grade stainless steel, solid 14-karat through 18-karat yellow or white gold, niobium, ASTM F 136 6A4V titanium, platinum, or other materials found to be equally biocompatible shall be placed in newly pierced skin.

119311 (a) A product applied to the skin prior to tattooing or application of permanent cosmetics, including, but not limited to, stencils and marking and transfer agents, including pens, shall be single use and discarded into a waste container at the end of the procedure unless the product can be disinfected for reuse.

(b) Only commercially manufactured inks, dyes, and pigments shall be used.

(c) Inks, pigments, soaps, and other products in multiple-use containers shall be dispensed in a manner to prevent contamination of the storage container and its remaining contents through the use of a single-use receptacle.

(d) Inks and pigments shall be placed into a clean, single-use receptacle. The inks and pigments remaining in the receptacle shall be discarded immediately upon completion of the procedure.

(e) If a tray is used for inks or pigments, it shall be decontaminated after each procedure.

(f) Only single-use needles and needle bars shall be used in tattooing and the application of permanent cosmetics. Needles and needle bars that are purchased in a nonsterilized state, shall be sterilized, pursuant to the process required by Section 119315.

(g) Needles, needle bars, grommets, and razors shall be discarded into a sharps waste container immediately upon completion of the procedure. 119311

(h) Any part of a tattooing machine that may be touched by the practitioner during the procedure shall be covered with a disposable plastic sheath that is discarded upon completion of the procedure, and the machine shall be decontaminated upon completion of the procedure.

(i) A machine used to insert pigments shall be designed with removable tip parts between the tip and motor housing, and in a manner that will prevent backflow into enclosed parts of the motor housing.

(j) A hand tool used to insert pigment shall be disposed of in a sharps container, with the sharps intact, unless the needle can be mechanically ejected from the hand tool.

28 119308(a-b);119309;119311 - Cross-contamination avoided during all phases of procedure

29 119314(a)(f), 119317(b) - Areas separated/no living or sleeping quarters/no animals *

30 119314(a)(1);119317(e) - Floors and walls clean and in good repair, adequate light *

31 119309(b);119318(b)(5) - Workstation, surfaces, including chairs, armrests, etc. in good repair; trash removed frequently *

32 119306;312(g);318(d,e) - Permit/registration and required signs posted *

33 119306, 119307, 119318 - IPCP and employee training records and Hepatitis B vaccination status present

POINTS 3	Inspector Comments: Repeat Violation: IPCP was not updated to reflect facility no longer sterilizes equipment.
--------------------	---

Violation Description:

119306 (c) (1) Evidence of current hepatitis B vaccination, including applicable boosters, unless the practitioner can demonstrate hepatitis B immunity or has complied with current federal OSHA hepatitis B vaccination declination requirements.

(2) Evidence of completion of OSHA Bloodborne Pathogen Training consistent with Section 119307.

119307 (a) Prior to registering with the local enforcement agency, a practitioner shall complete a Bloodborne Pathogens Exposure Control Training program that is specific to his or her practice.

(d) Each person required to complete a Bloodborne Pathogens Exposure Control Training program pursuant to this section shall annually complete a minimum of two hours of Bloodborne Pathogens Exposure Control Training update presented by a trainer eligible pursuant to paragraph (1) of subdivision (c).

(e) Records of training required pursuant to this section shall be maintained for three years and shall be available for inspection upon request of the enforcement officer.

119313 (a) A body art facility shall maintain and follow a written Infection Prevention and Control Plan, provided by the owner or established by the practitioners, specifying the procedures to achieve compliance with each applicable requirement of this chapter.

34 119316(4);119318(b)(2) - Restrooms available, stocked *

35 119314(e,f,h) - Plan Review

36 119306; 312; 317; 318 - Permits Obtained & Available *

37 119319(c) - Impoundment

38 119320(d) - Hearing Scheduled

39 119320(a-c);119321 - Closure *



Public Health
Environmental Health Services

BODY ART - OFFICIAL INSPECTION REPORT

FACILITY NAME UPLAND INTERNATIONAL ART STUDIO	DATE 5/4/2016	INSPECTOR Turonda Crumpler
LOCATION 241 N MOUNTAIN AV , UPLAND, CA 91786		

Overall Inspection Comments:

Signature(s) of Acknowledgement

NAME:
TITLE:

Total # of Images: 0