



Public Health
Environmental Health Services

BODY ART - OFFICIAL INSPECTION REPORT

FACILITY NAME TATTOO REVOLUTION		DATE 5/11/2016	REINSPECTION DATE Next Routine	PERMIT EXPIRATION 7/31/2016
LOCATION 724 TENNESSEE , REDLANDS, CA 92373			INSPECTOR Kargar Mahdiyeh	
MAILING ADDRESS 724 TENNESSEE , REDLANDS, CA 92373			IDENTIFIER: SERVICE: 001 - INSPECTION - ROUTINE	
TIME IN 2:57 PM	TIME OUT 3:41 PM	FACILITY ID FA0010604	RELATED ID PR0004413	PE 2502
			RESULT: 03 - CORRECTIVE ACTION / NO FOLLOW UP R ACTION: 01 - NO FURTHER ACTION REQUIRED	

BODY ART - Body Art Facility

Based on an inspection this day, the items marked below identify the violation(s) in operation or facilities which must be corrected. Failure to correct listed violation(s) prior to the designated compliance date may necessitate an additional reinspection at a charge of \$4.08 per 1 minute with a minimum time of 30 minutes, and a minimum charge of \$122.50.

SCORE
92

Administrative Order to Show Cause (OSC): The Permittee has the right to a hearing if requested in writing within 15 calendar days of receipt of this notice, to show cause why the permit to operate should not be suspended or revoked; otherwise the right to a hearing shall be deemed waived.

See the following pages for the code sections and general requirements that correspond to each violation listed below.

BODY ART INSPECTION

1	119315(b)(1)(2)(3) - Autoclave effective - passed integrator test
2	119309(e-g);315(a)(c-d) - Process of cleaning, labeling, packaging and sterliziing items appropriate
3	119315(b)(e) - Autoclave loaded correctly/packages allowed to dry
4	119315(b)(2-5) - Integrators used/monthly spore test/log maintained
5	119314(c)(1)(2) - Decontamination/sanitation area separate and supplied appropriately *
6	119315(f)(1-3), 119318(c) - Invoices and log kept for disposable, pre-sterilized equipment, backup supplies adequate *
7	119311 (g), 119314 (e) - Sharps containers supplied, labeled, used and disposed of appropriately *
8	119310(a-c);311(f);315d,e - Jewelry, tattoo and piercing equipment - clean and sterilized
9	119309(i);119308 (a)(2) - No eating, drinking or smoking - clean clothes
10	119301(m)(1-2);308(a)1,4 - Hands washed effectively and timely
11	119314(b-c);317(g);318(b) - Handwashing facilities properly supplied and accessible, warm potable water *
12	119308(a)(2-4);119309(d) - Appropriate personal protective equipment available and used, eyewash station available *
13	119309(j) - Branding is completed with no other customers in procedure area
14	119302(a-d) - Customers eighteen (18) years of age or older
15	119308(a)(5)(6) - Skin adequately prepared for procedure.
16	119303(a)(1-5),(b)(1-4) - Client records approved and available - Consent form & questionnaire

POINTS 3	Inspector Comments:
	The questionnaires regarding Cardiac valve disease, allergic reaction to antibiotics, history of medication use or is currently using medication, including being prescribed antibiotics prior to dental or surgical procedures were missing from the questionnaire. Update your questionnaire according to Safe Body Art Code Section 119303 (b).

Violation Description:

119303 (a) Prior to the performance of body art, the client shall read, complete, and sign an informed consent form that shall include, but not be limited to, all of the following information:

- (1) A description of the procedure.
- (2) A description of what the client should expect following the procedure, including suggested care and any medical complications that may occur as a result of the procedure.
- (3) A statement regarding the permanent nature of body art.
- (4) Notice that tattoo inks, dyes, and pigments have not been approved by the federal Food and Drug Administration and that the health consequences of using these products are unknown.
- (5) Postprocedure instructions that include all of the following: A. Information on the care of the procedure site. B. Restrictions on physical activities such as bathing, recreational water activities, gardening, or contact with animals, and the duration of the restrictions.C. Signs and symptoms of infection, including, but not limited to, redness, swelling, tenderness of the procedure site, red streaks going from the procedure site towards the heart, elevated body temperature, or purulent drainage from the procedure site.

119303 (b) Prior to the performance of body art, the client shall receive, complete, and sign a questionnaire that includes all of the following information:

- (1) Whether the client may be pregnant.
- (2) Whether the client has a history of herpes infection at the proposed procedure site, diabetes, allergic reactions to latex or antibiotics, hemophilia or other bleeding disorder, or cardiac valve disease.
- (3) Whether the client has a history of medication use or is currently using medication, including being prescribed antibiotics prior to dental or surgical procedures.
- (4) Other risk factors for bloodborne pathogen exposure.

17	119308(b)(1)(2) - Appropriate aftercare instructions given to client
----	--



Public Health
Environmental Health Services

BODY ART - OFFICIAL INSPECTION REPORT

FACILITY NAME TATTOO REVOLUTION	DATE 5/11/2016	INSPECTOR Kargar Mahdiyeh
LOCATION 724 TENNESSEE , REDLANDS, CA 92373		

BODY ART INSPECTION

18	119311(i) - Safe machine design
19	119308(b)(6),309(e)311(h) - Machines cleaned and disinfected between clients
20	119311(g) - Parts replaced between clients - grommets, elastic bands, etc.
21	119309(a-c) - Workstation/procedure area decontaminated
22	119301(k) - Appropriate chemical disinfectant used
23	119301(b) - Disinfectant used appropriately/sufficient contact time Wet contact time provided:
24	119311(h) - Barriers available and used appropriately *
25	119311(a)(c)(d) - Products applied to skin are single use/dispensed aseptically
26	119309(h);119315(d)(e) - Storage of inks, pigments, needles, tubes, etc.
27	119310(b),119311 - Jewelry, Inks, Needles etc approved and used correctly
28	119308(a-b);119309;119311 - Cross-contamination avoided during all phases of procedure
29	119314(a)(f), 119317(b) - Areas separated/no living or sleeping quarters/no animals *
30	119314(a)(1);119317(e) - Floors and walls clean and in good repair, adequate light *
31	119309(b);119318(b)(5) - Workstation, surfaces, including chairs, armrests, etc. in good repair; trash removed frequently *
32	119306;312(g);318(d,e) - Permit/registration and required signs posted *

POINTS
2

Inspector Comments:
The following practitioners had expired permits:
Manuel Trujillo
Eric Olguin
Dennis Forrester

These practitioners shall discontinue practice until their registration renewal is approved. (Safe Body Art Act 119306 (b)).

Violation Description:

119306 (c) As a condition of registration, the applicant shall provide all of the following: Evidence of current hepatitis B vaccination, including applicable boosters, unless the practitioner can demonstrate hepatitis B immunity or has complied with current federal OSHA hepatitis B vaccination declination requirements. Evidence of completion of OSHA Bloodborne Pathogen Training consistent with Section 119307 and pursuant to paragraph (2) of subdivision (g) of Section 5193 of Title 8 of the California Code of Regulations or its successor. Proof that he or she is 18 years of age or older. Self-certification of, knowledge of, and commitment to meet state law and relevant local regulations pertaining to body art safety. His or her business address and the address at which he or she will perform any activity regulated by this chapter. Payment of a registration fee directly to the local enforcement agency. The local enforcement agency shall set the fee at an amount not to exceed the amount necessary but that is sufficient to cover the actual costs of administering the program. The local enforcement agency shall issue a health permit after an investigation has determined that the proposed body art facility and its method of operation meets the specifications of the approved plans or conforms to the requirements of this article.

119306 (d) A practitioner shall display, in a place readily visible to the public at the body art facility where the practitioner is performing body art, the certificate confirming registration with the local enforcement agency in the jurisdiction in which that practice is conducted.

119306 (e) A valid and current registration issued by a local enforcement agency shall be valid in any other jurisdiction for no more than five consecutive days, or 15 days total, in any one calendar year.

119312 (g) The health permit shall be posted in a conspicuous place at the body art facility. Certificates of registration for all practitioners performing body art in that facility shall also be prominently displayed either near the health permit or at the individual practitioner's procedure area if each practitioner has a designated area.

119318 (d) The name, telephone number, and directions to an emergency room near the temporary body art event shall be posted in a conspicuous location.

119318 (e) Each practitioner working in a booth at a temporary body art event shall display his or her certificate of registration, or keep the certificate in a folder that is available for inspection upon request of the enforcement officer or a client.

33	119306, 119307, 119318 - IPCP and employee training records and Hepatitis B vaccination status present
34	119316(4);119318(b)(2) - Restrooms available, stocked *

POINTS
3

Inspector Comments:
Add a touchless paper towel dispenser in restroom. Currently the paper holder in restroom is wall-mounted, but it is not touchless dispenser.

Violation Description:

119316 (4) A mobile body art facility shall only be operated within 200 feet of an accessible restroom.

119318 (b) (2) Restrooms that have flush toilets supplied with toilet paper, and hand wash sinks supplied with hot and cold potable running water, soap, and single-use paper towels to which practitioners have direct access.



Public Health

Environmental Health Services

BODY ART - OFFICIAL INSPECTION REPORT

FACILITY NAME TATTOO REVOLUTION	DATE 5/11/2016	INSPECTOR Kargar Mahdiyeh
LOCATION 724 TENNESSEE , REDLANDS, CA 92373		

BODY ART INSPECTION

35	119314(e,f,h) - Plan Review
36	119306; 312; 317; 318 - Permits Obtained & Available *
37	119319(c) - Impoundment
38	119320(d) - Hearing Scheduled
39	119320(a-c);119321 - Closure *

Overall Inspection Comments:

Signature(s) of Acknowledgement

NAME:

TITLE:

Total # of Images: 0