



**Public Health**  
Environmental Health Services

**BODY ART - OFFICIAL INSPECTION REPORT**

FACILITY NAME <b>EMPIRE TATTOO STUDIOS</b>		DATE <b>5/9/2016</b>	REINSPECTION DATE <b>Next Routine</b>	PERMIT EXPIRATION <b>8/31/2016</b>
LOCATION <b>7373 EAST AV D, FONTANA, CA 92336</b>			INSPECTOR <b>Turonda Crumpler</b>	
MAILING ADDRESS <b>18570 MOORLAND CT, RIVERSIDE CA 92508</b>			IDENTIFIER: SERVICE: 001 - INSPECTION - ROUTINE RESULT: 03 - CORRECTIVE ACTION / NO FOLLOW UP R ACTION: 01 - NO FURTHER ACTION REQUIRED	
TIME IN <b>4:23 PM</b>	TIME OUT <b>4:54 PM</b>	FACILITY ID <b>FA0018429</b>	RELATED ID <b>PR0024479</b>	PE <b>2502</b>

**BODY ART - Body Art Facility**

Based on an inspection this day, the items marked below identify the violation(s) in operation or facilities which must be corrected. Failure to correct listed violation(s) prior to the designated compliance date may necessitate an additional reinspection at a charge of \$4.08 per 1 minute with a minimum time of 30 minutes, and a minimum charge of \$122.50.

**SCORE**  
**80**

Administrative Order to Show Cause (OSC): The Permittee has the right to a hearing if requested in writing within 15 calendar days of receipt of this notice, to show cause why the permit to operate should not be suspended or revoked; otherwise the right to a hearing shall be deemed waived.

See the following pages for the code sections and general requirements that correspond to each violation listed below.

**BODY ART INSPECTION**

- 1 119315(b)(1)(2)(3) - Autoclave effective - passed integrator test
- 2 119309(e-g),315(a)(c-d) - Process of cleaning, labeling, packaging and steriliizing items appropriate

<b>POINTS</b> <b>3</b>	<b>Inspector Comments:</b> Repeat observation: Observed at various work stations drawers of supplies not labeled. Provide labels for all drawers with supplies at each work station.
---------------------------	---

**Violation Description:**

119309 (e) An instrument or other reusable item that comes into contact with nonintact skin or mucosal surfaces shall either be single use or be cleaned, decontaminated, packaged, and sterilized after each procedure. Sterilization shall be accomplished pursuant to the procedures established in Section 119315 by steam autoclave.

119309 (f) An instrument or reusable item that does not come into contact with nonintact skin or mucosal surfaces shall be washed with a solution of soap and water, using a brush that is small enough to clean the interior surfaces, and decontaminated after each procedure.

119309 (g) A reusable item that cannot be immediately washed, disinfected, and sterilized following completion of the body art procedure shall be placed in a basin of water with or without detergent.

119315 (a) Clean instruments to be sterilized shall first be sealed in sterilization packaging that contain either a sterilizer indicator or process indicator, unless instruments are being processed for immediate use. The outside of the pack shall be labeled with the name of the instrument if not immediately identifiable, the date sterilized, and the initials of the person operating the sterilizing equipment unless instruments are being sterilized for immediate use.

119315 (c) Clean instruments and sterilized instrument packs shall be placed in clean, dry, labeled containers, or stored in a labeled cabinet that is protected from dust and moisture.

119315 (d) Sterilized instruments shall be stored in the intact sterilization packaging or in the sterilization equipment cartridge until time of use.

- 3 119315(b)(e) - Autoclave loaded correctly/packages allowed to dry
- 4 119315(b)(2-5) - Integrators used/monthly spore test/log maintained

<b>POINTS</b> <b>3</b>	<b>Inspector Comments:</b> Observed no monthly spore test results. Maintain spore test results on site. Refer to Section 119315(b) (2)(4) for code requirements.
---------------------------	---

**Violation Description:**

119315 (b) (2) Sterilization equipment shall be tested using a commercial biological indicator monitoring system after the initial installation, after any major repair, and at least once per month. The expiration date of the monitor shall be checked prior to each use.

119315 (b) (3) Each sterilization load shall include, at a minimum, a Class V integrator.

119315 (b) (4) Biological indicator monitoring test results shall be recorded in a log that shall be kept on site for three years after the date of the results.

119315 (b) (5)A written log of each sterilization cycle shall be maintained for three years, shall be available for inspection by the enforcement officer, and shall include all of the following information:

(A) The date of the load.

(B) A list of the contents of the load.

(C) The exposure time and temperature.

(D) The results of the Class V integrator.

(E) For cycles where the results of the biological indicator monitoring test are positive, how the items were cleaned, and proof of a negative test before reuse.

- 5 119314(c)(1)(2) - Decontamination/sanitation area separate and supplied appropriately \*



**Public Health**  
**Environmental Health Services**

www.SBCounty.gov

**BODY ART - OFFICIAL INSPECTION REPORT**

FACILITY NAME <b>EMPIRE TATTOO STUDIOS</b>	DATE <b>5/9/2016</b>	INSPECTOR <b>Turonda Crumpler</b>
LOCATION <b>7373 EAST AV D, FONTANA, CA 92336</b>		

**BODY ART INSPECTION**

<b>6</b>	119315(f)(1-3), 119318(c) - Invoices and log kept for disposable, pre-sterilized equipment, backup supplies adequate *	
<b>POINTS</b> <b>3</b>	<b>Inspector Comments:</b> Observed forms missing use of single use instruments( needles). Logs should be kept to record use of all single-use instruments.	

**Violation Description:**

119315 (f) A body art facility that does not afford access to a decontamination and sterilization area that meets the standards of subdivision (c) of Section 119314 or that does not have sterilization equipment shall use only purchased disposable, single-use, presterilized instruments. In place of the requirements for maintaining sterilization records, the following records shall be kept and maintained for a minimum of 90 days following the use of the instruments at the site of practice for the purpose of verifying the use of disposable, single-use, presterilized instruments:

- (1) A record of purchase and use of all single-use instruments.
- (2) A log of all procedures, including the names of the practitioner and client and the date of the procedure. A record of purchase and use of all single-use instruments. A log of all procedures, including the names of the practitioner and client and the date of the procedure.
- (3) Written proof on company or laboratory letterhead showing that the presterilized instruments have undergone a sterilization process. Written proof shall clearly identify the instruments sterilized by name or item number and shall identify the lot or batch number of the sterilizer run.

119318 (c) The sponsor of a temporary body art event shall be responsible for ensuring the availability of support facilities and supplies for practitioners and vendors.

<b>7</b>	119311 (g), 119314 (e) - Sharps containers supplied, labeled, used and disposed of appropriately *	
<b>8</b>	119310(a-c);311(f);315d,e - Jewelry, tattoo and piercing equipment - clean and sterilized	
<b>9</b>	119309(i);119308 (a)(2) - No eating, drinking or smoking - clean clothes	
<b>10</b>	119301(m)(1-2);308(a)1,4 - Hands washed effectively and timely	

<b>POINTS</b> <b>3</b>	<b>Inspector Comments:</b> Observed practitioners use personal phone(talking and/or take pictures) and return to work on customer and don gloves. Hand hygiene should be performed prior to donning a new, clean, previously unused disposable gloves.
---------------------------	---

**Violation Description:**

119301 (m) "Hand hygiene" means either of the following:

- (1) Thoroughly washing all surfaces of the hands and under the fingernails with soap and warm water.
- (2) In the absence of contamination with blood or other bodily fluids, or obvious soiling, applying an antiseptic solution to all the surfaces of the hands and underneath the fingernails.

119308 (a) (1) Wash and dry his or her hands consistent with sound hygienic practices.

119308 (a) (4) Don clean, previously unused, disposable examination gloves on both hands just prior to the procedure. Gloves shall be worn throughout the procedure. If gloves come into contact with an object or surface other than the client's prepared skin or material to be used for the procedure, or if a glove is torn or punctured, both gloves shall be removed, hand hygiene performed, and new, clean, previously unused, disposable examination gloves shall be donned. If gloves are removed for any reason during a procedure, hand hygiene shall be performed prior to donning new, clean, previously unused, disposable examination gloves.

<b>11</b>	119314(b-c);317(g);318(b) - Handwashing facilities properly supplied and accessible, warm potable water *	
<b>12</b>	119308(a)(2-4);119309(d) - Appropriate personal protective equipment available and used, eyewash station available *	
<b>13</b>	119309(j) - Branding is completed with no other customers in procedure area	
<b>14</b>	119302(a-d) - Customers eighteen (18) years of age or older	
<b>15</b>	119308(a)(5)(6) - Skin adequately prepared for procedure.	



## Public Health

### Environmental Health Services

### BODY ART - OFFICIAL INSPECTION REPORT

FACILITY NAME EMPIRE TATTOO STUDIOS	DATE 5/9/2016	INSPECTOR Turonda Crumpler
LOCATION 7373 EAST AV D, FONTANA, CA 92336		

#### BODY ART INSPECTION

16 119303(a)(1-5),(b)(1-4) - Client records approved and available - Consent form & questionnaire

POINTS

3

**Inspector Comments:**

Observed incomplete/missing information on the client consent form and questionnaire. Refer to code section 119303 for complete questionnaire and consent form requirements.

**Violation Description:**

119303 (a) Prior to the performance of body art, the client shall read, complete, and sign an informed consent form that shall include, but not be limited to, all of the following information:

- (1) A description of the procedure.
- (2) A description of what the client should expect following the procedure, including suggested care and any medical complications that may occur as a result of the procedure.
- (3) A statement regarding the permanent nature of body art.
- (4) Notice that tattoo inks, dyes, and pigments have not been approved by the federal Food and Drug Administration and that the health consequences of using these products are unknown.
- (5) Postprocedure instructions that include all of the following: A. Information on the care of the procedure site. B. Restrictions on physical activities such as bathing, recreational water activities, gardening, or contact with animals, and the duration of the restrictions. C. Signs and symptoms of infection, including, but not limited to, redness, swelling, tenderness of the procedure site, red streaks going from the procedure site towards the heart, elevated body temperature, or purulent drainage from the procedure site.

119303 (b) Prior to the performance of body art, the client shall receive, complete, and sign a questionnaire that includes all of the following information:

- (1) Whether the client may be pregnant.
- (2) Whether the client has a history of herpes infection at the proposed procedure site, diabetes, allergic reactions to latex or antibiotics, hemophilia or other bleeding disorder, or cardiac valve disease.
- (3) Whether the client has a history of medication use or is currently using medication, including being prescribed antibiotics prior to dental or surgical procedures.
- (4) Other risk factors for bloodborne pathogen exposure.

17	119308(b)(1)(2) - Appropriate aftercare instructions given to client
18	119311(i) - Safe machine design
19	119308(b)(6),309(e)311(h) - Machines cleaned and disinfected between clients
20	119311(g) - Parts replaced between clients - grommets, elastic bands, etc.
21	119309(a-c) - Workstation/procedure area decontaminated
22	119301(k) - Appropriate chemical disinfectant used
23	119301(b) - Disinfectant used appropriately/sufficient contact time Wet contact time provided:
24	119311(h) - Barriers available and used appropriately *
25	119311(a)(c)(d) - Products applied to skin are single use/dispensed aseptically
26	119309(h);119315(d)(e) - Storage of inks, pigments, needles, tubes, etc.
27	119310(b),119311 - Jewelry, Inks, Needles etc approved and used correctly
28	119308(a-b);119309;119311 - Cross-contamination avoided during all phases of procedure
29	119314(a)(f), 119317(b) - Areas separated/no living or sleeping quarters/no animals *
30	119314(a)(1);119317(e) - Floors and walls clean and in good repair, adequate light *
31	119309(b);119318(b)(5) - Workstation, surfaces, including chairs, armrests, etc. in good repair; trash removed frequently *



**Public Health**  
Environmental Health Services

**BODY ART - OFFICIAL INSPECTION REPORT**

FACILITY NAME <b>EMPIRE TATTOO STUDIOS</b>	DATE <b>5/9/2016</b>	INSPECTOR <b>Turonda Crumpler</b>
LOCATION <b>7373 EAST AV D, FONTANA, CA 92336</b>		

**BODY ART INSPECTION**

32 119306;312(g);318(d,e) - Permit/registration and required signs posted \*

**POINTS**  
**2**

**Inspector Comments:**

Observed artists on site without proof of practitioner registration(Daniel Sampro) or expired registration (Jeffrey Scott Corbin): The practitioners must immediately discontinue practice until registration is approved by this department. Ensure all artists working on site possess proper practitioner registration by this Department at all times.

**Violation Description:**

119306 (c) As a condition of registration, the applicant shall provide all of the following: Evidence of current hepatitis B vaccination, including applicable boosters, unless the practitioner can demonstrate hepatitis B immunity or has complied with current federal OSHA hepatitis B vaccination declination requirements. Evidence of completion of OSHA Bloodborne Pathogen Training consistent with Section 119307 and pursuant to paragraph (2) of subdivision (g) of Section 5193 of Title 8 of the California Code of Regulations or its successor. Proof that he or she is 18 years of age or older. Self-certification of, knowledge of, and commitment to meet state law and relevant local regulations pertaining to body art safety. His or her business address and the address at which he or she will perform any activity regulated by this chapter. Payment of a registration fee directly to the local enforcement agency. The local enforcement agency shall set the fee at an amount not to exceed the amount necessary but that is sufficient to cover the actual costs of administering the program. The local enforcement agency shall issue a health permit after an investigation has determined that the proposed body art facility and its method of operation meets the specifications of the approved plans or conforms to the requirements of this article.

119306 (d) A practitioner shall display, in a place readily visible to the public at the body art facility where the practitioner is performing body art, the certificate confirming registration with the local enforcement agency in the jurisdiction in which that practice is conducted.

119306 (e) A valid and current registration issued by a local enforcement agency shall be valid in any other jurisdiction for no more than five consecutive days, or 15 days total, in any one calendar year.

119312 (g) The health permit shall be posted in a conspicuous place at the body art facility. Certificates of registration for all practitioners performing body art in that facility shall also be prominently displayed either near the health permit or at the individual practitioner's procedure area if each practitioner has a designated area.

119318 (d) The name, telephone number, and directions to an emergency room near the temporary body art event shall be posted in a conspicuous location.

119318 (e) Each practitioner working in a booth at a temporary body art event shall display his or her certificate of registration, or keep the certificate in a folder that is available for inspection upon request of the enforcement officer or a client.

33 119306, 119307, 119318 - IPCP and employee training records and Hepatitis B vaccination status present

**POINTS**  
**3**

**Inspector Comments:**

Observed no proof of Bloodborne Pathogens Exposure Control Training for Daniel S. Prior to obtaining registration practitioner should complete the training course as required. Refer to section 119307 (d) for specific requirements.

**Violation Description:**

119306 (c) (1) Evidence of current hepatitis B vaccination, including applicable boosters, unless the practitioner can demonstrate hepatitis B immunity or has complied with current federal OSHA hepatitis B vaccination declination requirements.

(2) Evidence of completion of OSHA Bloodborne Pathogen Training consistent with Section 119307.

119307 (a) Prior to registering with the local enforcement agency, a practitioner shall complete a Bloodborne Pathogens Exposure Control Training program that is specific to his or her practice.

(d) Each person required to complete a Bloodborne Pathogens Exposure Control Training program pursuant to this section shall annually complete a minimum of two hours of Bloodborne Pathogens Exposure Control Training update presented by a trainer eligible pursuant to paragraph (1) of subdivision (c).

(e) Records of training required pursuant to this section shall be maintained for three years and shall be available for inspection upon request of the enforcement officer.

119313 (a) A body art facility shall maintain and follow a written Infection Prevention and Control Plan, provided by the owner or established by the practitioners, specifying the procedures to achieve compliance with each applicable requirement of this chapter.

34 119316(4);119318(b)(2) - Restrooms available, stocked \*

35 119314(e,f,h) - Plan Review

36 119306; 312; 317; 318 - Permits Obtained & Available \*

37 119319(c) - Impoundment

38 119320(d) - Hearing Scheduled

39 119320(a-c);119321 - Closure \*

**Overall Inspection Comments:**



**Public Health**  
Environmental Health Services

**BODY ART - OFFICIAL INSPECTION REPORT**

FACILITY NAME EMPIRE TATTOO STUDIOS	DATE 5/9/2016	INSPECTOR Turonda Crumpler
LOCATION 7373 EAST AV D, FONTANA, CA 92336		

**Signature(s) of Acknowledgement**

NAME:

TITLE:

Total # of Images: 0