



Public Health
Environmental Health Services

BODY ART - OFFICIAL INSPECTION REPORT

FACILITY NAME INK'D SOCIETY TATTOO PARLOR		DATE 5/10/2016	REINSPECTION DATE Next Routine	PERMIT EXPIRATION 7/31/2016
LOCATION 4651 HOLT BL F, MONTCLAIR, CA 91763			INSPECTOR Turonda Crumpler	
MAILING ADDRESS 4651 HOLT BL STE F, MONTCLAIR CA 91763			IDENTIFIER: SERVICE: 001 - INSPECTION - ROUTINE RESULT: 03 - CORRECTIVE ACTION / NO FOLLOW UP R ACTION: 01 - NO FURTHER ACTION REQUIRED	
TIME IN 1:46 PM	TIME OUT 2:51 PM	FACILITY ID FA0026096	RELATED ID PR0034280	PE 2502

BODY ART - Body Art Facility

Based on an inspection this day, the items marked below identify the violation(s) in operation or facilities which must be corrected. Failure to correct listed violation(s) prior to the designated compliance date may necessitate an additional reinspection at a charge of \$4.08 per 1 minute with a minimum time of 30 minutes, and a minimum charge of \$122.50.

SCORE
83

Administrative Order to Show Cause (OSC): The Permittee has the right to a hearing if requested in writing within 15 calendar days of receipt of this notice, to show cause why the permit to operate should not be suspended or revoked; otherwise the right to a hearing shall be deemed waived.

See the following pages for the code sections and general requirements that correspond to each violation listed below.

BODY ART INSPECTION

1	119315(b)(1)(2)(3) - Autoclave effective - passed integrator test
2	119309(e-g),315(a)(c-d) - Process of cleaning, labeling, packaging and steriliizing items appropriate

POINTS
3

Inspector Comments:
Observed unlabeled drawers with supplies in apprentice procedure area. Provide label for all drawers with supplies at each work station

Violation Description:

- 119309 (e) An instrument or other reusable item that comes into contact with nonintact skin or mucosal surfaces shall either be single use or be cleaned, decontaminated, packaged, and sterilized after each procedure. Sterilization shall be accomplished pursuant to the procedures established in Section 119315 by steam autoclave.
- 119309 (f) An instrument or reusable item that does not come into contact with nonintact skin or mucosal surfaces shall be washed with a solution of soap and water, using a brush that is small enough to clean the interior surfaces, and decontaminated after each procedure.
- 119309 (g) A reusable item that cannot be immediately washed, disinfected, and sterilized following completion of the body art procedure shall be placed in a basin of water with or without detergent.
- 119315 (a) Clean instruments to be sterilized shall first be sealed in sterilization packaging that contain either a sterilizer indicator or process indicator, unless instruments are being processed for immediate use. The outside of the pack shall be labeled with the name of the instrument if not immediately identifiable, the date sterilized, and the initials of the person operating the sterilizing equipment unless instruments are being sterilized for immediate use.
- 119315 (c) Clean instruments and sterilized instrument packs shall be placed in clean, dry, labeled containers, or stored in a labeled cabinet that is protected from dust and moisture.
- 119315 (d) Sterilized instruments shall be stored in the intact sterilization packaging or in the sterilization equipment cartridge until time of use.

3	119315(b)(e) - Autoclave loaded correctly/packages allowed to dry
4	119315(b)(2-5) - Integrators used/monthly spore test/log maintained
5	119314(c)(1)(2) - Decontamination/sanitation area separate and supplied appropriately *
6	119315(f)(1-3), 119318(c) - Invoices and log kept for disposable, pre-sterilized equipment, backup supplies adequate *

POINTS
3

Inspector Comments:
Observed written proof for pre-sterilization of disposable items not available on site. Obtain letter from disposal items supplier company according to the code. Ensure written proof must be provided on company or laboratory's letterhead.

Violation Description:

119315 (f) A body art facility that does not afford access to a decontamination and sterilization area that meets the standards of subdivision (c) of Section 119314 or that does not have sterilization equipment shall use only purchased disposable, single-use, presterilized instruments. In place of the requirements for maintaining sterilization records, the following records shall be kept and maintained for a minimum of 90 days following the use of the instruments at the site of practice for the purpose of verifying the use of disposable, single-use, presterilized instruments:

- (1) A record of purchase and use of all single-use instruments.
- (2) A log of all procedures, including the names of the practitioner and client and the date of the procedure. A record of purchase and use of all single-use instruments. A log of all procedures, including the names of the practitioner and client and the date of the procedure.
- (3) Written proof on company or laboratory letterhead showing that the presterilized instruments have undergone a sterilization process. Written proof shall clearly identify the instruments sterilized by name or item number and shall identify the lot or batch number of the sterilizer run.

119318 (c) The sponsor of a temporary body art event shall be responsible for ensuring the availability of support facilities and supplies for practitioners and vendors.



Public Health

Environmental Health Services

www.SBCounty.gov

BODY ART - OFFICIAL INSPECTION REPORT

FACILITY NAME INK'D SOCIETY TATTOO PARLOR	DATE 5/10/2016	INSPECTOR Turonda Crumpler
LOCATION 4651 HOLT BL F, MONTCLAIR, CA 91763		

BODY ART INSPECTION

7	119311 (g), 119314 (e) - Sharps containers supplied, labeled, used and disposed of appropriately *
8	119310(a-c);311(f);315d,e - Jewelry, tattoo and piercing equipment - clean and sterilized
9	119309(i);119308 (a)(2) - No eating, drinking or smoking - clean clothes
10	119301(m)(1-2);308(a)1,4 - Hands washed effectively and timely
11	119314(b-c);317(g);318(b) - Handwashing facilities properly supplied and accessible, warm potable water *
12	119308(a)(2-4);119309(d) - Appropriate personal protective equipment available and used, eyewash station available *
13	119309(j) - Branding is completed with no other customers in procedure area
14	119302(a-d) - Customers eighteen (18) years of age or older
15	119308(a)(5)(6) - Skin adequately prepared for procedure.
16	119303(a)(1-5),(b)(1-4) - Client records approved and available - Consent form & questionnaire

POINTS

3

Inspector Comments:

Observed incomplete/missing information on the client consent form and questionnaire. Provide questionnaire and consent form that meets the requirements of the regulation.

Violation Description:

119303 (a) Prior to the performance of body art, the client shall read, complete, and sign an informed consent form that shall include, but not be limited to, all of the following information:

- (1) A description of the procedure.
- (2) A description of what the client should expect following the procedure, including suggested care and any medical complications that may occur as a result of the procedure.
- (3) A statement regarding the permanent nature of body art.
- (4) Notice that tattoo inks, dyes, and pigments have not been approved by the federal Food and Drug Administration and that the health consequences of using these products are unknown.
- (5) Postprocedure instructions that include all of the following: A. Information on the care of the procedure site. B. Restrictions on physical activities such as bathing, recreational water activities, gardening, or contact with animals, and the duration of the restrictions. C. Signs and symptoms of infection, including, but not limited to, redness, swelling, tenderness of the procedure site, red streaks going from the procedure site towards the heart, elevated body temperature, or purulent drainage from the procedure site.

119303 (b) Prior to the performance of body art, the client shall receive, complete, and sign a questionnaire that includes all of the following information:

- (1) Whether the client may be pregnant.
- (2) Whether the client has a history of herpes infection at the proposed procedure site, diabetes, allergic reactions to latex or antibiotics, hemophilia or other bleeding disorder, or cardiac valve disease.
- (3) Whether the client has a history of medication use or is currently using medication, including being prescribed antibiotics prior to dental or surgical procedures.
- (4) Other risk factors for bloodborne pathogen exposure.

17	119308(b)(1)(2) - Appropriate aftercare instructions given to client
----	--

POINTS

3

Inspector Comments:

Observed incomplete/missing information on aftercare instructions. Missing verbiage "restriction on physical activities such as".... gardening, or contact with animals....." Refer to code section 119303 (a)5(B) for instructions.

Violation Description:

119308 (b) At the completion of the procedure, the practitioner shall do all of the following:

- (1) Answer questions regarding the procedure site.
- (2) Provide postprocedure instructions.

18	119311(i) - Safe machine design
19	119308(b)(6),309(e)311(h) - Machines cleaned and disinfected between clients
20	119311(g) - Parts replaced between clients - grommets, elastic bands, etc.
21	119309(a-c) - Workstation/procedure area decontaminated
22	119301(k) - Appropriate chemical disinfectant used
23	119301(b) - Disinfectant used appropriately/sufficient contact time Wet contact time provided:
24	119311(h) - Barriers available and used appropriately *
25	119311(a)(c)(d) - Products applied to skin are single use/dispensed aseptically
26	119309(h);119315(d)(e) - Storage of inks, pigments, needles, tubes, etc.



Public Health

Environmental Health Services

www.SBCounty.gov

BODY ART - OFFICIAL INSPECTION REPORT

FACILITY NAME INK'D SOCIETY TATTOO PARLOR	DATE 5/10/2016	INSPECTOR Turonda Crumpler
LOCATION 4651 HOLT BL F, MONTCLAIR, CA 91763		

BODY ART INSPECTION

27 119310(b),119311 - Jewelry, Inks, Needles etc approved and used correctly

POINTS
3

Inspector Comments:

Observed bottles of chemicals, stored on the various workstations without labels. Provide proper and accurate identification label for all chemical bottles to avoid potential misuse.

Violation Description:

119310 (b) Only jewelry made of ASTM F138, ISO 5832-1, and AISI 316L or AISI 316LVM implant grade stainless steel, solid 14-karat through 18-karat yellow or white gold, niobium, ASTM F 136 6A4V titanium, platinum, or other materials found to be equally biocompatible shall be placed in newly pierced skin.

119311 (a) A product applied to the skin prior to tattooing or application of permanent cosmetics, including, but not limited to, stencils and marking and transfer agents, including pens, shall be single use and discarded into a waste container at the end of the procedure unless the product can be disinfected for reuse.

(b) Only commercially manufactured inks, dyes, and pigments shall be used.

(c) Inks, pigments, soaps, and other products in multiple-use containers shall be dispensed in a manner to prevent contamination of the storage container and its remaining contents through the use of a single-use receptacle.

(d) Inks and pigments shall be placed into a clean, single-use receptacle. The inks and pigments remaining in the receptacle shall be discarded immediately upon completion of the procedure.

(e) If a tray is used for inks or pigments, it shall be decontaminated after each procedure.

(f) Only single-use needles and needle bars shall be used in tattooing and the application of permanent cosmetics. Needles and needle bars that are purchased in a nonsterilized state, shall be sterilized, pursuant to the process required by Section 119315.

(g) Needles, needle bars, grommets, and razors shall be discarded into a sharps waste container immediately upon completion of the procedure. 119311

(h) Any part of a tattooing machine that may be touched by the practitioner during the procedure shall be covered with a disposable plastic sheath that is discarded upon completion of the procedure, and the machine shall be decontaminated upon completion of the procedure.

(i) A machine used to insert pigments shall be designed with removable tip parts between the tip and motor housing, and in a manner that will prevent backflow into enclosed parts of the motor housing.

(j) A hand tool used to insert pigment shall be disposed of in a sharps container, with the sharps intact, unless the needle can be mechanically ejected from the hand tool.

28 119308(a-b);119309;119311 - Cross-contamination avoided during all phases of procedure

29 119314(a)(f), 119317(b) - Areas separated/no living or sleeping quarters/no animals *

30 119314(a)(1);119317(e) - Floors and walls clean and in good repair, adequate light *

POINTS
2

Inspector Comments:

Observed sink in restroom supported by mop handle and wall cracking. Repair wall and sink.

Violation Description:

119314 (a) With the exception of a temporary demonstration booth, as specified in Sections 119317 and 119318, a body art facility shall comply with all of the following: have floors, walls, and ceilings.

119317 (e) The demonstration booth shall used exclusively for performing body art.

31 119309(b);119318(b)(5) - Workstation, surfaces, including chairs, armrests, etc. in good repair; trash removed frequently *

32 119306;312(g);318(d,e) - Permit/registration and required signs posted *

33 119306, 119307, 119318 - IPCP and employee training records and Hepatitiis B vaccination status present

34 119316(4);119318(b)(2) - Restrooms available, stocked *

35 119314(e,f,h) - Plan Review

36 119306; 312; 317; 318 - Permits Obtained & Available *

37 119319(c) - Impoundment

38 119320(d) - Hearing Scheduled

39 119320(a-c);119321 - Closure *

Overall Inspection Comments:

Signature(s) of Acknowledgement



Public Health
Environmental Health Services

BODY ART - OFFICIAL INSPECTION REPORT

FACILITY NAME INK'D SOCIETY TATTOO PARLOR	DATE 5/10/2016	INSPECTOR Turonda Crumpler
LOCATION 4651 HOLT BL F, MONTCLAIR, CA 91763		

NAME:
TITLE:

Total # of Images: 0