



**Public Health**  
Environmental Health Services

**BODY ART - OFFICIAL INSPECTION REPORT**

FACILITY NAME 3 FOOT RADIUS TATTOO		DATE 5/13/2016	REINSPECTION DATE Next Routine	PERMIT EXPIRATION 7/31/2016
LOCATION 417A N CENTRAL AV, UPLAND, CA 91786			INSPECTOR Mahdiyeh Kargar	
MAILING ADDRESS 417A N CENTRAL AV, UPLAND CA 91786			IDENTIFIER: SERVICE: 001 - INSPECTION - ROUTINE	
TIME IN 11:24 AM	TIME OUT 1:00 PM	FACILITY ID FA0027272	RELATED ID PR0035670	PE 2502
			RESULT: 03 - CORRECTIVE ACTION / NO FOLLOW UP R ACTION: 01 - NO FURTHER ACTION REQUIRED	

**BODY ART - Body Art Facility**

Based on an inspection this day, the items marked below identify the violation(s) in operation or facilities which must be corrected. Failure to correct listed violation(s) prior to the designated compliance date may necessitate an additional reinspection at a charge of \$4.08 per 1 minute with a minimum time of 30 minutes, and a minimum charge of \$122.50.

**SCORE**  
**80**

Administrative Order to Show Cause (OSC): The Permittee has the right to a hearing if requested in writing within 15 calendar days of receipt of this notice, to show cause why the permit to operate should not be suspended or revoked; otherwise the right to a hearing shall be deemed waived.

See the following pages for the code sections and general requirements that correspond to each violation listed below.

**BODY ART INSPECTION**

1	119315(b)(1)(2)(3) - Autoclave effective - passed integrator test
2	119309(e-g),315(a)(c-d) - Process of cleaning, labeling, packaging and sterliziing items appropriate
3	119315(b)(e) - Autoclave loaded correctly/packages allowed to dry
4	119315(b)(2-5) - Integrators used/monthly spore test/log maintained

**POINTS**  
**3**

**Inspector Comments:**  
Spore test were not conducted from January 2016 through March 2016. The spore test result was available for the month of April 2016. It is recommended that electronically (email) monthly spore test result be provided for future reporting.

**Violation Description:**

- 119315 (b) (2) Sterilization equipment shall be tested using a commercial biological indicator monitoring system after the initial installation, after any major repair, and at least once per month. The expiration date of the monitor shall be checked prior to each use.
- 119315 (b) (3) Each sterilization load shall include, at a minimum, a Class V integrator.
- 119315 (b) (4) Biological indicator monitoring test results shall be recorded in a log that shall be kept on site for three years after the date of the results.
- 119315 (b) (5)A written log of each sterilization cycle shall be maintained for three years, shall be available for inspection by the enforcement officer, and shall include all of the following information:  
(A) The date of the load.  
(B) A list of the contents of the load.  
(C) The exposure time and temperature.  
(D) The results of the Class V integrator.  
(E) For cycles where the results of the biological indicator monitoring test are positive, how the items were cleaned, and proof of a negative test before reuse.

5 119314(c)(1)(2) - Decontamination/sanitation area separate and supplied appropriately \*

**POINTS**  
**3**

**Inspector Comments:**  
According to Body Art Act, section 119314 (c) (2), decontamination and sterilization area within a body art facility shall meet all of the following requirements:  
Be equipped with a sink, hot and cold running water, containerized liquid soap, and single- use paper towels dispensed from a wall-mounted, touchless dispenser that is readily to the practitioner. At the time of inspection, single use wall- mounted touchless paper towel dispenser and liquid soap were not observed at the decontamination site.

**Violation Description:**

- 119314 (c) (1) Decontamination and sterilization areas within a body art facility shall meet all of the following requirements: Be separated from procedure areas by a space of at least five feet or by a cleanable barrier.
- 119314 (c) (2) Be equipped with a sink, hot and cold running water, containerized liquid soap, and single-use paper towels dispensed from a wall-mounted, touchless dispenser that is readily accessible to the practitioner.

6	119315(f)(1-3), 119318(c) - Invoices and log kept for disposable, pre-sterilized equipment, backup supplies adequate *
7	119311 (g), 119314 (e) - Sharps containers supplied, labeled, used and disposed of appropriately *
8	119310(a-c);311(f);315d,e - Jewelry, tattoo and piercing equipment - clean and sterilized
9	119309(i);119308 (a)(2) - No eating, drinking or smoking - clean clothes
10	119301(m)(1-2);308(a)1,4 - Hands washed effectively and timely



## Public Health

### Environmental Health Services

[www.SBCounty.gov](http://www.SBCounty.gov)

### BODY ART - OFFICIAL INSPECTION REPORT

FACILITY NAME 3 FOOT RADIUS TATTOO	DATE 5/13/2016	INSPECTOR Mahdiyeh Kargar
LOCATION 417A N CENTRAL AV , UPLAND, CA 91786		

#### BODY ART INSPECTION

11 119314(b-c);317(g);318(b) - Handwashing facilities properly supplied and accessible, warm potable water \*

POINTS  
**3**

**Inspector Comments:**

According to Body Art Act section 119318 (b) (2), "restrooms that have flush toilets supplied with toilet paper, and hand wash sinks supplied with hot and cold potable running water, soap , and single-use paper towels to which practitioner have direct access."

At this facility hot water was not available for sink in the restroom. Provide hot water to sink so that warm water is obtained during hand washing

**Violation Description:**

119314 (b) (4) Procedure area shall be equipped with a sink, hot and cold running water, containerized liquid soap, and single-use paper towels dispensed from a wall-mounted, touchless dispenser that is readily accessible to the practitioner.

119314 (b) (5) All sinks shall be permanently plumbed and meet local building and plumbing codes. Facilities that were issued a permit prior to January 1, 2014, shall have until July 1, 2014, to comply with this section

119314 (c) (2) Decontamination and sterilization areas shall be equipped with a sink, hot and cold running water, containerized liquid soap, and single-use paper towels dispensed from a wall-mounted, touchless dispenser that is readily accessible to the practitioner.

119317 (g) (1) For temporary body art events consisting of one demonstration booth, the booth shall be equipped with hand washing equipment that, at a minimum, consists of containerized liquid soap, single-use paper towels, a five-gallon or larger container of potable water accessible via spigot, and a wastewater collection and holding tank of corresponding size. Potable water shall be refilled and the holding tank evacuated frequently to provide uninterrupted use, or as determined by the local enforcement agency.

119318 (b) (2) Restrooms that have flush toilets supplied with toilet paper, and hand wash sinks supplied with hot and cold potable running water, soap, and single-use paper towels to which practitioners have direct access.

12 119308(a)(2-4);119309(d) - Appropriate personal protective equipment available and used, eyewash station available \*

13 119309(j) - Branding is completed with no other customers in procedure area

14 119302(a-d) - Customers eighteen (18) years of age or older

15 119308(a)(5)(6) - Skin adequately prepared for procedure.

16 119303(a)(1-5),(b)(1-4) - Client records approved and available - Consent form & questionnaire

POINTS  
**3**

**Inspector Comments:**

Consent form found missing a statement as required by Safe Body Art section 119303 (a) (4), "Notice that tattoo inks, dyes, and pigments have not been approved by the Federal Food and Drug Administration and that the health consequences of using these products are unknown." It is recommended that facility update their consent form.

**Violation Description:**

119303 (a) Prior to the performance of body art, the client shall read, complete, and sign an informed consent form that shall include, but not be limited to, all of the following information:

- (1) A description of the procedure.
- (2) A description of what the client should expect following the procedure, including suggested care and any medical complications that may occur as a result of the procedure.
- (3) A statement regarding the permanent nature of body art.
- (4) Notice that tattoo inks, dyes, and pigments have not been approved by the federal Food and Drug Administration and that the health consequences of using these products are unknown.
- (5) Postprocedure instructions that include all of the following: A. Information on the care of the procedure site. B. Restrictions on physical activities such as bathing, recreational water activities, gardening, or contact with animals, and the duration of the restrictions.C. Signs and symptoms of infection, including, but not limited to, redness, swelling, tenderness of the procedure site, red streaks going from the procedure site towards the heart, elevated body temperature, or purulent drainage from the procedure site.

119303 (b) Prior to the performance of body art, the client shall receive, complete, and sign a questionnaire that includes all of the following information:

- (1) Whether the client may be pregnant.
- (2) Whether the client has a history of herpes infection at the proposed procedure site, diabetes, allergic reactions to latex or antibiotics, hemophilia or other bleeding disorder, or cardiac valve disease.
- (3) Whether the client has a history of medication use or is currently using medication, including being prescribed antibiotics prior to dental or surgical procedures.
- (4) Other risk factors for bloodborne pathogen exposure.

17 119308(b)(1)(2) - Appropriate aftercare instructions given to client

18 119311(i) - Safe machine design

19 119308(b)(6),309(e)311(h) - Machines cleaned and disinfected between clients

20 119311(g) - Parts replaced between clients - grommets, elastic bands, etc.

21 119309(a-c) - Workstation/procedure area decontaminated

22 119301(k) - Appropriate chemical disinfectant used

23 119301(b) - Disinfectant used appropriately/sufficient contact time Wet contact time provided:

24 119311(h) - Barriers available and used appropriately \*

25 119311(a)(c)(d) - Products applied to skin are single use/dispensed aseptically

26 119309(h);119315(d)(e) - Storage of inks, pigments, needles, tubes, etc.



**Public Health**  
Environmental Health Services

www.SBCounty.gov

**BODY ART - OFFICIAL INSPECTION REPORT**

FACILITY NAME 3 FOOT RADIUS TATTOO	DATE 5/13/2016	INSPECTOR Mahdiyeh Kargar
LOCATION 417A N CENTRAL AV , UPLAND, CA 91786		

**BODY ART INSPECTION**

27	119310(b),119311 - Jewelry, Inks, Needles etc approved and used correctly
28	119308(a-b);119309;119311 - Cross-contamination avoided during all phases of procedure
29	119314(a)(f), 119317(b) - Areas separated/no living or sleeping quarters/no animals *
30	119314(a)(1);119317(e) - Floors and walls clean and in good repair, adequate light *
31	119309(b);119318(b)(5) - Workstation, surfaces, including chairs, armrests, etc. in good repair; trash removed frequently *
32	119306;312(g);318(d,e) - Permit/registration and required signs posted *

<b>POINTS</b> <b>2</b>	<b>Inspector Comments:</b>
	The following practitioner had expired permit: Christopher Gupit This practitioner shall discontinue practice until his registration renewal is approved.

**Violation Description:**

119306 (c) As a condition of registration, the applicant shall provide all of the following: Evidence of current hepatitis B vaccination, including applicable boosters, unless the practitioner can demonstrate hepatitis B immunity or has complied with current federal OSHA hepatitis B vaccination declination requirements. Evidence of completion of OSHA Bloodborne Pathogen Training consistent with Section 119307 and pursuant to paragraph (2) of subdivision (g) of Section 5193 of Title 8 of the California Code of Regulations or its successor. Proof that he or she is 18 years of age or older. Self-certification of, knowledge of, and commitment to meet state law and relevant local regulations pertaining to body art safety. His or her business address and the address at which he or she will perform any activity regulated by this chapter. Payment of a registration fee directly to the local enforcement agency. The local enforcement agency shall set the fee at an amount not to exceed the amount necessary but that is sufficient to cover the actual costs of administering the program. The local enforcement agency shall issue a health permit after an investigation has determined that the proposed body art facility and its method of operation meets the specifications of the approved plans or conforms to the requirements of this article.

119306 (d) A practitioner shall display, in a place readily visible to the public at the body art facility where the practitioner is performing body art, the certificate confirming registration with the local enforcement agency in the jurisdiction in which that practice is conducted.

119306 (e) A valid and current registration issued by a local enforcement agency shall be valid in any other jurisdiction for no more than five consecutive days, or 15 days total, in any one calendar year.

119312 (g) The health permit shall be posted in a conspicuous place at the body art facility. Certificates of registration for all practitioners performing body art in that facility shall also be prominently displayed either near the health permit or at the individual practitioner's procedure area if each practitioner has a designated area.

119318 (d) The name, telephone number, and directions to an emergency room near the temporary body art event shall be posted in a conspicuous location.

119318 (e) Each practitioner working in a booth at a temporary body art event shall display his or her certificate of registration, or keep the certificate in a folder that is available for inspection upon request of the enforcement officer or a client.

33	119306, 119307, 119318 - IPCP and employee training records and Hepatitis B vaccination status present
----	--

<b>POINTS</b> <b>3</b>	<b>Inspector Comments:</b>
	At the time of inspection, IPCP training was not observed at the site.

**Violation Description:**

119306 (c) (1) Evidence of current hepatitis B vaccination, including applicable boosters, unless the practitioner can demonstrate hepatitis B immunity or has complied with current federal OSHA hepatitis B vaccination declination requirements.

(2) Evidence of completion of OSHA Bloodborne Pathogen Training consistent with Section 119307.

119307 (a) Prior to registering with the local enforcement agency, a practitioner shall complete a Bloodborne Pathogens Exposure Control Training program that is specific to his or her practice.

(d) Each person required to complete a Bloodborne Pathogens Exposure Control Training program pursuant to this section shall annually complete a minimum of two hours of Bloodborne Pathogens Exposure Control Training update presented by a trainer eligible pursuant to paragraph (1) of subdivision (c).

(e) Records of training required pursuant to this section shall be maintained for three years and shall be available for inspection upon request of the enforcement officer.

119313 (a) A body art facility shall maintain and follow a written Infection Prevention and Control Plan, provided by the owner or established by the practitioners, specifying the procedures to achieve compliance with each applicable requirement of this chapter.



**Public Health**  
**Environmental Health Services**

**BODY ART - OFFICIAL INSPECTION REPORT**

FACILITY NAME 3 FOOT RADIUS TATTOO	DATE 5/13/2016	INSPECTOR Mahdiyeh Kargar
LOCATION 417A N CENTRAL AV , UPLAND, CA 91786		

**BODY ART INSPECTION**

34 119316(4);119318(b)(2) - Restrooms available, stocked \*

**POINTS**  
**3**

**Inspector Comments:**

According to Body Art Act section 119318 (b) (2), "restrooms that have flush toilets supplied with toilet paper, and hand wash sinks supplied with hot and cold potable running water, soap , and single-use paper towels to which practitioner have direct access."

At this facility hot water was not available for sink in the restroom. Provide hot water to sink so that warm water is obtained during hand washing

**Violation Description:**

119316 (4) A mobile body art facility shall only be operated within 200 feet of an accessible restroom.

119318 (b) (2) Restrooms that have flush toilets supplied with toilet paper, and hand wash sinks supplied with hot and cold potable running water, soap, and single-use paper towels to which practitioners have direct access.

35	119314(e,f,h) - Plan Review
36	119306; 312; 317; 318 - Permits Obtained & Available *
37	119319(c) - Impoundment
38	119320(d) - Hearing Scheduled
39	119320(a-c);119321 - Closure *

**Overall Inspection Comments:**

**Signature(s) of Acknowledgement**

NAME:  
TITLE:

Total # of Images: 0