



CAL CODE OFFICIAL INSPECTION REPORT

FACILITY NAME MARISCOS LA BAHIA		DATE 7/1/2016	REINSPECTION DATE 7/15/2016	PERMIT EXPIRATION 8/30/2015
LOCATION 1517 N BAKER AV, ONTARIO, CA 91764			INSPECTOR William Kirschman	
MAILING ADDRESS 1517 N BAKER AV, ONTARIO, CA 91764			IDENTIFIER: None	
TIME IN 11:00 AM	TIME OUT 12:17 PM	FACILITY ID FA0000369	RELATED ID PR0004516	PE 1621
			SERVICE: 001 - Inspection - Routine RESULT: 05 - Corrective Action / Follow up Required ACTION: 13 - Permit Suspended / Facility Closed	

Based on an inspection this day, the items marked below identify the violation(s) in operation or facilities which must be corrected. Failure to correct listed violation(s) prior to the designated compliance date may necessitate an additional inspection to be billed at the hourly rate as provided in the San Bernardino County Code, [Schedule of Fees](#).



SCORE 87

Administrative Order to Show Cause (OSC): The Permittee has the right to a hearing if requested in writing within 15 calendar days of receipt of this notice, to show cause why the permit to operate should not be suspended or revoked; otherwise the right to a hearing shall be deemed waived.

See the following pages for the code sections and general requirements that correspond to each violation listed below.

- In = In compliance
- N/O = Not observed
- N/A = Not applicable
- + COS = Corrected on-site
- ⊗ MAJ = Major violation
- ⊗ OUT = Out of compliance

DEMONSTRATION OF KNOWLEDGE			COS	MAJ	OUT
In	N/O	1. Demonstration of knowledge; food safety certification			2
EMPLOYEE HEALTH & HYGIENIC PRACTICES					
In		2. Communicable disease; reporting, restrictions & excl		4	
In	N/O	3. No discharge from eyes, nose, and mouth			2
In	N/O	4. Proper eating, tasting, drinking or tobacco use			2
PREVENTING CONTAMINATION BY HANDS					
In	N/O	5. Hands clean and properly washed; gloves used prop		4	2
In		6. Adequate handwashing facilities supplied & accessib			2
TIME AND TEMPERATURE RELATIONSHIPS					
In	N/O	N/A		⊗	2
In	N/O	N/A		4	2
In	N/O	N/A		4	2
In	N/O	N/A		4	
In	N/O	N/A		4	
PROTECTION FROM CONTAMINATION					
In	N/O	N/A			2
In				4	2
In	N/O	N/A		4	2

FOOD FROM APPROVED SOURCES			COS	MAJ	OUT
In		15. Food obtained from approved source		4	
In	N/O	N/A			2
In	N/O	N/A			2
CONFORMANCE WITH APPROVED PROCEDURES					
In		N/A			2
CONSUMER ADVISORY					
In	N/O	N/A			2
HIGHLY SUSCEPTIBLE POPULATIONS					
In		N/A		4	
WATER/HOT WATER					
In			+	⊗	2
LIQUID WASTE DISPOSAL					
In				4	2
VERMIN					
In				4	2

SUPERVISION	OUT
24. Person in charge present and performs duties	1
PERSONAL CLEANLINESS	
25. Personal cleanliness and hair restraints	1
GENERAL FOOD SAFETY REQUIREMENTS	
26. Approved thawing methods used, frozen food	1
27. Food separated and protected	1
28. Washing fruits and vegetables	1
29. Toxic substances properly identified, stored, use	1
FOOD STORAGE/DISPLAY/SERVICE	
30. Food storage; food storage containers identified	⊗
31. Consumer self-service	1
32. Food properly labeled & honestly presented	1

EQUIPMENT/UTENSILS/LINENS	OUT
33. Nonfood contact surfaces clean	⊗
34. Warewashing facilities: installed, maintained, used	1
35. Equipment/Utensils approved; installed; clean; good repa	⊗
36. Equipment, utensils and linens: storage and use	1
37. Vending machines	1
38. Adequate ventilation and lighting; designated area	⊗
39. Thermometers provided and accurate	1
40. Wiping cloths: properly used and stored	1
PHYSICAL FACILITIES	
41. Plumbing: proper backflow devices	1
42. Garbage and refuse properly disposed; facilities m	1
43. Toilet facilities: properly constructed, supplied, clea	1
44. Premises; personal/cleaning items; vermin-proofin	1

PERMANENT FOOD FACILITIES	OUT
45. Floor, walls, ceilings: built, maintained, and clean	⊗
46. No unapproved private homes/living or sleeping qu	1
SIGNS REQUIREMENTS	
47. Signs posted; last inspection report available	1
48. Food handler cards	2
COMPLIANCE & ENFORCEMENT	
49. Permits Available	
50. Restrooms Required	
51. Plan Review	
52. VC&D	⊗
53. Impoundment	
54. Permit Suspension	



CAL CODE OFFICIAL INSPECTION REPORT

FACILITY NAME MARISCOS LA BAHIA	DATE 7/1/2016
LOCATION 1517 N BAKER AV, ONTARIO, CA 91764	INSPECTOR William Kirschman

7. PROPER HOT AND COLD HOLDING TEMPERATURES ⚠ CRITICAL ⚠

POINTS 4	Compliance date not specified Not In Compliance	Inspector Comments: Observed shrimp in prep refrigerator at 49F. Air temperature was at 52F. Food items from this refrigerator were discarded -Observed air temperature in walk-in refrigerator at 52F - foods tested at 47F - 49F
	Violation Reference - HSC - 113996, 113998, 114037	

Violation Description: Potentially hazardous foods shall be held at or below 41F or at or above 135F. (113996, 113998, 114037, 114343(a))

More Information: http://www.sbcounty.gov/uploads/dph/dehs/Depts/EnvironmentalHealth/FormsPublications/510012_how_to_keep_food_out_of_danger_zone.pdf

21. HOT AND COLD WATER AVAILABLE ⚠ CRITICAL ⚠

POINTS 4	Compliance date not specified Complied on 7/1/2016	Inspector Comments: Observed hot water only reached 104.4F. A minimum of 120F is required. Hot water heater temperature was adjusted. Checked 30 minutes later and not at 148F Corrected on-site
	Violation Reference - HSC - 113953(c), 114099.2(b)	

Violation Description: An adequate, protected, pressurized, potable supply of hot water and cold water shall be provided at all times. (113953(c), 114099.2(b) 114101(a), 114189, 114192, 114192.1, 114195)

30. FOOD STORAGE; FOOD STORAGE CONTAINERS IDENTIFIED

POINTS 1	Compliance date not specified Not In Compliance	Inspector Comments: Observed several food items in both prep refrigerator and walk-in refrigerator were uncovered. Cover all food containers.
	Violation Reference - HSC - 114047, 114049, 114051	

Violation Description: Food shall be stored in approved containers and labeled as to contents. Food shall be stored at least 6" above the floor on approved shelving in an approved location to prevent possible contamination. (114047, 114049, 114051, 114053, 114055, 114067(h), 14069 (b))

33. NONFOOD-CONTACT SURFACES CLEAN

POINTS 1	Compliance date not specified Not In Compliance	Inspector Comments: Observed large amount of grime on equipment surfaces. Clean and maintain.
	Violation Reference - HSC - 114115 (c)	

Violation Description: All nonfood contact surfaces of utensils and equipment shall be clean. (114115 (c))

35. EQUIPMENT/UTENSILS - APPROVED; INSTALLED; CLEAN; GOOD REPAIR, CAPACITY

POINTS 1	Compliance date not specified Not In Compliance	Inspector Comments: Observed latch is missing from walk-in refrigerator - also shelves are rusty and dirty. Door is very hard to open and close. Make all repairs necessary so that walk-in door functions properly. Clean, resurface or replace shelving.
	Violation Reference - HSC - 114130, 114130.1, 114130	

Violation Description: All utensils and equipment shall be fully operative and in good repair. (114175). All utensils and equipment shall be approved, installed properly, and meet applicable standards. (114130, 114130.1, 114130.2, 114130.3, 114130.4, 114130.5, 114132, 114133, 114137, 114139, 114153, 114155, 114163, 114165, 114167, 114169, 114177, 114180, 114182)

38. ADEQUATE VENTILATION AND LIGHTING; DESIGNATED AREA

POINTS 1	Compliance date not specified Not In Compliance	Inspector Comments: Observed that exhaust hood screens have been removed for cleaning. The area where those screens were removed (inner hood) has an excessive amount of oil -do not use this hood until inner hood is cleaned and screens replaced due to fire danger (there is another stove with it's own hood for use).
	Violation Reference - HSC - 114149, 114149.1	

Violation Description: Exhaust hoods shall be provided to remove toxic gases, heat, grease, vapors and smoke and be approved by the local building department. Canopy-type hoods shall extend 6" beyond all cooking equipment. All areas shall have sufficient ventilation to facilitate proper food storage. Toilet rooms shall be vented to the outside air by a screened openable window, an air shaft, or a light-switch activated exhaust fan, consistent with local building codes. (114149, 114149.1) Adequate lighting shall be provided in all areas to facilitate cleaning and inspection. Light fixtures in areas where open food is stored, served, prepared, and where utensils are washed shall be of shatterproof construction or protected with light shields. (114149.2, 114149.3, 114252, 114252.1)



Public Health
Environmental Health Services

CAL CODE OFFICIAL INSPECTION REPORT

FACILITY NAME MARISCOS LA BAHIA	DATE 7/1/2016
LOCATION 1517 N BAKER AV, ONTARIO, CA 91764	INSPECTOR William Kirschman

45. FLOORS, WALLS AND CEILING: BUILT, MAINTAINED, AND CLEAN

POINTS

1

Compliance date not specified
Not In Compliance
Violation Reference - HSC -
114143 (d), 114266

Inspector Comments: Clean and maintain walls and floors throughout kitchen.

Violation Description: The walls / ceilings shall have durable, smooth, nonabsorbent, and washable surfaces. All floor surfaces, other than the customer service areas, shall be approved, smooth, durable and made of nonabsorbent material that is easily cleanable. Approved base coving shall be provided in all areas, except customer service areas and where food is stored in original unopened containers. Food facilities shall be fully enclosed. All food facilities shall be kept clean and in good repair. (114143 (d), 114257, 114266, 114268, 114268.1, 114271, 114272) Cleaning must be an approved dustless method. (114268.1) Mats and duckboards, if used, must be removable and easily cleanable. (114272) Open-air barbecues or wood-burning ovens floor surfaces must extend a minimum of five feet and be impervious or easily cleanable. (114143(d))

52. VC & D

POINTS

0

Compliance date not specified
Not In Compliance
Violation Reference - HSC -
113980

Inspector Comments: Cause for condemnation: Stored in refrigeration units that were not maintaining food temperature below 41F
Voluntarily discarded:
Container of shrimp 1
Container of refried beans 3
Container of marinated pork 1
Container of Spanish rice 1
Container of chipotle sauce 1

Violation Description: Operator has voluntarily consented to the condemnation and destruction of food as said material being unfit for human consumption or otherwise in violation of California Health and Safety Code, Division 104, Part 5, Chapter 1 through 8, the disposition of which is provided for by Chapter 8, Article 3, Section 111895.

"I (We) hereby voluntarily agree to the condemnation and destruction of the following material(s) listed in violation number 52. By signing this Official Inspection Report (OIR), I (We) hereby release the County of San Bernardino and its agent from any and all liability."

Overall Inspection Comments

Facility is closed until re-opened by Environmental Health due to lack of proper operating refrigeration equipment.
A "B Grade" inspection card has been posted.
Do not remove, relocate or deface grade card.
Rescore handout issued.12

Signature(s) of Acknowledgement

NAME:
TITLE: