



## Public Health

### Environmental Health Services

### RETAIL FOOD PROTECTION - OFFICIAL INSPECTION REPORT

FACILITY NAME RB'S STEAK HOUSE		DATE 8/13/2015	REINSPECTION DATE Not Specified	PERMIT EXPIRATION
LOCATION 29020 OAK TERRACE, CEDAR GLEN, CA 92321			INSPECTOR Yvette Velasco	
MAILING ADDRESS 29020 OAK TERRACE, CEDAR GLEN, CA 92321			IDENTIFIER: None	
<input type="checkbox"/> FACILITY <input type="checkbox"/> OWNER <input type="checkbox"/> ACCOUNT			SERVICE: 004 - COMPLAINT - INITIAL	
TIME IN 2:39 PM	TIME OUT 3:13 PM	FACILITY ID FA0006148	RELATED ID CO0051804	PE 1621
RESULT: 03 - CORRECTIVE ACTION / NO FOLLOW UP RE				
ACTION: 01 - NO FURTHER ACTION REQUIRED				

### RETAIL FOOD PROTECTION - Public Eating PI (25-99 Seats)

#### 16K999 Complaint Inspection

Compliance Date: Not Specified

Not In Compliance

Reference - HSC

**Inspector Comments:** The Division of Environmental Health received a complaint on 8/6/15. Complainant stated that they facility has OSHA & health violations exist behind the bar regarding floor mats, soap dispenser, towel dispensers, as well as proper soap and sanitizer fluids in dish washing basins. Complainant also stated that the restrooms are often lacking soap and towels.

PIC stated that they have not recently received any similar complaints. PIC also stated that they do not use floor mats in the bar area. Observed no floor mats in the bar area. Observed no hand soap provided at the bar area hand wash sink and no paper towels provided in the upstairs mens restroom. Observed no soap provided in wash basin and no water or sanitizer provided in the third basin of the bar three-compartment sink in the bar area. PIC stated he had not started ware-washing. Observed proper ware-washing knowledge. Observed no sanitizer test strips on site. Observe paper towel dispenser at the hand wash sink in the bar area close to the floor.

Corrected on site. Soap and paper towels were provided. Ensure that restrooms and hand wash sinks are adequately supplied at all times. Ensure to provide proper sanitizer test strips in order to verify proper sanitizer levels. Recommended to place paper towel dispenser in a more accessible area near hand-wash sink.

**Description:** A complaint report has been received by Environmental Health.

#### Overall Inspection Comments

No summary comments have been made for this inspection.

#### Signature(s) of Acknowledgement

NAME: Humberto Granados

TITLE:

Total # of Images: 0