



RETAIL FOOD PROTECTION - OFFICIAL INSPECTION REPORT

FACILITY NAME ALEX'S TACOS BIRIERIA		REINSPECTION DATE 10/30/2020		INSPECTOR Rose Ann Dooley		DATE 10/16/2020	
LOCATION 1745 S MOUNTAIN AV, ONTARIO, CA 91762				PERMIT EXPIRATION 1/31/2021		IDENTIFIER: Food	
TIME IN 10:27 AM	TIME OUT 11:27 AM	FACILITY ID FA0009893	RELATED ID PR0012073	PE 1620	SERVICE: 003 - INSPECTION - FOLLOW UP INSPECTION RESULT: 05 - CORRECTIVE ACTION / FOLLOW UP REQU ACTION: 18 - PERMIT SUSPENSION CONTINUANCE		

RETAIL FOOD PROTECTION - Public Eating PI (0-24 Seats)

Based on an inspection this day, the items marked below identify the violation(s) in operation or facilities which must be corrected. Failure to correct listed violation(s) prior to the designated compliance date may necessitate an additional inspection to be billed at the hourly rate as provided in the San Bernardino County Code, [Schedule of Fees](#).

Administrative Order to Show Cause (OSC): The Permittee has the right to a hearing if requested in writing within 15 calendar days of receipt of this notice, to show cause why the permit to operate should not be suspended or revoked; otherwise the right to a hearing shall be deemed waived.

See the following pages for the code sections and general requirements that correspond to each violation listed below.

16K994 Reinspection

Compliance Date: Not Specified

Not In Compliance

Reference - HSC

Inspector Comments: PURPOSE:

A re-inspection was conducted on this date, per the operators request. It was noted during the routine inspection that the facility had an infestation of cockroaches. The operator stated that the infestation has been corrected and they believe that they are ready to reopen.

Observation:

Observed signs of active cockroach infestation. The operator was able to provide one receipt for current pest control treatments (10/14/2020). Observed one nymph german cockroach coming out of the soda syrup box located by the front service counter. Observed one adult german cockroach crawling on the wall by the steam table. Observed numerous dead cockroaches inside the four door reach-in freezer. Observed one dead cockroach on floor besides front hand sink.

OUTCOME:

The operator was advised to clean and sanitize all affected areas. A follow up billable re- inspection will be conducted to observe continued compliance, failure to comply will result in billed follow up inspections. Facility's permit remains suspended on this date due to an active cockroach infestation.

Call this office when the facility is ready to re-open at 1800 442-2283 or Emergency phone number at 1800 472-2376, and a billable re-inspection will be scheduled to determine compliance.

This facility must remain closed for business until a billable re-inspection is conducted and the health permit to operate this facility is reinstated by a representative of this agency. Failure to comply may result in further action, including the pursuance of permit revocation of this facility.

Description: Reinspection conducted at this time to determine compliance from prior inspection.

Overall Inspection Comments

Permit suspension continuance.

FREE Classes to L.E.A.R.N!

Liaison Education And Risk Network (L.E.A.R.N.) is a FREE class based on the fundamentals of Active Managerial Control and the Centers for Disease Control and Prevention's five risk factors that lead to foodborne illnesses. Find out when the next L.E.A.R.N. class is by checking our [calendar](#).

Signature(s) of Acknowledgement

NAME: moises villalobos
TITLE: Owner

Total # of Images: 0