



## RETAIL FOOD PROTECTION - OFFICIAL INSPECTION REPORT

FACILITY NAME BARSTOW STATION SUBWAY		REINSPECTION DATE 4/02/2020		INSPECTOR Kelly Eredia	DATE 3/19/2020
LOCATION 1611 E MAIN , BARSTOW, CA 92311				PERMIT EXPIRATION 12/31/2020	IDENTIFIER: None
TIME IN 2:31 PM	TIME OUT 3:40 PM	FACILITY ID FA0000882	RELATED ID PR0002179	PE 1620	SERVICE: 003 - INSPECTION - FOLLOW UP INSPECTION RESULT: 05 - CORRECTIVE ACTION / FOLLOW UP REQU ACTION: 13 - PERMIT SUSPENDED / FACILITY CLOSED

### RETAIL FOOD PROTECTION - Public Eating PI (0-24 Seats)

Based on an inspection this day, the items marked below identify the violation(s) in operation or facilities which must be corrected. Failure to correct listed violation(s) prior to the designated compliance date may necessitate an additional inspection to be billed at the hourly rate as provided in the San Bernardino County Code, [Schedule of Fees](#).

Administrative Order to Show Cause (OSC): The Permittee has the right to a hearing if requested in writing within 15 calendar days of receipt of this notice, to show cause why the permit to operate should not be suspended or revoked; otherwise the right to a hearing shall be deemed waived.

See the following pages for the code sections and general requirements that correspond to each violation listed below.

#### 16K995 Permit - Suspension



Compliance Date: Not Specified

Inspector Comments: Due to active cockroach infestation, facility is closed and health permit suspended.

Not In Compliance

Violation Reference - HSC

**Violation Description:** Violation(s) observed pose an immediate threat to public health and safety and the health permit to operate is hereby suspended and ordered closed until the listed violation(s) have been corrected and verified by DEHS. Facility is to remain closed until permission from DEHS is given. Contact your inspector at your local office to schedule a reinspection to reinstate the health permit. Posted closed, do not move, hide, or remove sign.

#### 16K994 Reinspection

Compliance Date: Not Specified

Inspector Comments: Reinspection conducted on this day as a follow-up to routine inspection where live and dead cockroaches were observed on floor. At that time, facility was advised to clean and sanitize all affected areas, repair/replace loose coving near rear prep sink to eliminate any possible vermin harborage, and to ensure there is an active pest control program to eliminate pest harborage and breeding.

Not In Compliance

Reference - HSC

During reinspection, both live and dead cockroaches observed on site. One live adult cockroach observed on coving, crawling up wall directly below steam table, as well as on wall adjacent to water heater. Live nymph observed in sandwich line unit (portion turned off for conservation), directly adjacent to section of sandwich line in use. Dead cockroach observed in open cabinet below steam table, on floor beneath soda box rack, and in janitorial sink. Ensure food facility is maintained free of vermin at all times.

Due to active cockroach infestation, facility is closed, with permit suspended. Reinspection required prior to opening to confirm elimination of cockroach infestation. Prior to contacting EHS for reinspection, ensure to clean and sanitize all affected areas, and discard any contaminated food. Seal all holes and gaps on coving, walls, and ceiling to eliminate possible points of entry for vermin.

Operator stated pest control will service facility this day, after hours. Provide invoice/receipt for pest control services during reinspection.

Description: Reinspection conducted at this time to determine compliance from prior inspection.

#### Overall Inspection Comments

"A" grade placard removed; "Notice of Closure" sign posted. Do not remove or relocate sign. Contact EHS at 800-442-2283 for reinspection prior to opening and operating facility.

#### FREE Classes to L.E.A.R.N!

Liaison Education And Risk Network (L.E.A.R.N.) is a FREE class based on the fundamentals of Active Managerial Control and the Centers for Disease Control and Prevention's five risk factors that lead to foodborne illnesses. Find out when the next L.E.A.R.N. class is by checking our [calendar](#).

#### Signature(s) of Acknowledgement

NAME: Anil Mohan

TITLE: Operator



**Public Health**  
Environmental Health Services

[www.SBCounty.gov](http://www.SBCounty.gov)  
[www.SBCounty.gov/dph/dehs](http://www.SBCounty.gov/dph/dehs)

**RETAIL FOOD PROTECTION - OFFICIAL INSPECTION REPORT**

<small>FACILITY NAME</small> BARSTOW STATION SUBWAY	<small>DATE</small> 3/19/2020
<small>LOCATION</small> 1611 E MAIN , BARSTOW, CA 92311	<small>INSPECTOR</small> Kelly Eredia

**Total # of Images: 0**