



**RETAIL FOOD PROTECTION - OFFICIAL INSPECTION REPORT**

FACILITY NAME <b>PETRO STOPPING CENTERS</b>				REINSPECTION DATE <b>Next Routine</b>	INSPECTOR <b>Estefani Ayala</b>	DATE <b>12/21/2021</b>
LOCATION <b>4325 E GUASTI RD, ONTARIO, CA 91761</b>				PERMIT EXPIRATION <b>12/31/2021</b>	IDENTIFIER: Petro Iron Skillet	
TIME IN <b>10:15 AM</b>	TIME OUT <b>10:40 AM</b>	FACILITY ID <b>FA0009834</b>	RELATED ID <b>PR0012510</b>	PE <b>1622</b>	SERVICE: 013 - FOOD - BILLABLE INSPECTION SERVICES	
				RESULT: 01 - CORRECTIVE ACTION NOT REQUIRED		
				ACTION: 01 - NO FURTHER ACTION REQUIRED		

**RETAIL FOOD PROTECTION - Public Eating PI (100-Up Seats)**

Based on an inspection this day, the items marked below identify the violation(s) in operation or facilities which must be corrected. Failure to correct listed violation(s) prior to the designated compliance date may necessitate an additional inspection to be billed at the hourly rate as provided in the San Bernardino County Code, [Schedule of Fees](#).

Administrative Order to Show Cause (OSC): The Permittee has the right to a hearing if requested in writing within 15 calendar days of receipt of this notice, to show cause why the permit to operate should not be suspended or revoked; otherwise the right to a hearing shall be deemed waived.

See the following pages for the code sections and general requirements that correspond to each violation listed below.

**16K993 Re-Reinspection**

Compliance Date: Not Specified  
Not In Compliance  
Reference - HSC

**Inspector Comments:** A reinspection was conducted on this date to verify facility is free of vermin and vermin evidence.

On 12/15/21 during a reinspection was conducted and the following was observed:

- Multiple dry rodent droppings still remained within the followings areas: metal cabinets below the (3) soda machine dispenser stations at the front kitchen area and customer sale floor, approximately (2) to (3) dry rodent droppings on the flooring within the electrical panel room, and flooring with the cabinet adjacent to the unused ice cream holding unit.

-Approximately (5) fruit flies within the metal cabinet below the operating soda machine dispenser located at the east side of the front kitchen area. Upon further inspection, observed an excessive accumulation of black debris/syrup on the metal shelving surrounding the soda machine pipings. Observed an exposed piping located on the wall below the soda machine dispenser.

On this date no new or old evidence of vermin was observed. No evidence fruit flies were observed and pipes were observed clean and in a sanitary manner.

Further action: Continue to maintain facility clean and in a sanitary manner.

Note: This is a billable inspection.

**Description:** Billable re-reinspection conducted at this time to determine compliance from prior reinspection.

**Overall Inspection Comments**

On this date facility observed free of vermin and vermin evidence.

No further action required

Note: This is a billable inspection.

**FREE Classes to L.E.A.R.N!**

Liaison Education And Risk Network (L.E.A.R.N.) is a FREE class based on the fundamentals of Active Managerial Control and the Centers for Disease Control and Prevention's five risk factors that lead to foodborne illnesses. Find out when the next L.E.A.R.N. class is by checking our [calendar](#).

**Signature(s) of Acknowledgement**

NAME: Megan Gray  
TITLE: Person in charge

Total # of Images: 0