



**Public Health**  
Environmental Health Services

**RETAIL FOOD PROTECTION - OFFICIAL INSPECTION REPORT**

FACILITY NAME <b>JAMBA JUICE</b>		REINSPECTION DATE <b>Not Specified</b>		INSPECTOR <b>Steven Uhlman</b>	DATE <b>3/18/2022</b>
LOCATION <b>27993 GREENSPOT RD #20, HIGHLAND, CA 92346</b>				PERMIT EXPIRATION <b>10/31/2022</b>	IDENTIFIER: None
TIME IN <b>12:00 PM</b>	TIME OUT <b>12:10 PM</b>	FACILITY ID <b>FA0031636</b>	RELATED ID <b>PR0041320</b>	PE <b>1620</b>	SERVICE: 003 - INSPECTION - FOLLOW UP INSPECTION RESULT: 01 - CORRECTIVE ACTION NOT REQUIRED ACTION: 15 - PERMIT REINSTATED / FACILITY RE-OPEN

**RETAIL FOOD PROTECTION - Public Eating PI (0-24 Seats)**

Based on an inspection this day, the items marked below identify the violation(s) in operation or facilities which must be corrected. Failure to correct listed violation(s) prior to the designated compliance date may necessitate an additional inspection to be billed at the hourly rate as provided in the San Bernardino County Code, [Schedule of Fees](#).

Administrative Order to Show Cause (OSC): The Permittee has the right to a hearing if requested in writing within 15 calendar days of receipt of this notice, to show cause why the permit to operate should not be suspended or revoked; otherwise the right to a hearing shall be deemed waived.

See the following pages for the code sections and general requirements that correspond to each violation listed below.

**16K992 Permit Reinstatement**

Compliance Date: Not Specified  
Not In Compliance  
Reference - HSC

**Inspector Comments:** Observed the critical violation, which resulted in closure of the facility, to have been corrected.

Closure notice remove. Permit reinstated.

**Description:** The health permit to operate is hereby reinstated and facility may open.

**16K994 Reinspection**

Compliance Date: Not Specified  
Not In Compliance  
Reference - HSC

**Inspector Comments:** This follow up inspection was done to ensure the clogged toilet, which resulted in the closure of the facility, has been repaired.

Observed the toilet to be fully functional. Permit reinstated. Closure notice removed.

No other follow up inspections required.

**Description:** Reinspection conducted at this time to determine compliance from prior inspection.

**Overall Inspection Comments**

"A" letter grade card posted. Do not remove or obstruct your grade card.

Closure notice removed.

**FREE Classes to L.E.A.R.N!**

Liaison Education And Risk Network (L.E.A.R.N.) is a FREE class based on the fundamentals of Active Managerial Control and the Centers for Disease Control and Prevention's five risk factors that lead to foodborne illnesses. Find out when the next L.E.A.R.N. class is by checking our [calendar](#).

**Signature(s) of Acknowledgement**

NAME: alejandra penaloza  
TITLE: person in charge

Total # of Images: 0