



CAL CODE OFFICIAL INSPECTION REPORT

FACILITY NAME THE MIKO GRILLE		DATE 6/20/2016	REINSPECTION DATE Next Routine	PERMIT EXPIRATION 5/31/2016
LOCATION 2360 STERLING AV A, SAN BERNARDINO, CA 92404			INSPECTOR Alice Meyer	
MAILING ADDRESS 2360 STERLING AV STE A, SAN BERNARDINO CA 92404			IDENTIFIER: None	
TIME IN 8:00 AM	TIME OUT 9:10 AM	FACILITY ID FA0026456	RELATED ID PR0034694	PE 1621
			SERVICE: 001 - Inspection - Routine	
			RESULT: 03 - Corrective Action / No Follow up Required	
			ACTION: 01 - No Further Action Required	

Based on an inspection this day, the items marked below identify the violation(s) in operation or facilities which must be corrected. Failure to correct listed violation(s) prior to the designated compliance date may necessitate an additional inspection to be billed at the hourly rate as provided in the San Bernardino County Code, [Schedule of Fees](#).



SCORE 90

Administrative Order to Show Cause (OSC): The Permittee has the right to a hearing if requested in writing within 15 calendar days of receipt of this notice, to show cause why the permit to operate should not be suspended or revoked; otherwise the right to a hearing shall be deemed waived.

See the following pages for the code sections and general requirements that correspond to each violation listed below.

- In = In compliance
+ COS = Corrected on-site
- N/O = Not observed
⊗ MAJ = Major violation
- N/A = Not applicable
⊗ OUT = Out of compliance

DEMONSTRATION OF KNOWLEDGE		COS	MAJ	OUT
○ In	N/O 1. Demonstration of knowledge; food safety certification			2
EMPLOYEE HEALTH & HYGIENIC PRACTICES				
○ In	2. Communicable disease; reporting, restrictions & excl		4	
○ In	N/O 3. No discharge from eyes, nose, and mouth			2
○ In	N/O 4. Proper eating, tasting, drinking or tobacco use			2
PREVENTING CONTAMINATION BY HANDS				
○ In	N/O 5. Hands clean and properly washed; gloves used prop		4	2
In	6. Adequate handwashing facilities supplied & accessib			⊗
TIME AND TEMPERATURE RELATIONSHIPS				
○ In	N/O N/A 7. Proper hot and cold holding temperatures		4	2
In	N/O ○ N/A 8. Time as a public health control; procedures & record		4	2
In	○ N/O N/A 9. Proper cooling methods		4	2
In	○ N/O N/A 10. Proper cooking time & temperatures		4	
In	○ N/O N/A 11. Proper reheating procedures for hot holding		4	
PROTECTION FROM CONTAMINATION				
○ In	N/O N/A 12. Returned and reserve of food			2
○ In	13. Food in good condition, safe and unadulterated		4	2
In	N/O N/A 14. Food contact surfaces: clean and sanitized		4	⊗

FOOD FROM APPROVED SOURCES		COS	MAJ	OUT
○ In	15. Food obtained from approved source		4	
In	N/O ○ N/A 16. Compliance with shell stock tags, condition, display			2
In	N/O ○ N/A 17. Compliance with Gulf Oyster Regulations			2
CONFORMANCE WITH APPROVED PROCEDURES				
In	○ N/A 18. Compliance with variance, specialized process, and HACCP Plan			2
CONSUMER ADVISORY				
In	N/O ○ N/A 19. Consumer advisory provided for raw or undercooked foods			2
HIGHLY SUSCEPTIBLE POPULATIONS				
In	○ N/A 20. Licensed health care facilities/public and private schools; prohibited foods not offered		4	
WATER/HOT WATER				
○ In	21. Hot and cold water available		4	2
LIQUID WASTE DISPOSAL				
○ In	22. Sewage and wastewater properly disposed		4	2
VERMIN				
○ In	23. No rodents, insects, birds, or animals		4	2

SUPERVISION	OUT
24. Person in charge present and performs duties	1
PERSONAL CLEANLINESS	
25. Personal cleanliness and hair restraints	1
GENERAL FOOD SAFETY REQUIREMENTS	
26. Approved thawing methods used, frozen food	1
27. Food separated and protected	1
28. Washing fruits and vegetables	1
29. Toxic substances properly identified, stored, use	1
FOOD STORAGE/DISPLAY/SERVICE	
30. Food storage; food storage containers identified	⊗
31. Consumer self-service	1
32. Food properly labeled & honestly presented	1

EQUIPMENT/UTENSILS/LINENS	OUT
33. Nonfood contact surfaces clean	1
34. Warewashing facilities: installed, maintained, used	1
35. Equipment/Utensils approved; installed; clean; good repa	⊗
36. Equipment, utensils and linens: storage and use	1
37. Vending machines	1
38. Adequate ventilation and lighting; designated area	1
39. Thermometers provided and accurate	1
40. Wiping cloths: properly used and stored	1
PHYSICAL FACILITIES	
41. Plumbing: proper backflow devices	⊗
42. Garbage and refuse properly disposed; facilities m	1
43. Toilet facilities: properly constructed, supplied, clea	⊗
44. Premises; personal/cleaning items; vermin-proofin	1

PERMANENT FOOD FACILITIES	OUT
45. Floor, walls, ceilings: built, maintained, and clean	1
46. No unapproved private homes/living or sleeping qu	1
SIGNS REQUIREMENTS	
47. Signs posted; last inspection report available	1
48. Food handler cards	2
COMPLIANCE & ENFORCEMENT	
49. Permits Available	⊗
50. Restrooms Required	
51. Plan Review	
52. VC&D	
53. Impoundment	
54. Permit Suspension	



CAL CODE OFFICIAL INSPECTION REPORT

FACILITY NAME THE MIKO GRILLE	DATE 6/20/2016
LOCATION 2360 STERLING AV A, SAN BERNARDINO, CA 92404	INSPECTOR Alice Meyer

6. ADEQUATE HANDWASHING FACILITIES SUPPLIED & ACCESSIBLE

POINTS 2	Compliance date not specified	Inspector Comments: Observed no towels in dispensers at hand sinks, and restrooms. Provide towels to dispensers at all times.
	Not In Compliance	
	Violation Reference -	

Violation Description: Handwashing soap and towels or drying device shall be provided in dispensers; dispensers shall be maintained in good repair. (113953.2) Adequate facilities shall be provided for hand washing. (113953, 113953.1, 114067(f)). Handwashing sink is not separated from a warewashing sink by a 6 inch high metal splashguard or 24 inch separation. (113953) Handwashing sinks shall not be obstructed, inaccessible, used improperly or kept unclean. (113953.1)

14. FOOD CONTACT SURFACES: CLEAN AND SANITIZED **⚠ CRITICAL ⚠**

POINTS 4	Compliance date not specified	Inspector Comments: Observed no sanitizer in wiping towel bucket solution. Provide appropriate level of sanitizer at all times. 100 – 200 pm chlorine or 200 – 300 ppm quaternary ammonia.
	Not In Compliance	
	Violation Reference - HSC - 113984(e), 114097, 114099	

Violation Description: All food contact surfaces of utensils and equipment shall be clean and sanitized. (113984(e), 114097, 114099.1, 114099.4, 114099.6, 114101 (b-d), 114105, 114109, 114111, 114113, 114115 (a, b, d), 114117, 114125(b), 114135, 114141)

More Information: http://www.sbcounty.gov/uploads/dph/dehs/Depts/EnvironmentalHealth/FormsPublications/Towel_Sanitizing_solution_Eng_Spn_final_11_30_11.pdf

30. FOOD STORAGE; FOOD STORAGE CONTAINERS IDENTIFIED

POINTS 1	Compliance date not specified	Inspector Comments: Observed stored opened bags of flour, sugar, rice and panko bread crumbs. Maintain bulk food products stored in containers with tight fitting lids when not in use.
	Not In Compliance	
	Violation Reference - HSC - 114047, 114049, 114051	

Violation Description: Food shall be stored in approved containers and labeled as to contents. Food shall be stored at least 6" above the floor on approved shelving in an approved location to prevent possible contamination. (114047, 114049, 114051, 114053, 114055, 114067(h), 14069 (b))

35. EQUIPMENT/UTENSILS - APPROVED; INSTALLED; CLEAN; GOOD REPAIR, CAPACITY

POINTS 1	Compliance date not specified	Inspector Comments: Observed refrigeration units in disrepair, no potentially hazardous food stored in them. Repair, replace or remove refrigeration units from facility.
	Not In Compliance	
	Violation Reference - HSC - 114130, 114130.1, 114130	

Violation Description: All utensils and equipment shall be fully operative and in good repair. (114175). All utensils and equipment shall be approved, installed properly, and meet applicable standards. (114130, 114130.1, 114130.2, 114130.3, 114130.4, 114130.5, 114132, 114133, 114137, 114139, 114153, 114155, 114163, 114165, 114167, 114169, 114177, 114180, 114182)

41. PLUMBING; PROPER BACKFLOW DEVICES

POINTS 1	Compliance date not specified	Inspector Comments: Observed leaking faucet at hand sink by ice maker. Maintain plumbing in good repair.
	Not In Compliance	
	Violation Reference - HSC - 114171, 114189.1	

Violation Description: The potable water supply shall be protected with a backflow or back siphonage protection device, as required by applicable plumbing codes. (114192) All plumbing and plumbing fixtures shall be installed in compliance with local plumbing ordinances, shall be maintained so as to prevent any contamination, and shall be kept clean, fully operative, and in good repair. Any hose used for conveying potable water shall be of approved materials, labeled, properly stored, and used for no other purpose. (114171, 114189.1, 114190, 114193, 114193.1, 114199, 114201, 114269)



CAL CODE OFFICIAL INSPECTION REPORT

FACILITY NAME THE MIKO GRILLE	DATE 6/20/2016
LOCATION 2360 STERLING AV A, SAN BERNARDINO, CA 92404	INSPECTOR Alice Meyer

43. TOILET FACILITIES: PROPERLY CONSTRUCTED, SUPPLIED, CLEANED

POINTS 1	Compliance date not specified	Inspector Comments: Observed no toilet paper in dispenser in women's restroom. Provide toilet paper to dispenser at all times.
	Not In Compliance Violation Reference - HSC - 114250, 114276	

Violation Description: Toilet facilities shall be maintained clean, sanitary and in good repair for use by employees and patrons. Toilet rooms shall be separated by a well-fitting, self-closing door. Toilet tissue shall be provided in a permanently installed dispenser at each toilet. Location of toilet facilities used by patrons shall not be located to pass through food preparation, food storage, or utensil washing areas. (114250, 114250.1, 114276)

49. PERMITS AVAILABLE

POINTS 0	Comply by 6/21/2016	Inspector Comments: Observed no current public health permit in facility. Immediately pay permit fees and maintain a copy of permit in facility. Failure to comply may result in further legal action.
	Not In Compliance Violation Reference - HSC - 114067(b, c), 114381 (a)	

Violation Description: A food facility shall not be open for business without a valid permit. (114067(b) & (c), 114381 (a), 114381.2, 114387)

Overall Inspection Comments

No summary comments have been made for this inspection.

Signature(s) of Acknowledgement

NAME: SNA
TITLE: