



**Public Health**  
**Environmental Health Services**

**CAL CODE OFFICIAL INSPECTION REPORT**

FACILITY NAME GT FOOD CONNECTION INC		DATE 5/15/2015	REINSPECTION DATE 5/29/2015	PERMIT EXPIRATION 10/31/2015
LOCATION 22400 BARTON RD I, GRAND TERRACE, CA 92313			INSPECTOR John Babalola	
MAILING ADDRESS 22400 BARTON RD I, GRAND TERRACE, CA 92313			IDENTIFIER: None	
			SERVICE: 001 - Inspection - Routine	
TIME IN 9:47 AM	TIME OUT 11:41 AM	FACILITY ID FA0003545	RELATED ID PR0013387	PE 1622
			RESULT: 05 - Corrective Action / Follow up Required	
			ACTION: 03 - Reinspection Required	

Based on an inspection this day, the items marked below identify the violation(s) in operation or facilities which must be corrected. The Permittee has the right to a hearing if requested in writing within 15 calendar days of receipt of this notice, to show cause why the permit to operate should not be suspended or revoked.

Failure to correct listed violation(s) prior to the designated compliance date may necessitate an additional reinspection at a charge of \$61.25 per 15 minutes with a minimum time of 30 minutes, and a minimum charge of \$122.50.



**SCORE 80**

See the following pages for the code sections and general requirements that correspond to each violation listed below.

○ In = In compliance  
+ COS = Corrected on-site

○ N/O = Not observed  
⊗ MAJ = Major violation

○ N/A = Not applicable  
⊗ OUT = Out of compliance

DEMONSTRATION OF KNOWLEDGE			COS	MAJ	OUT
In	N/O	1. Demonstration of knowledge; food safety certification			⊗
EMPLOYEE HEALTH & HYGIENIC PRACTICES					
In		2. Communicable disease; reporting, restrictions & excl		4	
In	N/O	3. No discharge from eyes, nose, and mouth			2
In	N/O	4. Proper eating, tasting, drinking or tobacco use			2
PREVENTING CONTAMINATION BY HANDS					
In	N/O	5. Hands clean and properly washed; gloves used prop		4	2
In		6. Adequate handwashing facilities supplied & accessib			2
TIME AND TEMPERATURE RELATIONSHIPS					
In	N/O	N/A		4	2
In	N/O	N/A		4	2
In	N/O	N/A		4	2
In	N/O	N/A		4	
In	N/O	N/A		4	
PROTECTION FROM CONTAMINATION					
In	N/O	N/A			2
In		13. Food in good condition, safe and unadulterated		4	2
In	N/O	N/A	+	4	⊗

FOOD FROM APPROVED SOURCES			COS	MAJ	OUT
In		15. Food obtained from approved source		4	
In	N/O	N/A			2
In	N/O	N/A			2
CONFORMANCE WITH APPROVED PROCEDURES					
In		N/A			2
CONSUMER ADVISORY					
In	N/O	N/A			2
HIGHLY SUSCEPTIBLE POPULATIONS					
In		N/A		4	
WATER/HOT WATER					
In				4	2
LIQUID WASTE DISPOSAL					
In			+	4	⊗
VERMIN					
In				4	2

SUPERVISION	OUT
24. Person in charge present and performs duties	1
PERSONAL CLEANLINESS	
25. Personal cleanliness and hair restraints	1
GENERAL FOOD SAFETY REQUIREMENTS	
26. Approved thawing methods used, frozen food	1
27. Food separated and protected	⊗
28. Washing fruits and vegetables	1
29. Toxic substances properly identified, stored, use	1
FOOD STORAGE/DISPLAY/SERVICE	
30. Food storage; food storage containers identified	⊗
31. Consumer self-service	1
32. Food properly labeled & honestly presented	1

EQUIPMENT/UTENSILS/LINENS	OUT
33. Nonfood contact surfaces clean	⊗
34. Warewashing facilities: installed, maintained, used	1
35. Equipment/Utensils approved; installed; clean; good repa	⊗
36. Equipment, utensils and linens: storage and use	1
37. Vending machines	1
38. Adequate ventilation and lighting; designated area	⊗
39. Thermometers provided and accurate	⊗
40. Wiping cloths: properly used and stored	1
PHYSICAL FACILITIES	
41. Plumbing: proper backflow devices	⊗
42. Garbage and refuse properly disposed; facilities m	1
43. Toilet facilities: properly constructed, supplied, clea	1
44. Premises; personal/cleaning items; vermin-proofin	1

PERMANENT FOOD FACILITIES	OUT
45. Floor, walls, ceilings: built, maintained, and clean	⊗
46. No unapproved private homes/living or sleeping qu	1
SIGNS REQUIREMENTS	
47. Signs posted; last inspection report available	1
48. Food worker cards	⊗
COMPLIANCE & ENFORCEMENT	
49. Permits Available	
50. Restrooms Required	
51. Plan Review	
52. VC&D	
53. Impoundment	
54. Permit Suspension	



**Public Health**  
Environmental Health Services

**CAL CODE OFFICIAL INSPECTION REPORT**

FACILITY NAME GT FOOD CONNECTION INC	DATE 5/15/2015
LOCATION 22400 BARTON RD I, GRAND TERRACE, CA 92313	INSPECTOR John Babalola

**1. DEMONSTRATION OF KNOWLEDGE; FOOD SAFETY CERTIFICATION**

<b>POINTS</b> <b>2</b>	Compliance date not specified Not In Compliance Violation Reference - HSC - 113947-113947.1	<b>Inspector Comments:</b> Renew the expired manager food safety certification.
---------------------------	---------------------------------------------------------------------------------------------------	---------------------------------------------------------------------------------

**Violation Description:** All food employees shall have adequate knowledge of and be trained in food safety as it relates to their assigned duties. (113947) Food facilities that prepare, handle or serve non-prepackaged potentially hazardous food, shall have an employee who has passed an approved food safety certification examination. (113947-113947.1)

**More Information:** <http://www.sbcounty.gov/uploads/dph/dehs/Depts/EnvironmentalHealth/FormsPublications/FoodSafetyPracticesOverview.pdf>

**14. FOOD CONTACT SURFACES: CLEAN AND SANITIZED** **⚠ CRITICAL ⚠**

<b>POINTS</b> <b>4</b>	Compliance date not specified Complied on 5/15/2015 Violation Reference - HSC - 113984(e), 114097, 114099	<b>Inspector Comments:</b> The concentration of the chlorine sanitizer at the warewashing machine is observed at 0.0 ppm at the time of inspection. Provide at least 50.0 ppm. Make immediate repairs.  Note: The repair person has been contacted. Use one compartment at the 2-compartment sink to sanitize before the repair is made.  The chlorine sanitizer level inside the sanitizer water bucket in use is observed 10.0 ppm. Provide at least 100 ppm.  Note: Correction is being made.
---------------------------	-----------------------------------------------------------------------------------------------------------------	--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------

**Violation Description:** All food contact surfaces of utensils and equipment shall be clean and sanitized. (113984(e), 114097, 114099.1, 114099.4, 114099.6, 114101 (b-d), 114105, 114109, 114111, 114113, 114115 (a, b, d), 114117, 114125(b), 114135, 114141)

**More Information:** [http://www.sbcounty.gov/uploads/dph/dehs/Depts/EnvironmentalHealth/FormsPublications/Towel\\_Sanitizing\\_solution\\_Eng\\_Spn\\_final\\_11\\_30\\_11.pdf](http://www.sbcounty.gov/uploads/dph/dehs/Depts/EnvironmentalHealth/FormsPublications/Towel_Sanitizing_solution_Eng_Spn_final_11_30_11.pdf)

**22. SEWAGE AND WASTEWATER PROPERLY DISPOSED** **⚠ CRITICAL ⚠**

<b>POINTS</b> <b>4</b>	Compliance date not specified Complied on 5/15/2015 Violation Reference - HSC - 114197	<b>Inspector Comments:</b> Immediately unclog the clogged floor sinks in the prep area.  Note: Correction is being made.
---------------------------	----------------------------------------------------------------------------------------------	--------------------------------------------------------------------------------------------------------------------------------

**Violation Description:** All liquid waste must drain to an approved fully functioning sewage disposal system. (114197) Toilet facilities must be operable.

**27. FOOD SEPARATED AND PROTECTED**

<b>POINTS</b> <b>1</b>	Compliance date not specified Not In Compliance Violation Reference - HSC - 113984 (a, b, c, d, f)	<b>Inspector Comments:</b> Observed several food containers exposed to overhead contamination inside the walk-in cooler. Provide covers/lids.
---------------------------	----------------------------------------------------------------------------------------------------------	-----------------------------------------------------------------------------------------------------------------------------------------------

**Violation Description:** All food shall be separated and protected from contamination. (113984 (a, b, c, d, f), 113986, 114060, 114067(a, d, e, j), 114069(a, b), 114077, 114089.1 (c), 114143 (c)) All food shall be stored, prepared, displayed or held so that it is protected from contamination.

**30. FOOD STORAGE; FOOD STORAGE CONTAINERS IDENTIFIED**

<b>POINTS</b> <b>1</b>	Compliance date not specified Not In Compliance Violation Reference - HSC - 114047, 114049, 114051	<b>Inspector Comments:</b> Observed a bag of potatoes on the floor in the storage area. Store at least 6 inches above the floor.
---------------------------	----------------------------------------------------------------------------------------------------------	----------------------------------------------------------------------------------------------------------------------------------

**Violation Description:** Food shall be stored in approved containers and labeled as to contents. Food shall be stored at least 6" above the floor on approved shelving in an approved location to prevent possible contamination. (114047, 114049, 114051, 114053, 114055, 114067(h), 14069 (b))



## Public Health

### Environmental Health Services

[www.SBCounty.gov](http://www.SBCounty.gov)

### CAL CODE OFFICIAL INSPECTION REPORT

FACILITY NAME GT FOOD CONNECTION INC	DATE 5/15/2015
LOCATION 22400 BARTON RD I, GRAND TERRACE, CA 92313	INSPECTOR John Babalola

### 33. NONFOOD-CONTACT SURFACES CLEAN

POINTS <b>1</b>	Compliance date not specified	<b>Inspector Comments:</b> Debris and grease buildup observed on the counter top under the grill. Maintain clean.
	Not In Compliance Violation Reference - HSC - 114115 (c)	

**Violation Description:** All nonfood contact surfaces of utensils and equipment shall be clean. (114115 (c))

### 35. EQUIPMENT/UTENSILS - APPROVED; INSTALLED; CLEAN; GOOD REPAIR, CAPACITY

POINTS <b>1</b>	Compliance date not specified	<b>Inspector Comments:</b> Replace/repair the damaged ice machine door/lid.  Replace the damaged/missing microwave door handle.
	Not In Compliance Violation Reference - HSC - 114130, 114130.1, 114130	

**Violation Description:** All utensils and equipment shall be fully operative and in good repair. (114175). All utensils and equipment shall be approved, installed properly, and meet applicable standards. (114130, 114130.1, 114130.2, 114130.3, 114130.4, 114130.5, 114132, 114133, 114137, 114139, 114153, 114155, 114163, 114165, 114167, 114169, 114177, 114180, 114182)

### 38. ADEQUATE VENTILATION AND LIGHTING; DESIGNATED AREA

POINTS <b>1</b>	Compliance date not specified	<b>Inspector Comments:</b> Replace the damaged filter under the exhaust hood above the cooking equipment.  Replace the burnt-out light tube in the warewashing area.
	Not In Compliance Violation Reference - HSC - 114149, 114149.1	

**Violation Description:** Exhaust hoods shall be provided to remove toxic gases, heat, grease, vapors and smoke and be approved by the local building department. Canopy-type hoods shall extend 6" beyond all cooking equipment. All areas shall have sufficient ventilation to facilitate proper food storage. Toilet rooms shall be vented to the outside air by a screened openable window, an air shaft, or a light-switch activated exhaust fan, consistent with local building codes. (114149, 114149.1) Adequate lighting shall be provided in all areas to facilitate cleaning and inspection. Light fixtures in areas where open food is stored, served, prepared, and where utensils are washed shall be of shatterproof construction or protected with light shields. (114149.2, 114149.3, 114252, 114252.1)

### 39. THERMOMETERS PROVIDED AND ACCURATE

POINTS <b>1</b>	Compliance date not specified	<b>Inspector Comments:</b> Replace the missing thermometer inside the refrigeration unit in the cooks' area.
	Not In Compliance Violation Reference - HSC - 114157, 114159	

**Violation Description:** An accurate easily readable metal probe thermometer suitable for measuring temperature of food shall be available to the food handler. A thermometer +/- 2 F shall be provided for each hot and cold holding unit of potentially hazardous foods and high temperature warewashing machines. (114157, 114159)

**More Information:** <http://www.sbcounty.gov/uploads/dph/dehs/Depts/EnvironmentalHealth/FormsPublications/CalibratingThermometer.pdf>

### 41. PLUMBING; PROPER BACKFLOW DEVICES

POINTS <b>1</b>	Compliance date not specified	<b>Inspector Comments:</b> Repair the leaks at the sprayer in the warewashing area.
	Not In Compliance Violation Reference - HSC - 114171, 114189.1	

**Violation Description:** The potable water supply shall be protected with a backflow or back siphonage protection device, as required by applicable plumbing codes. (114192) All plumbing and plumbing fixtures shall be installed in compliance with local plumbing ordinances, shall be maintained so as to prevent any contamination, and shall be kept clean, fully operative, and in good repair. Any hose used for conveying potable water shall be of approved materials, labeled, properly stored, and used for no other purpose. (114171, 114189.1, 114190, 114193, 114193.1, 114199, 114201, 114269)



**Public Health**  
**Environmental Health Services**

[www.SBCounty.gov](http://www.SBCounty.gov)

**CAL CODE OFFICIAL INSPECTION REPORT**

FACILITY NAME GT FOOD CONNECTION INC	DATE 5/15/2015
LOCATION 22400 BARTON RD I, GRAND TERRACE, CA 92313	INSPECTOR John Babalola

**45. FLOORS, WALLS AND CEILINGS: BUILT, MAINTAINED, AND CLEAN**

<b>POINTS</b>  <span style="font-size: 2em; color: red;">1</span>	Compliance date not specified Not In Compliance Violation Reference - HSC - 114143 (d), 114266	<b>Inspector Comments:</b> Debris observed on the floor, especially at corners, inside the walk-in freezer, in the storage area, in the ice machine area, and in the warewashing machine area. Maintain clean.  Replace/repair the damaged base cove tiles in the warewashing area and inside the walk-in cooler at the entrance to walk-in freezer.  Replace the missing floor tiles in the warewashing area.
-------------------------------------------------------------------------	---------------------------------------------------------------------------------------------------------	----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------

**Violation Description:** The walls / ceilings shall have durable, smooth, nonabsorbent, and washable surfaces. All floor surfaces, other than the customer service areas, shall be approved, smooth, durable and made of nonabsorbent material that is easily cleanable. Approved base coving shall be provided in all areas, except customer service areas and where food is stored in original unopened containers. Food facilities shall be fully enclosed. All food facilities shall be kept clean and in good repair. (114143 (d), 114257, 114266, 114268, 114268.1, 114271, 114272) Cleaning must be an approved dustless method. (114268.1) Mats and duckboards, if used, must be removable and easily cleanable. (114272) Open-air barbecues or wood-burning ovens floor surfaces must extend a minimum of five feet and be impervious or easily cleanable. (114143(d))

**48. FOOD WORKER CERTIFICATION**

<b>POINTS</b>  <span style="font-size: 2em; color: red;">2</span>	Compliance date not specified Not In Compliance Violation Reference - SBCC - 33.0410, 33.044	<b>Inspector Comments:</b> 3 People do not have the required food worker certification card. Obtain these within 14 days.  Note: Left a copy of the form to be returned to our office.
-------------------------------------------------------------------------	-------------------------------------------------------------------------------------------------------	----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------

**Violation Description:** This facility is currently in violation with the food worker certification requirement for San Bernardino County, which states all food workers must obtain a valid food worker certificate within fourteen (14) days of employment (33.0410, 33.044). Failure to provide proof of food worker certification within fourteen (14) days will result in unannounced billable (at our current hourly rate) re-inspections to verify compliance.

This facility operator must complete the "Missing Food Worker" form provided by the inspector and fax to 909-387-4272.

**More Information:** [http://www.sbcounty.gov/dph/dehs/Depts/EnvironmentalHealth/FIRST/food\\_worker\\_training.aspx](http://www.sbcounty.gov/dph/dehs/Depts/EnvironmentalHealth/FIRST/food_worker_training.aspx)

**Overall Inspection Comments**

Posted a B grade placard and left a copy of re-score inspection request form.

**Signature(s) of Acknowledgement**

NAME: heather thomas  
 TITLE: manager