



**RETAIL FOOD PROTECTION - OFFICIAL INSPECTION REPORT**

FACILITY NAME <b>EL CARRETON RESTAURANT</b>				REINSPECTION DATE <b>Not Specified</b>	INSPECTOR <b>John Babalola</b>	DATE <b>2/8/2019</b>
LOCATION <b>276 N LA CADENA DR, COLTON, CA 92324</b>				PERMIT EXPIRATION <b>1/31/2019</b>	IDENTIFIER: None	
TIME IN <b>1:35 PM</b>	TIME OUT <b>2:19 PM</b>	FACILITY ID <b>FA0000611</b>	RELATED ID <b>PR0016114</b>	PE <b>1620</b>	SERVICE: 003 - INSPECTION - FOLLOW UP INSPECTION RESULT: 03 - CORRECTIVE ACTION / NO FOLLOW UP RE ACTION: 15 - PERMIT REINSTATED / FACILITY RE-OPEN	

**RETAIL FOOD PROTECTION - Public Eating PI (0-24 Seats)**

Based on an inspection this day, the items marked below identify the violation(s) in operation or facilities which must be corrected. Failure to correct listed violation(s) prior to the designated compliance date may necessitate an additional inspection to be billed at the hourly rate as provided in the San Bernardino County Code, [Schedule of Fees](#).

Administrative Order to Show Cause (OSC): The Permittee has the right to a hearing if requested in writing within 15 calendar days of receipt of this notice, to show cause why the permit to operate should not be suspended or revoked; otherwise the right to a hearing shall be deemed waived.

See the following pages for the code sections and general requirements that correspond to each violation listed below.

**16K992 Permit Reinstatement**

**Compliance Date:** Not Specified  
**Not In Compliance**  
**Reference - HSC**

**Inspector Comments:** The broken down Everest 2-door refrigerator and the broken down ice machine have been repaired and working properly at the time of inspection. Therefore, the permit to operate that was suspended yesterday, 2/7/19, is hereby re-instated and the facility can now re-open for business.

**Description:** The health permit to operate is hereby reinstated and facility may open.

**16K994 Reinspection**

**Compliance Date:** Not Specified  
**Not In Compliance**  
**Reference - HSC**

**Inspector Comments:** RE: Re-inspection  
The broken down Everest 2-door refrigerator and the broken down ice machine have been repaired and working properly at the time of inspection. Therefore, the facility that was closed down yesterday, 2/7/19, can now re-open for business.

**Note:** Continue to work on all other violations noted on the inspection report of yesterday, 2/7/19.

**Description:** Reinspection conducted at this time to determine compliance from prior inspection.

**Overall Inspection Comments**

No summary comments have been made for this inspection.

**Signature(s) of Acknowledgement**

NAME: jose luis martinez gonsales  
TITLE: cook

Total # of Images: 0