



RETAIL FOOD PROTECTION - OFFICIAL INSPECTION REPORT

FACILITY NAME TARTAN OF REDLANDS		REINSPECTION DATE Not Specified		INSPECTOR Luis Verde	DATE 6/22/2021
LOCATION 24 E REDLANDS BL, REDLANDS, CA 92373			PERMIT EXPIRATION 8/31/2021	IDENTIFIER: None	
TIME IN 2:51 PM	TIME OUT 3:28 PM	FACILITY ID FA0009269	RELATED ID PR0005787	PE 1622	SERVICE: 003 - INSPECTION - FOLLOW UP INSPECTION RESULT: 05 - CORRECTIVE ACTION / FOLLOW UP REQU ACTION: 15 - PERMIT REINSTATED / FACILITY RE-OPEN

RETAIL FOOD PROTECTION - Public Eating PI (100-Up Seats)

Based on an inspection this day, the items marked below identify the violation(s) in operation or facilities which must be corrected. Failure to correct listed violation(s) prior to the designated compliance date may necessitate an additional inspection to be billed at the hourly rate as provided in the San Bernardino County Code, [Schedule of Fees](#).

Administrative Order to Show Cause (OSC): The Permittee has the right to a hearing if requested in writing within 15 calendar days of receipt of this notice, to show cause why the permit to operate should not be suspended or revoked; otherwise the right to a hearing shall be deemed waived.

See the following pages for the code sections and general requirements that correspond to each violation listed below.

16K992 Permit Reinstatement

Compliance Date: Not Specified
Not In Compliance
Reference - HSC

Inspector Comments: Facility health permit has been hereby reinstated and facility is authorized to re-open under the direction of Environmental Health Services.

Description: The health permit to operate is hereby reinstated and facility may open.

16K994 Reinspection

Compliance Date: Not Specified
Not In Compliance
Reference - HSC

Inspector Comments: A follow up inspection was conducted on this date 6/22/2021 based on a complaint inspection conducted the morning of the same date 6/22/2021. During complaint inspection it was noted that facility was undergoing an active cockroach infestation and subsequently had their permit suspended and were instructed to cease all operations.

Operator had contacted Environmental Health Services and stated they were ready for reinspection and that the exterminator had come and serviced the facility. Upon arrival at facility Pest Control Service Manager and Operator were both on site. Pest control service manager was spoken to and stated that they did find a few more cockroaches and that they had sprayed the facility down with a new compound, Apline WSG, and removed all roaches they had found from the facility. The compound is not an aerosol and dries quickly as per service manager. Service manager stated it is safe for the public to be in the facility. Service Manager stated that he will be doing his own company follow up tomorrow and that they will be increasing the frequency of services for the facility for the near future to ensure no continued issues.

Facility operator was also spoken to and had stated they had continued the cleaning process that was started during the initial complaint inspection. Facility was observed to be noticeably cleaner with no food debris, trash, or litter on the floors. Bar area, kitchen area, hot water heater room, and ice machine room were all thoroughly cleaned and sanitized with a bleach solution as per manager. Bar cabinets were cleaned out and emptied. Cardboard boxes originally observed during complaint inspection were removed. Further inspection of the facility only yielded one (1) additional dying cockroach inside far right bar cabinet which was immediately removed. No additional cockroaches, dead or alive, were observed in the facility.

Facility operator was instructed to properly re-clean and sanitize any glassware and utensils prior to service and to continue to maintain the facility clean and free of debris to ensure no further attraction of vermin.

Based on observations made facility permit will be reinstated and facility will be allowed to re-open under the circumstances that an additional follow up inspection be conducted within one (1) week to verify continued compliance and complete elimination of cockroach infestation.

Description: Reinspection conducted at this time to determine compliance from prior inspection.

Overall Inspection Comments

A follow up inspection was conducted on this date 6/22/2021 based on a complaint inspection conducted the morning of the same date 6/22/2021.

Facility health permit has been hereby reinstated and facility is authorized to re-open under the direction of Environmental Health Services.

FREE Classes to L.E.A.R.N!

Liaison Education And Risk Network (L.E.A.R.N.) is a FREE class based on the fundamentals of Active Managerial Control and the Centers for Disease Control and Prevention's five risk factors that lead to foodborne illnesses. Find out when the next L.E.A.R.N. class is by checking our [calendar](#).



Public Health
Environmental Health Services

RETAIL FOOD PROTECTION - OFFICIAL INSPECTION REPORT

FACILITY NAME TARTAN OF REDLANDS	DATE 6/22/2021
LOCATION 24 E REDLANDS BL, REDLANDS, CA 92373	INSPECTOR Luis Verde

Signature(s) of Acknowledgement

NAME: Jeffrey Solomon
TITLE: Owner

Total # of Images: 0