



**Public Health**  
Environmental Health Services

[www.SBCounty.gov](http://www.SBCounty.gov)  
[www.SBCounty.gov/dph/dehs](http://www.SBCounty.gov/dph/dehs)

### RETAIL FOOD PROTECTION - OFFICIAL INSPECTION REPORT

FACILITY NAME <b>BURGER KING</b>				REINSPECTION DATE <b>Not Specified</b>	INSPECTOR <b>Mechelle Rouse</b>	DATE <b>7/13/2018</b>
LOCATION <b>71707 29 PALMS HWY, TWENTYNINE PALMS, CA 92277</b>				PERMIT EXPIRATION <b>12/31/2018</b>	IDENTIFIER: PEP	
TIME IN <b>5:50 PM</b>	TIME OUT <b>6:45 PM</b>	FACILITY ID <b>FA0005232</b>	RELATED ID <b>PR0012133</b>	PE <b>1621</b>	SERVICE: 013 - FOOD - BILLABLE INSPECTION SERVICES	
				RESULT: 01 - CORRECTIVE ACTION NOT REQUIRED		
				ACTION: 15 - PERMIT REINSTATED / FACILITY RE-OPEN		

### RETAIL FOOD PROTECTION - Public Eating PI (25-99 Seats)

Based on an inspection this day, the items marked below identify the violation(s) in operation or facilities which must be corrected. Failure to correct listed violation(s) prior to the designated compliance date may necessitate an additional inspection to be billed at the hourly rate as provided in the San Bernardino County Code, [Schedule of Fees](#).

Administrative Order to Show Cause (OSC): The Permittee has the right to a hearing if requested in writing within 15 calendar days of receipt of this notice, to show cause why the permit to operate should not be suspended or revoked; otherwise the right to a hearing shall be deemed waived.

See the following pages for the code sections and general requirements that correspond to each violation listed below.

**No Violations Cited**

### Overall Inspection Comments



## RETAIL FOOD PROTECTION - OFFICIAL INSPECTION REPORT

FACILITY NAME BURGER KING	DATE 7/13/2018
LOCATION 71707 29 PALMS HWY, TWENTYNINE PALMS, CA 92277	INSPECTOR Mechelle Rouse

Note:

This facility was closed on July 12,2018 due to rodent infestation.

The following observations were found on the previous re-inspection:

- One rodent dropping was observed on the mouse trap set up in the dry storage area next to the office
- The bait placed on the mouse trap under the warewashing sink was observed to have been partially consumed
- 2 fresh rodent droppings were observed in the floor sink under the prep table
- 1 fresh rodent dropping was observed between the ice machine and the soft served machine
- 2 gnawed dipper packets of ranch sauce were observed on the shelf at the drive through window under the registers where the sauce and jelly packets are stored.
- The floor sink under the ice machine was observed to have excess buildup and debris.
- One fresh rodent dropping was observed under the cook station near an unsnapped trap.
- One gnawed packet of honey mustard dipping sauce was observed in the box of honey mustard dipping sauce located under the front customer counter
- 4-5 gnawed packets of Ranch dipping sauce were observed in the box of Ranch dipping Sauces that are adjacent to the honey mustard sauces noted above and under the front customer counter
- Approximately 6 rodent droppings were observed on top of the Ranch dipping sauce packets in the box where the gnawed packets were observed
- In the customer area, under the soda machine in the far left cabinet, where there had previously been a gap in the wall (the gap had been sealed with spray insulation after recent inspection to prevent vermin harborage), observed the spray insulation gnawed on, leaving a pile of insulation under the gap. The gap from the previous week had been sealed with steel wool. The new gnawing was observed on the top portion of the spray insulation that was not observed to be gnawed during Monday's inspection. (Photos were taken for comparison)
- 2 snapped traps observed under the soda machine area.
- Fresh rodent dropping observed to the outside of the back door of the facility, to the left of the door, near the openings to the black rodent bait traps.
- The steel netting that was used to cover a drain pipe on the exterior of the facility to the left of the customer trash cans was observed to have a gap in the netting.
- Pest control records were observed for 7/11/2018. Records stated " #1: storage room on roof door- patched temporarily 'NEEDS TO BE REPLACED' ASAP/ #2 Hot water heater vent- steel wool and foam to repair/ #3 A.C. Vent on roof screen was pushed in by cable T.V. - Re-screened vent, found hole in the duct work Need A.C. company to repair/ #4 2 attic vents well dislodged from wall and had gaps at bottoms reattached and filled gaps with steel wool"
- The manager and staff were unaware of the contaminated food products under the front counter. The boxes containing gnawed product were voluntarily condemned and discarded.
- The temporary seal on the electrical outlet on the exterior of the facility is no longer in place

A follow up inspection was done on this day July 13,2018 and the following observations were made:

- Twenty-seven (27) traps were placed within the facility(Underneath cash register, soda machine, dry storage area, and surrounding areas throughout the facility).
- Upon inspection, no rodents were found on any of the traps within the facility.
- Manager has five(5) tightly sealed container bins with sauces stored inside.
- No evidence of any food items being gnawed on has been observed.
- No rodent dropping were observed on the day of inspection.

The following items were repaired as of 7-13-18:

- Roof drain pipes were properly sealed with tightly fitting caps located on the outside of the facility near the dumpster.
- Electrical port was sealed with a plate located outside of the facility.



**Public Health**  
Environmental Health Services

**RETAIL FOOD PROTECTION - OFFICIAL INSPECTION REPORT**

FACILITY NAME BURGER KING	DATE 7/13/2018
LOCATION 71707 29 PALMS HWY, TWENTYNINE PALMS, CA 92277	INSPECTOR Mechelle Rouse

- Roof vent on top of the facility was sealed with new mesh wiring.
- Air duct with an observed hole was repaired.
- Ceiling above the soda machine next to the drive through window was sealed and repaired.

Pest control records from Dewey Pest Control were observed twice for 7-13-18. Record stated at 1:45pm-"A thorough inspection has been conducted on the interior of the facility, starting at the top of every appliance then working way down to all counter tops and food prep areas, finally ending on the floor. No rodent activity was found at the time of inspection. All traps were rodent free. Follow up 7-14-18.

Record stated for 7-13-18 at 4:15pm"Inspected all repairs on roof, no activity or sign of damage has been found. Two traps have been set with a follow up for 7-14-18"

The health permit for this facility was suspended on 07-12-18 due to an infestation of rodents in the kitchen facility. This billable second re-inspection was requested by the operator. The operator produced professional exterminator receipts that showed this facility has been treated for rodents on 7-11-18 and 7-13-18 On this date no evidences of vermin including cockroaches were observed in this facility. The health permit to operate this facility is hereby reinstated this date. Continue to operate this kitchen facility free from vermin- including but not limited to rodents.

**Signature(s) of Acknowledgement**

A handwritten signature in blue ink, appearing to be "F. Shere".

NAME: Faraz Shere  
TITLE: Owner

Total # of Images: 0