



Public Health
Environmental Health Services

BODY ART - OFFICIAL INSPECTION REPORT

| | | | | |
|---|----------------------------|---------------------------------|--|---------------------------------------|
| FACILITY NAME ARTISTIC ELEMENT TATTOO | | DATE 9/3/2015 | REINSPECTION DATE Next Routine | PERMIT EXPIRATION 6/30/2016 |
| LOCATION 34247 YUCAIPA BL D, YUCAIPA, CA 92399 | | | INSPECTOR Yong Aday | |
| MAILING ADDRESS 34247 YUCAIPA BLVD UNIT D, YUCAIPA CA 92399 | | | IDENTIFIER: SERVICE: 001 - INSPECTION - ROUTINE RESULT: 03 - CORRECTIVE ACTION / NO FOLLOW UP R ACTION: 01 - NO FURTHER ACTION REQUIRED | |
| TIME IN 2:40 PM | TIME OUT 4:28 PM | FACILITY ID FA0029093 | RELATED ID PR0037941 | PE 2502 |

BODY ART - Body Art Facility

Based on an inspection this day, the items marked below identify the violation(s) in operation or facilities which must be corrected. Failure to correct listed violation(s) prior to the designated compliance date may necessitate an additional reinspection at a charge of \$4.08 per 1 minute with a minimum time of 30 minutes, and a minimum charge of \$122.50.

SCORE
82

Administrative Order to Show Cause (OSC): The Permittee has the right to a hearing if requested in writing within 15 calendar days of receipt of this notice, to show cause why the permit to operate should not be suspended or revoked; otherwise the right to a hearing shall be deemed waived.

See the following pages for the code sections and general requirements that correspond to each violation listed below.

BODY ART INSPECTION

| | |
|---------------------------|--|
| 1 | 119315(b)(1)(2)(3) - Autoclave effective - passed integrator test |
| 2 | 119309(e-g),315(a)(c-d) - Process of cleaning, labeling, packaging and steriliizing items appropriate |
| POINTS 3 | Inspector Comments: Observed sterilized piercing tools not labeled. Provide sterilizing date and employee's initial on packages of sterilized items. |

Violation Description:

119309 (e) An instrument or other reusable item that comes into contact with nonintact skin or mucosal surfaces shall either be single use or be cleaned, decontaminated, packaged, and sterilized after each procedure. Sterilization shall be accomplished pursuant to the procedures established in Section 119315 by steam autoclave.

119309 (f) An instrument or reusable item that does not come into contact with nonintact skin or mucosal surfaces shall be washed with a solution of soap and water, using a brush that is small enough to clean the interior surfaces, and decontaminated after each procedure.

119309 (g) A reusable item that cannot be immediately washed, disinfected, and sterilized following completion of the body art procedure shall be placed in a basin of water with or without detergent.

119315 (a) Clean instruments to be sterilized shall first be sealed in sterilization packaging that contain either a sterilizer indicator or process indicator, unless instruments are being processed for immediate use. The outside of the pack shall be labeled with the name of the instrument if not immediately identifiable, the date sterilized, and the initials of the person operating the sterilizing equipment unless instruments are being sterilized for immediate use.

119315 (c) Clean instruments and sterilized instrument packs shall be placed in clean, dry, labeled containers, or stored in a labeled cabinet that is protected from dust and moisture.

119315 (d) Sterilized instruments shall be stored in the intact sterilization packaging or in the sterilization equipment cartridge until time of use.

| | |
|---------------------------|---|
| 3 | 119315(b)(e) - Autoclave loaded correctly/packages allowed to dry |
| 4 | 119315(b)(2-5) - Integrators used/monthly spore test/log maintained |
| POINTS 3 | Inspector Comments: Observed no monthly spore test record for the autoclave. Ensure monthly spore test and keep test records for 3 years. |

Violation Description:

119315 (b) (2) Sterilization equipment shall be tested using a commercial biological indicator monitoring system after the initial installation, after any major repair, and at least once per month. The expiration date of the monitor shall be checked prior to each use.

119315 (b) (3) Each sterilization load shall include, at a minimum, a Class V integrator.

119315 (b) (4) Biological indicator monitoring test results shall be recorded in a log that shall be kept on site for three years after the date of the results.

119315 (b) (5)A written log of each sterilization cycle shall be maintained for three years, shall be available for inspection by the enforcement officer, and shall include all of the following information:

(A) The date of the load.

(B) A list of the contents of the load.

(C) The exposure time and temperature.

(D) The results of the Class V integrator.

(E) For cycles where the results of the biological indicator monitoring test are positive, how the items were cleaned, and proof of a negative test before reuse.

| | |
|---|---|
| 5 | 119314(c)(1)(2) - Decontamination/sanitation area separate and supplied appropriately * |
|---|---|



Public Health

Environmental Health Services

www.SBCounty.gov

BODY ART - OFFICIAL INSPECTION REPORT

| | | |
|---|------------------|------------------------|
| FACILITY NAME ARTISTIC ELEMENT TATTOO | DATE 9/3/2015 | INSPECTOR Yong Aday |
| LOCATION 34247 YUCAIPA BL D, YUCAIPA, CA 92399 | | |

BODY ART INSPECTION

6 119315(f)(1-3), 119318(c) - Invoices and log kept for disposable, pre-sterilized equipment, backup supplies adequate *

POINTS
3

Inspector Comments:

Observed purchase receipts for disposal instruments from one practitioner only. Maintain the receipts or invoice for 90 days after use.

The written proof on a company or laboratory letterhead stating that the disposal instruments were presterilized was not available. Obtain the letter from supplier company (Cheyenne or tube with needle(s) at this time) according to the code.

Violation Description:

119315 (f) A body art facility that does not afford access to a decontamination and sterilization area that meets the standards of subdivision (c) of Section 119314 or that does not have sterilization equipment shall use only purchased disposable, single-use, presterilized instruments. In place of the requirements for maintaining sterilization records, the following records shall be kept and maintained for a minimum of 90 days following the use of the instruments at the site of practice for the purpose of verifying the use of disposable, single-use, presterilized instruments:

(1) A record of purchase and use of all single-use instruments.

(2) A log of all procedures, including the names of the practitioner and client and the date of the procedure. A record of purchase and use of all single-use instruments. A log of all procedures, including the names of the practitioner and client and the date of the procedure.

(3) Written proof on company or laboratory letterhead showing that the presterilized instruments have undergone a sterilization process. Written proof shall clearly identify the instruments sterilized by name or item number and shall identify the lot or batch number of the sterilizer run.

119318 (c) The sponsor of a temporary body art event shall be responsible for ensuring the availability of support facilities and supplies for practitioners and vendors.

7 119311 (g), 119314 (e) - Sharps containers supplied, labeled, used and disposed of appropriately *

POINTS
3

Inspector Comments:

Observed no record for sharps waste disposal. Maintain sharps disposal records for 3 years.

Violation Description:

119311 (g) Needles, needle bars, grommets, and razors shall be discarded into a sharps waste container immediately upon completion of the procedure.

119314 (e) Each procedure area shall have a sharps waste container that meets the following requirements:

(1) The sharps waste container shall be portable, if portability is necessary to ensure that the sharps waste container is within arm's reach of the practitioner.

(2) The sharps waste container shall be labeled with the words "sharps waste" or with the international biohazard symbol and the word "BIOHAZARD."

(3) All sharps waste produced during the process of tattooing, body piercing, or the application of permanent cosmetics shall be disposed by either of the following methods: (A) Removal and disposal by a licensed waste hauler. Materials shall be disposed of at a licensed treatment facility or removed and transported through a mail-back system authorized by the State Department of Public Health. (B) As solid waste, after being disinfected by a method approved by the department pursuant to paragraph (3) of subdivision (a) of Section 118215.

(4) Documentation of proper disposal of sharps waste shall be maintained for three years and shall be available for inspection at the request of the enforcement officer.

8 119310(a-c);311(f);315d,e - Jewelry, tattoo and piercing equipment - clean and sterilized

9 119309(i);119308 (a)(2) - No eating, drinking or smoking - clean clothes

10 119301(m)(1-2);308(a)1,4 - Hands washed effectively and timely

11 119314(b-c);317(g);318(b) - Handwashing facilities properly supplied and accessible, warm potable water *

12 119308(a)(2-4);119309(d) - Appropriate personal protective equipment available and used, eyewash station available *

POINTS
3

Inspector Comments:

Observed no paper towel dispenser at the hand washing sink at procedure area. Provide paper towel from a touchless dispenser.

Violation Description:

119308 (a) Before performing body art, the practitioner shall do all of the following:

(2) Put on a clean apron, bib, or lap pad over clean, dry clothing.

(3) Put on personal protective equipment that is appropriate for the task.

(4) Don clean, previously unused, disposable examination gloves on both hands just prior to the procedure. Gloves shall be worn throughout the procedure. If gloves come into contact with an object or surface other than the client's prepared skin or material to be used for the procedure, or if a glove is torn or punctured, both gloves shall be removed, hand hygiene performed, and new, clean, previously unused, disposable examination gloves shall be donned. If gloves are removed for any reason during a procedure, hand hygiene shall be performed prior to donning new, clean, previously unused, disposable examination gloves.

119309 (d) The practitioner shall wear disposable gloves on both hands when touching, decontaminating, or handling a surface, object, instrument, or jewelry that is soiled or that is potentially soiled with human blood.

13 119309(j) - Branding is completed with no other customers in procedure area



Public Health

Environmental Health Services

www.SBCounty.gov

BODY ART - OFFICIAL INSPECTION REPORT

| | | |
|---|------------------|------------------------|
| FACILITY NAME ARTISTIC ELEMENT TATTOO | DATE 9/3/2015 | INSPECTOR Yong Aday |
| LOCATION 34247 YUCAIPA BL D, YUCAIPA, CA 92399 | | |

BODY ART INSPECTION

- | | |
|----|--|
| 14 | 119302(a-d) - Customers eighteen (18) years of age or older |
| 15 | 119308(a)(5)(6) - Skin adequately prepared for procedure. |
| 16 | 119303(a)(1-5),(b)(1-4) - Client records approved and available - Consent form & questionnaire |

POINTS

3

Inspector Comments:

The statement regarding ink not approved by FDA was missing from the consent form. Provide the statement according to the code.

Violation Description:

119303 (a) Prior to the performance of body art, the client shall read, complete, and sign an informed consent form that shall include, but not be limited to, all of the following information:

- (1) A description of the procedure.
- (2) A description of what the client should expect following the procedure, including suggested care and any medical complications that may occur as a result of the procedure.
- (3) A statement regarding the permanent nature of body art.
- (4) Notice that tattoo inks, dyes, and pigments have not been approved by the federal Food and Drug Administration and that the health consequences of using these products are unknown.
- (5) Postprocedure instructions that include all of the following: A. Information on the care of the procedure site. B. Restrictions on physical activities such as bathing, recreational water activities, gardening, or contact with animals, and the duration of the restrictions. C. Signs and symptoms of infection, including, but not limited to, redness, swelling, tenderness of the procedure site, red streaks going from the procedure site towards the heart, elevated body temperature, or purulent drainage from the procedure site.

119303 (b) Prior to the performance of body art, the client shall receive, complete, and sign a questionnaire that includes all of the following information:

- (1) Whether the client may be pregnant.
- (2) Whether the client has a history of herpes infection at the proposed procedure site, diabetes, allergic reactions to latex or antibiotics, hemophilia or other bleeding disorder, or cardiac valve disease.
- (3) Whether the client has a history of medication use or is currently using medication, including being prescribed antibiotics prior to dental or surgical procedures.
- (4) Other risk factors for bloodborne pathogen exposure.

| | |
|----|---|
| 17 | 119308(b)(1)(2) - Appropriate aftercare instructions given to client |
| 18 | 119311(i) - Safe machine design |
| 19 | 119308(b)(6),309(e)311(h) - Machines cleaned and disinfected between clients |
| 20 | 119311(g) - Parts replaced between clients - grommets, elastic bands, etc. |
| 21 | 119309(a-c) - Workstation/procedure area decontaminated |
| 22 | 119301(k) - Appropriate chemical disinfectant used |
| 23 | 119301(b) - Disinfectant used appropriately/sufficient contact time Wet contact time provided: |
| 24 | 119311(h) - Barriers available and used appropriately * |
| 25 | 119311(a)(c)(d) - Products applied to skin are single use/dispensed aseptically |
| 26 | 119309(h);119315(d)(e) - Storage of inks, pigments, needles, tubes, etc. |
| 27 | 119310(b),119311 - Jewelry, Inks, Needles etc approved and used correctly |
| 28 | 119308(a-b);119309;119311 - Cross-contamination avoided during all phases of procedure |
| 29 | 119314(a)(f), 119317(b) - Areas separated/no living or sleeping quarters/no animals * |
| 30 | 119314(a)(1);119317(e) - Floors and walls clean and in good repair, adequate light * |
| 31 | 119309(b);119318(b)(5) - Workstation, surfaces, including chairs, armrests, etc. in good repair; trash removed frequently * |
| 32 | 119306;312(g);318(d,e) - Permit/registration and required signs posted * |
| 33 | 119306, 119307, 119318 - IPCP and employee training records and Hepatitis B vaccination status present |
| 34 | 119316(4);119318(b)(2) - Restrooms available, stocked * |
| 35 | 119314(e,f,h) - Plan Review |
| 36 | 119306; 312; 317; 318 - Permits Obtained & Available * |
| 37 | 119319(c) - Impoundment |
| 38 | 119320(d) - Hearing Scheduled |
| 39 | 119320(a-c);119321 - Closure * |

Overall Inspection Comments:

Note: A few practitioners carry the registrations on them at this time. Post the registrations at practitioners' stations according to the code.



Public Health
Environmental Health Services

BODY ART - OFFICIAL INSPECTION REPORT

| | | |
|---|------------------|------------------------|
| FACILITY NAME ARTISTIC ELEMENT TATTOO | DATE 9/3/2015 | INSPECTOR Yong Aday |
| LOCATION 34247 YUCAIPA BL D, YUCAIPA, CA 92399 | | |

Signature(s) of Acknowledgement

A handwritten signature in blue ink, appearing to be "Yong Aday".

NAME:
TITLE:

Total # of Images: 0