



CAL CODE OFFICIAL INSPECTION REPORT

FACILITY NAME SUBWAY #35647		DATE 4/12/2021	REINSPECTION DATE 4/26/2021	PERMIT EXPIRATION 4/30/2021
LOCATION 4083 PHELAN RD C, PHELAN, CA 92371			INSPECTOR Matthew Covach	
MAILING ADDRESS 1450 N. BENSON AVE UNIT A, UPLAND CA 91786			IDENTIFIER: None	
			SERVICE: 001 - Inspection - Routine	
TIME IN 10:45 AM	TIME OUT 12:58 PM	FACILITY ID FA0018623	RELATED ID PR0024871	PE 1620
			RESULT: 05 - Corrective Action / Follow up Required	
			ACTION: 13 - Permit Suspended / Facility Closed	

Based on an inspection this day, the items marked below identify the violation(s) in operation or facilities which must be corrected. Failure to correct listed violation(s) prior to the designated compliance date may necessitate an additional inspection to be billed at the hourly rate as provided in the San Bernardino County Code [Schedule of Fees](#).

Administrative Order to Show Cause (OSC): The Permittee has the right to a hearing if requested in writing within 15 calendar days of receipt of this notice, to show cause why the permit to operate should not be suspended or revoked; otherwise the right to a hearing shall be deemed waived.



SCORE 93

Reduce food loss, and feed those in need by donating your surplus food. [Learn more about donating surplus food.](#)

See the following pages for the code sections and general requirements that correspond to each violation listed below.

- In = In compliance
- N/O = Not observed
- N/A = Not applicable
- + COS = Corrected on-site
- ⊗ MAJ = Major violation
- ⊗ OUT = Out of compliance

DEMONSTRATION OF KNOWLEDGE		COS	MAJ	OUT
○ In	N/O 1. Demonstration of knowledge; food safety certification			2
EMPLOYEE HEALTH & HYGIENIC PRACTICES				
○ In	2. Communicable disease; reporting, restrictions & excl		4	
○ In	N/O 3. No discharge from eyes, nose, and mouth			2
○ In	N/O 4. Proper eating, tasting, drinking or tobacco use			2
PREVENTING CONTAMINATION BY HANDS				
○ In	N/O 5. Hands clean and properly washed; gloves used prop		4	2
○ In	6. Adequate handwashing facilities supplied & accessib			2
TIME AND TEMPERATURE RELATIONSHIPS				
○ In	N/O N/A 7. Proper hot and cold holding temperatures		4	2
○ In	N/O N/A 8. Time as a public health control; procedures & record		4	2
In	○ N/O N/A 9. Proper cooling methods		4	2
○ In	N/O N/A 10. Proper cooking time & temperatures		4	
○ In	N/O N/A 11. Proper reheating procedures for hot holding		4	
PROTECTION FROM CONTAMINATION				
In	○ N/O N/A 12. Returned and reserve of food			2
○ In	13. Food in good condition, safe and unadulterated		4	2
○ In	N/O N/A 14. Food contact surfaces: clean and sanitized		4	2

FOOD FROM APPROVED SOURCES		COS	MAJ	OUT
○ In	15. Food obtained from approved source		4	
In	N/O ○ N/A 16. Compliance with shell stock tags, condition, display			2
In	N/O ○ N/A 17. Compliance with Gulf Oyster Regulations			2
CONFORMANCE WITH APPROVED PROCEDURES				
In	○ N/A 18. Compliance with variance, specialized process, and HACCP Plan			2
CONSUMER ADVISORY				
In	N/O ○ N/A 19. Consumer advisory provided for raw or undercooked foods			2
HIGHLY SUSCEPTIBLE POPULATIONS				
In	○ N/A 20. Licensed health care facilities/public and private schools; prohibited foods not offered		4	
WATER/HOT WATER				
In	21. Hot and cold water available			⊗ 2
LIQUID WASTE DISPOSAL				
○ In	22. Sewage and wastewater properly disposed		4	2
VERMIN				
○ In	23. No rodents, insects, birds, or animals		4	2

SUPERVISION	OUT
24. Person in charge present and performs duties	1
PERSONAL CLEANLINESS	
25. Personal cleanliness and hair restraints	1
GENERAL FOOD SAFETY REQUIREMENTS	
26. Approved thawing methods used, frozen food	1
27. Food separated and protected	1
28. Washing fruits and vegetables	1
29. Toxic substances properly identified, stored, use	1
FOOD STORAGE/DISPLAY/SERVICE	
30. Food storage; food storage containers identified	1
31. Consumer self-service	1
32. Food properly labeled & honestly presented	1

EQUIPMENT/UTENSILS/LINENS	OUT
33. Nonfood contact surfaces clean	1
34. Warewashing facilities: installed, maintained, used	1
35. Equipment/Utensils approved; installed; clean; good repa	1
36. Equipment, utensils and linens: storage and use	1
38. Adequate ventilation and lighting; designated area	1
39. Thermometers provided and accurate	1
40. Wiping cloths: properly used and stored	1
PHYSICAL FACILITIES	
41. Plumbing: proper backflow devices	⊗
42. Garbage and refuse properly disposed; facilities m	1
43. Toilet facilities: properly constructed, supplied, clea	1
44. Premises; personal/cleaning items; vermin-proofin	⊗

PERMANENT FOOD FACILITIES	OUT
45. Floor, walls, ceilings: built, maintained, and clean	⊗
46. No unapproved private homes/living or sleeping qu	1
SIGNS REQUIREMENTS	
47. Signs posted; last inspection report available	1
48. Food handler cards	3
COMPLIANCE & ENFORCEMENT	
49. Permits Available	
50. Restrooms Required	
51. Plan Review	
52. VC&D	
53. Impoundment	
54. Permit Suspension	⊗



CAL CODE OFFICIAL INSPECTION REPORT

FACILITY NAME SUBWAY #35647	DATE 4/12/2021
LOCATION 4083 PHELAN RD C, PHELAN, CA 92371	INSPECTOR Matthew Covach

54. PERMIT SUSPENSION

POINTS
0

Compliance date not specified
Not In Compliance
Violation Reference - HSC -
114409, 114405

Inspector Comments: You are hereby notified that your health permit is temporarily suspended due to lack of hot water.

DO NOT REMOVE OR RELOCATE CLOSURE SIGN.
Non-compliance will result in a charged follow up inspection at an hourly rate of \$245 with a minimum charge of \$122.50.

If the violation is not in compliance upon reinspection, a billable re-inspection will be conducted.

Violation Description: If an imminent health hazard is found, an enforcement officer may temporarily suspend the permit and order the food facility immediately closed. (114409, 114405)

21. HOT AND COLD WATER AVAILABLE

MAJOR

POINTS
4

Compliance date not specified
Not In Compliance
Violation Reference - HSC -
113953(c), 114099.2(b)

Inspector Comments: 1. Observed a maximum hot water temperature of 95.2 degrees Fahrenheit (F) available at facility.

Ensure facility is supplied with a minimum of 120 F hot water.

Provide a minimum of 120 F hot water to facility and maintain at all times of operation. See permit suspension.

2. Observed hot water supply line to faucet turned off at three-compartment sink. Operator stated that the hot water line leaks if not turned off at the supply line to faucet at three-compartment sink.

Ensure hot and cold water is available at three-compartment sink at all times.

Provide a minimum of 120 F hot water to three-compartment sink at all times of operation.

Violation Description: An adequate, protected, pressurized, potable supply of hot water and cold water shall be provided at all times. (113953(c), 114099.2(b) 114101(a), 114189, 114192, 114192.1, 114195)

41. PLUMBING; PROPER BACKFLOW DEVICES

POINTS
1

Compliance date not specified
Not In Compliance
Violation Reference - HSC -
114171, 114189.1

Inspector Comments: Observed leaky faucet at single-compartment prep sink.

Ensure all plumbing and plumbing fixtures are in good repair, clean, and fully operative at all times.

Repair/ replace leaky faucet at single-compartment prep sink and maintain in good repair.

Violation Description: The potable water supply shall be protected with a backflow or back siphonage protection device, as required by applicable plumbing codes. (114192) All plumbing and plumbing fixtures shall be installed in compliance with local plumbing ordinances, shall be maintained so as to prevent any contamination, and shall be kept clean, fully operative, and in good repair. Any hose used for conveying potable water shall be of approved materials, labeled, properly stored, and used for no other purpose. (114171, 114189.1, 114190, 114193, 114193.1, 114199, 114201, 114269)



CAL CODE OFFICIAL INSPECTION REPORT

FACILITY NAME SUBWAY #35647	DATE 4/12/2021
LOCATION 4083 PHELAN RD C, PHELAN, CA 92371	INSPECTOR Matthew Covach

44. PREMISES; PERSONAL/CLEANING ITEMS; VERMIN-PROOFING

POINTS 1	Compliance date not specified Not In Compliance Violation Reference - HSC - 114067 (j), 114123	Inspector Comments: Observed nonfunctional air curtain above rear delivery door. Ensure the facility is maintained in a manner that prevents the entrance or harborage of vermin. Provide a functional, door activated air curtain above rear delivery door and maintain in good repair.
---------------------------	---	--

Violation Description: The premises of each food facility shall be kept clean and free of litter and rubbish; all clean and soiled linen shall be properly stored; non-food items shall be stored and displayed separate from food and food-contact surfaces; the facility shall be kept vermin proof. (114067 (j), 114123, 114143 (a) & (b), 114256, 114256.1, 114256.2, 114256.4, 114257, 114257.1, 114259, 114259.2, 114259.3, 114279, 114281, 114282) Food preparation sinks, handwashing sinks and warewashing equipment shall not be used for the cleaning of maintenance tools, the holding of maintenance materials, or the disposal of liquid wastes. (114123) Open-air barbecue and/or outdoor wood burning oven must operate on the same premises, in conjunction with a permanent food facility and not in an area that may pose as a fire hazard. (114143(a) (b)) Janitorial sink or approved curbed cleaning facility (exemption for restricted food service facilities Section 114279 (b)) shall be provided. (114279(a)) First aid supplies must have a legible manufacturer's label and stored in a kit or container that is located to prevent contamination. (114256.4) Insect electrocution devices are not allowed in food or utensil handling areas. (114259.3)

45. FLOORS, WALLS AND CEILINGS: BUILT, MAINTAINED, AND CLEAN

POINTS 1	Compliance date not specified Not In Compliance Violation Reference - HSC - 114143 (d), 114266	Inspector Comments: 1. Observed missing ceiling tiles above water heater. Ensure all floors, walls, and ceiling are maintained in good repair. Repair/ replace missing ceiling tiles above water heater and maintain all ceiling tiles in good repair. 2. Observed three (3) large gaps in walls above walk-in cooler and walk-in freezer. Ensure all floors, walls, and ceiling are maintained in good repair. Enclose/ seal all gaps in walls above walk-in cooler and walk-in freezer and maintain in good repair.
---------------------------	---	--

Violation Description: The walls / ceilings shall have durable, smooth, nonabsorbent, and washable surfaces. All floor surfaces, other than the customer service areas, shall be approved, smooth, durable and made of nonabsorbent material that is easily cleanable. Approved base coving shall be provided in all areas, except customer service areas and where food is stored in original unopened containers. Food facilities shall be fully enclosed. All food facilities shall be kept clean and in good repair. (114143 (d), 114257, 114266, 114268, 114268.1, 114271, 114272) Cleaning must be an approved dustless method. (114268.1) Mats and duckboards, if used, must be removable and easily cleanable. (114272) Open-air barbecues or wood-burning ovens floor surfaces must extend a minimum of five feet and be impervious or easily cleanable. (114143(d))

CV. COVID-19 OBSERVATIONS

POINTS 0	Compliance date not specified Not In Compliance Violation Reference - SBC Policy - No Reference Number Specified	Inspector Comments: Observed the following COVID-19 associated changes to practice: - "Face coverings required" signage at facility. - Social distancing signage at facility. - Hand sanitizer available at facility.
---------------------------	---	--

Violation Description: Observations regarding COVID-19 associated changes to practices are recorded here.

IMPORTANT: Risk Based Inspection Frequency

Food facilities that pose a higher risk level for causing foodborne illness will be subject to an additional inspection, to be billed at the hourly rate as provided in the San Bernardino County Code [Schedule of Fees](#). Facilities that received one or more of the following will be elevated to a high risk tier:

- A score letter of "C" or lower on one of the last two graded inspections,
- A score letter of "B" on two of the last three graded inspections,
- Repeated "four (4) point violation Risk Factor" (critical violation codes 1-23) on the last two inspections, or
- Four (4) or more critical violations (codes 1-23) noted during an inspection, or
- A permit suspension (closure) on your last graded inspection.



CAL CODE OFFICIAL INSPECTION REPORT

FACILITY NAME SUBWAY #35647	DATE 4/12/2021
LOCATION 4083 PHELAN RD C, PHELAN, CA 92371	INSPECTOR Matthew Covach

Food Establishment Donor Survey

Will you please take a few moments of your time to complete our [Food Establishment Donor Survey](#)? The purpose of this survey is to learn about current food recovery and food waste reduction efforts and struggles throughout San Bernardino County.

The feedback from the survey will help us identify barriers and opportunities, and connect you with nearby charitable feeding organizations so you can donate your surplus food. Once you complete the survey, you can view your entry and connect with other donor food establishments and charitable feeding organizations in the following [Live Web Map](#).

Overall Inspection Comments

Letter grade "A" posted.

FREE Classes to L.E.A.R.N!

Liaison Education And Risk Network (L.E.A.R.N.) is a FREE class based on the fundamentals of Active Managerial Control and the Centers for Disease Control and Prevention's five risk factors that lead to foodborne illnesses. Find out when the next L.E.A.R.N. class is by checking our [calendar](#).

Signature(s) of Acknowledgement

No Sig

NAME: Maribel Pastor
TITLE: District manager