County of San Bernardino • Department of Public Health
Division of Environmental Health Services

COMMUNITY ENVIRONMENTAL HEALTH PROGRAM
BODY ART - OFFICIAL INSPECTION REPORT

www.sbcounty.gov/dph/dehs

(800) 442-2283

FACILITY NAME CLOAK & DAGGER TATTOO				DATE 2/6/2015	SIGNATURE
LOCATION 13312 RANCHERO RD 15, OAK HILLS, CA 92344					REINSPECTION DATE 2/06/2016 / PERMIT EXPIRATION 5/31/2015
MAILING ADDRESS 13312 RANCHERO RD UNIT 15, OAK HILLS CA 92344		☐FACILITY ☐OWNER ☑ACCOUNT			REHS Hui Chieng
FA # FA0025908	PR # PR0033931	SR #	CO #	PE 2502	PROGRAM IDENTIFIER: SERVICE: 001 - INSPECTION - ROUTINE
TIME IN 2:51 PM	TIME OUT 4:30 PM	CONTACT			RESULT: 03 - CORRECTIVE ACTION / NO FOLLOW UP RE ACTION: 01 - NO FURTHER ACTION REQUIRED

BODY ART - Body Art Facility

Based on an inspection this day, the items marked below identify the violation(s) in operation or facilities which must be corrected. The Permittee has the right to a hearing if requested in writing within 15 calendar days of receipt of this notice, to show cause why the permit to operate should not be suspended or revoked.

Failure to correct listed violation(s) prior to the designated compliance date may necessitate an additional reinspection at a charge of $61.25 per 15 minutes with a minimum time of 30 minutes, and a minimum charge of $122.50

BODY ART INSPECTION

1 ☐ IN ■ NA ☐ OUT 119315(b)(1)(2)(3) - Autoclave effective - passed integrator test

Violation Description:

119315 (b) (1) Only equipment manufactured for the sterilization of medical instruments shall be used.
119315 (b) (2) Sterilization equipment shall be tested using a commercial biological indicator monitoring system after the initial installation, after any major repair, and at least once per month. The expiration date of the monitor shall be checked prior to each use.
119315 (b) (3) Each sterilization load shall be monitored with mechanical indicators for time, temperature, and pressure.

2 ☐ IN ■ NA ☐ OUT 119309(e-g),315(a)(c-d) - Process of cleaning, labeling, packaging and sterliziing items appropropriate

Violation Description:

119309 (e) An instrument or other reusable item that comes into contact with nonintact skin or mucosal surfaces shall either be single use or be cleaned, decontaminated, packaged, and sterilized after each procedure. Sterilization shall be accomplished pursuant to the procedures established in Section 119315 by steam autoclave.
119309 (f) An instrument or reusable item that does not come into contact with nonintact skin or mucosal surfaces shall be washed with a solution of soap and water, using a brush that is small enough to clean the interior surfaces, and decontaminated after each procedure.
119309 (g) A reusable item that cannot be immediately washed, disinfected, and sterilized following completion of the body art procedure shall be placed in a basin of water with or without detergent.
119315 (a) Clean instruments to be sterilized shall first be sealed in sterilization packaging that contain either a sterilizer indicator or process indicator, unless instruments are being processed for immediate use. The outside of the pack shall be labeled with the name of the instrument if not immediately identifiable, the date sterilized, and the initials of the person operating the sterilizing equipment unless instruments are being sterilized for immediate use.
119315 (c) Clean instruments and sterilized instrument packs shall be placed in clean, dry, labeled containers, or stored in a labeled cabinet that is protected from dust and moisture.
119315 (d) Sterilized instruments shall be stored in the intact sterilization packaging or in the sterilization equipment cartridge until time of use.

3 ☐ IN ■ NA ☐ OUT 119315(b)(e) - Autoclave loaded correctly/packages allowed to dry

Violation Description:

119315 (b) Sterilizers shall be loaded, operated, decontaminated, and maintained according to manufacturer#s directions.

119315 (e) Sterile instrument packs shall be evaluated at the time of storage and before use. If the integrity of a pack is compromised, including, but not limited to, cases where the pack is torn, punctured, wet, or displaying any evidence of moisture contamination, the pack shall be discarded or reprocessed before use.

County of San Bernardino • Department of Public Health
Division of Environmental Health Services

COMMUNITY ENVIRONMENTAL HEALTH PROGRAM
BODY ART - OFFICIAL INSPECTION REPORT

www.sbcounty.gov/dph/dehs

(800) 442-2283

FACILITY NAME	DATE	SIGNATURE
CLOAK & DAGGER TATTOO	2/6/2015	
LOCATION		REHS
13312 RANCHERO RD 15, OAK HILLS, CA 92344		Hui Chieng

BODY ART INSPECTION

4 ☐ IN ■ NA ☐ OUT 119315(b)(2-5) - Integrators used/monthly spore test/log maintained

Violation Description:

119315 (b) (2) Sterilization equipment shall be tested using a commercial biological indicator monitoring system after the initial installation, after any major repair, and at least once per month. The expiration date of the monitor shall be checked prior to each use.
119315 (b) (3) Each sterilization load shall include, at a minimum, a Class V integrator.
119315 (b) (4) Biological indicator monitoring test results shall be recorded in a log that shall be kept on site for three years after the date of the results.
119315 (b) (5)A written log of each sterilization cycle shall be maintained for three years, shall be available for inspection by the enforcement officer, and shall include all of the following information:
(A) The date of the load.
(B) A list of the contents of the load.
(C) The exposure time and temperature.
(D) The results of the Class V integrator.
(E) For cycles where the results of the biological indicator monitoring test are positive, how the items were cleaned, and proof of a negative test before reuse.

5 ☐ IN ■ NA ☐ OUT 119314(c)(1)(2) - Decontamination/sanitation area separate and supplied appropriately *

Violation Description:

119314 (c) (1) Decontamination and sterilization areas within a body art facility shall meet all of the following requirements: Be separated from procedure areas by a space of at least five feet or by a cleanable barrier.
119314 (c) (2) Be equipped with a sink, hot and cold running water, containerized liquid soap, and single-use paper towels dispensed from a wall-mounted, touchless dispenser that is readily accessible to the practitioner.

6 ■ IN ☐ NA ☐ OUT 119315(f)(1-3), 119318(c) - Invoices and log kept for disposable, pre-sterilized equipment, backup supplies ad

Violation Description:

119315 (f) A body art facility that does not afford access to a decontamination and sterilization area that meets the standards of subdivision (c) of Section 119314 or that does not have sterilization equipment shall use only purchased disposable, single-use, presterilized instruments. In place of the requirements for maintaining sterilization records, the following records shall be kept and maintained for a minimum of 90 days following the use of the instruments at the site of practice for the purpose of verifying the use of disposable, single-use, presterilized instruments:

(1) A record of purchase and use of all single-use instruments.

(2) A log of all procedures, including the names of the practitioner and client and the date of the procedure.A record of purchase and use of all single-use instruments. A log of all procedures, including the names of the practitioner and client and the date of the procedure.
(3) Written proof on company or laboratory letterhead showing that the presterilized instruments have undergone a sterilization process. Written proof shall clearly identify the instruments sterilized by name or item number and shall identify the lot or batch number of the sterilizer run.

119318 (c) The sponsor of a temporary body art event shall be responsible for ensuring the availability of support facilities and supplies for practitioners and vendors.

County of San Bernardino • Department of Public Health
Division of Environmental Health Services

COMMUNITY ENVIRONMENTAL HEALTH PROGRAM
BODY ART - OFFICIAL INSPECTION REPORT

www.sbcounty.gov/dph/dehs

(800) 442-2283

FACILITY NAME	DATE	SIGNATURE
CLOAK & DAGGER TATTOO	2/6/2015	
LOCATION: 13312 RANCHERO RD 15, OAK HILLS, CA 92344		REHS: Hui Chieng

BODY ART INSPECTION

7 ■ IN ☐ NA ☐ OUT 119311 (g), 119314 (e) - Sharps containers supplied, labeled, used and disposed of appropriately *

Violation Description:

119311 (g) Needles, needle bars, grommets, and razors shall be discarded into a sharps waste container immediately upon completion of the procedure.
119314 (e) Each procedure area shall have a sharps waste container that meets the following requirements:
(1)The sharps waste container shall be portable, if portability is necessary to ensure that the sharps waste container is within arm#s reach of the practitioner.
(2) The sharps waste container shall be labeled with the words "sharps waste" or with the international biohazard symbol and the word "BIOHAZARD."
(3) All sharps waste produced during the process of tattooing, body piercing, or the application of permanent cosmetics shall be disposed by either of the following methods: (A) Removal and disposal by a licensed waste hauler. Materials shall be disposed of at a licensed treatment facility or removed and transported through a mail-back system authorized by the State Department of Public Health. (B) As solid waste, after being disinfected by a method approved by the department pursuant to paragraph (3) of subdivision (a) of Section 118215.
(4) Documentation of proper disposal of sharps waste shall be maintained for three years and shall be available for inspection at the request of the enforcement officer.

8 ☐ IN ■ NA ☐ OUT 119310(a-c);311(f);315d,e - Jewelry, tattoo and piercing equipment - clean and sterilized

Violation Description:

119310 (a) Jewelry placed in newly pierced skin shall be sterilized prior to piercing as specified in Section 119315 or shall be purchased presterilized. Sterile jewelry packs shall be evaluated before use and, if the integrity of a pack is compromised, including, but not limited to, being torn, wet, or punctured, the pack shall be discarded or reprocessed before use.
119310 (b) Only jewelry made of ASTM F138, ISO 5832-1, and AISI 316L or AISI 316LVM implant grade stainless steel, solid 14-karat through 18-karat yellow or white gold, niobium, ASTM F 136 6A4V titanium, platinum, or other materials found to be equally biocompatible shall be placed in newly pierced skin.
119310 (c) Ear piercing equipment with a disposable, single-use, presterilized stud and clasp may be used only for piercing the ear pursuant to Article 7 (commencing with Section 119325).
119310 (d) If measuring the body piercing site is necessary, clean calipers shall be used and the skin marked using clean toothpicks and ink or a single-use marking pen.
119311 (f) Only single-use needles and needle bars shall be used in tattooing and the application of permanent cosmetics. Needles and needle bars that are purchased in a nonsterilized state, shall be sterilized, pursuant to the process required by Section 119315.
119315 (d) Sterilized instruments shall be stored in the intact sterilization packaging or in the sterilization equipment cartridge until time of use.
119315 (e) Sterile instrument packs shall be evaluated at the time of storage and before use. If the integrity of a pack is compromised, including, but not limited to, cases where the pack is torn, punctured, wet, or displaying any evidence of moisture contamination, the pack shall be discarded or reprocessed before use.

9 ■ IN ☐ NA ☐ OUT 119309(i);119308 (a)(2) - No eating, drinking or smoking - clean clothes

Violation Description:

119309 (i) No food, drink, tobacco product, or personal effects are permitted in the procedure area. The practitioner shall not eat, drink, or smoke while performing a procedure. If a client requests to eat, drink, or smoke, the procedure shall be stopped and the procedure site shall be protected from possible contamination while the client leaves the procedure area to eat, drink, or smoke.
119308(a) (2) Before performing body art, the practitioner shall put on a clean apron, bib, or lap pad over clean, dry clothing.

10 ■ IN ☐ NA ☐ OUT 119301(m)(1-2);308(a)1,4 - Hands washed effectively and timely

Violation Description:

119301 (m) "Hand hygiene" means either of the following:
(1) Thoroughly washing all surfaces of the hands and under the fingernails with soap and warm water.
(2) In the absence of contamination with blood or other bodily fluids, or obvious soiling, applying an antiseptic solution to all the surfaces of the hands and underneath the fingernails.
119308 (a) (1) Wash and dry his or her hands consistent with sound hygienic practices.
119308 (a) (4) Don clean, previously unused, disposable examination gloves on both hands just prior to the procedure. Gloves shall be worn throughout the procedure. If gloves come into contact with an object or surface other than the client#s prepared skin or material to be used for the procedure, or if a glove is torn or punctured, both gloves shall be removed, hand hygiene performed, and new, clean, previously unused, disposable examination gloves shall be donned. If gloves are removed for any reason during a procedure, hand hygiene shall be performed prior to donning new, clean, previously unused, disposable examination gloves.

County of San Bernardino • Department of Public Health
Division of Environmental Health Services

COMMUNITY ENVIRONMENTAL HEALTH PROGRAM
BODY ART - OFFICIAL INSPECTION REPORT

www.sbcounty.gov/dph/dehs

(800) 442-2283

FACILITY NAME	DATE	SIGNATURE
CLOAK & DAGGER TATTOO	2/6/2015	
LOCATION: 13312 RANCHERO RD 15, OAK HILLS, CA 92344		REHS: Hui Chieng

BODY ART INSPECTION

11 ■ IN ☐ NA ☐ OUT 119314(b-c);317(g);318(b) - Handwashing facilities properly supplied and accessible, warm potable water *

Violation Description:

119314 (b) (4) Procedure area shall be equipped with a sink, hot and cold running water, containerized liquid soap, and single-use paper towels dispensed from a wall-mounted, touchless dispenser that is readily accessible to the practitioner.
119314 (b) (5) All sinks shall be permanently plumbed and meet local building and plumbing codes. Facilities that were issued a permit prior to January 1, 2014, shall have until July 1, 2014, to comply with this section
119314 (c) (2) Decontamination and sterilization areas shall be equipped with a sink, hot and cold running water, containerized liquid soap, and single-use paper towels dispensed from a wall-mounted, touchless dispenser that is readily accessible to the practitioner.
119317 (g) (1) For temporary body art events consisting of one demonstration booth, the booth shall be equipped with hand washing equipment that, at a minimum, consists of containerized liquid soap, single-use paper towels, a five-gallon or larger container of potable water accessible via spigot, and a wastewater collection and holding tank of corresponding size. Potable water shall be refilled and the holding tank evacuated frequently to provide uninterrupted use, or as determined by the local enforcement agency.
119318 (b) (2) Restrooms that have flush toilets supplied with toilet paper, and hand wash sinks supplied with hot and cold potable running water, soap, and single-use paper towels to which practitioners have direct access.

12 ■ IN ☐ NA ☐ OUT 119308(a)(2-4);119309(d) - Appropriate personal protective equipment available and used, eyewash station a

Violation Description:

119308 (a) Before performing body art, the practitioner shall do all of the following:
(2) Put on a clean apron, bib, or lap pad over clean, dry clothing.
(3) Put on personal protective equipment that is appropriate for the task.
(4) Don clean, previously unused, disposable examination gloves on both hands just prior to the procedure. Gloves shall be worn throughout the procedure. If gloves come into contact with an object or surface other than the client#s prepared skin or material to be used for the procedure, or if a glove is torn or punctured, both gloves shall be removed, hand hygiene performed, and new, clean, previously unused, disposable examination gloves shall be donned. If gloves are removed for any reason during a procedure, hand hygiene shall be performed prior to donning new, clean, previously unused, disposable examination gloves.

119309 (d) The practitioner shall wear disposable gloves on both hands when touching, decontaminating, or handling a surface, object, instrument, or jewelry that is soiled or that is potentially soiled with human blood.

13 ☐ IN ■ NA ☐ OUT 119309(j) - Branding is completed with no other customers in procedure area

Violation Description:

119309 (j) Branding shall not be done with another client in the procedure area. During the procedure, the practitioner and the client shall wear appropriate protective face filter masks.

14 ■ IN ☐ NA ☐ OUT 119302(a-d) - Customers eighteen (18) years of age or older

Violation Description:

119302 (a) Pursuant to Section 653 of the Penal Code, a client shall be at least 18 years of age to be offered or to receive a tattoo or permanent cosmetics application, regardless of parental consent.

119302 (b) Pursuant to Section 652 of the Penal Code, persons under 18 years of age shall not be offered or receive a body piercing unless the piercing is performed in the presence of his or her parent or guardian.
119302 (c) A client shall be at least 18 years of age to be offered or to receive a branding, regardless of parental consent.

119302 (d) The piercing or application of permanent cosmetics to the nipples or genitals of a minor is prohibited. The application of permanent cosmetics to the nipples of a minor is authorized when applied by a registered permanent cosmetic technician with the consent of the minor's parent or guardian and as directed by a physician.

15 ■ IN ☐ NA ☐ OUT 119308(a)(5)(6) - Skin adequately prepared for procedure.

Violation Description:

119308 (a) (5) If the skin at the procedure site is to be shaved, the skin shall be first washed with soap and water. A single-use, disposable razor shall be used to shave the procedure site and then discarded into a sharps container.

119308 (a) (6) Immediately prior to performing the body art, the client#s skin shall be prepared with an antiseptic solution, antimicrobial, or microbicide, according to manufacturer#s instructions. The item used for application shall be discarded after use.

County of San Bernardino • Department of Public Health
Division of Environmental Health Services

COMMUNITY ENVIRONMENTAL HEALTH PROGRAM
BODY ART - OFFICIAL INSPECTION REPORT

www.sbcounty.gov/dph/dehs

(800) 442-2283

FACILITY NAME	DATE	SIGNATURE
CLOAK & DAGGER TATTOO	2/6/2015	
LOCATION: 13312 RANCHERO RD 15, OAK HILLS, CA 92344		REHS: Hui Chieng

BODY ART INSPECTION

16 ■ IN ☐ NA ☐ OUT 119303(a)(1-5),(b)(1-4) - Client records approved and available - Consent form & questionnaire

Violation Description:

119303 (a) Prior to the performance of body art, the client shall read, complete, and sign an informed consent form that shall include, but not be limited to, all of the following information:

(1) A description of the procedure.

(2) A description of what the client should expect following the procedure, including suggested care and any medical complications that may occur as a result of the procedure.

(3) A statement regarding the permanent nature of body art.

(4) Notice that tattoo inks, dyes, and pigments have not been approved by the federal Food and Drug Administration and that the health consequences of using these products are unknown.

(5) Postprocedure instructions that include all of the following: A. Information on the care of the procedure site. B. Restrictions on physical activities such as bathing, recreational water activities, gardening, or contact with animals, and the duration of the restrictions.C. Signs and symptoms of infection, including, but not limited to, redness, swelling, tenderness of the procedure site, red streaks going from the procedure site towards the heart, elevated body temperature, or purulent drainage from the procedure site.

119303 (b) Prior to the performance of body art, the client shall receive, complete, and sign a questionnaire that includes all of the following information:

(1) Whether the client may be pregnant.

(2) Whether the client has a history of herpes infection at the proposed procedure site, diabetes, allergic reactions to latex or antibiotics, hemophilia or other bleeding disorder, or cardiac valve disease.

(3) Whether the client has a history of medication use or is currently using medication, including being prescribed antibiotics prior to dental or surgical procedures.

(4) Other risk factors for bloodborne pathogen exposure.

17 ■ IN ☐ NA ☐ OUT 119308(b)(1)(2) - Appropriate aftercare instructions given to client

Violation Description:

119308 (b) At the completion of the procedure, the practitioner shall do all of the following:
(1) Answer questions regarding the procedure site.
(2) Provide postprocedure instructions.

18 ■ IN ☐ NA ☐ OUT 119311(i) - Safe machine design

Violation Description:

119311 (i) A machine used to insert pigments shall be designed with removable tip parts between the tip and motor housing, and in a manner that will prevent backflow into enclosed parts of the motor housing.

19 ■ IN ☐ NA ☐ OUT 119308(b)(6),309(e)311(h) - Machines cleaned and disinfected between clients

Violation Description:

119308 (b) (6) At the completion of the procedure, the practitioner shall package and sterilize reusable instruments that may have come in contact with nonintact skin or mucosal surfaces.

119309 (e) An instrument or other reusable item that comes into contact with nonintact skin or mucosal surfaces shall either be single use or be cleaned, decontaminated, packaged, and sterilized after each procedure. Sterilization shall be accomplished pursuant to the procedures established in Section 119315 by steam autoclave.

119311 (h) Any part of a tattooing machine that may be touched by the practitioner during the procedure shall be covered with a disposable plastic sheath that is discarded upon completion of the procedure, and the machine shall be decontaminated upon completion of the procedure.

20 ■ IN ☐ NA ☐ OUT 119311(g) - Parts replaced between clients - grommets, elastic bands, etc.

Violation Description:

119311 (g) Needles, needle bars, grommets, and razors shall be discarded into a sharps waste container immediately upon completion of the procedure.

County of San Bernardino • Department of Public Health
Division of Environmental Health Services

COMMUNITY ENVIRONMENTAL HEALTH PROGRAM
BODY ART - OFFICIAL INSPECTION REPORT

www.sbcounty.gov/dph/dehs

(800) 442-2283

FACILITY NAME	DATE	SIGNATURE
CLOAK & DAGGER TATTOO	2/6/2015	
LOCATION: 13312 RANCHERO RD 15, OAK HILLS, CA 92344		REHS: Hui Chieng

BODY ART INSPECTION

21 ■ IN ☐ NA ☐ OUT 119309(a-c) - Workstation/procedure area decontaminated

Violation Description:

119309 (a) The practitioner shall maintain a clean and sanitary environment.

(b) All solid surfaces and objects in the procedure area and the decontamination and sterilization area that have come into contact with the client or the materials used in performing the body art, including, but not limited to, chairs, armrests, tables, countertops, and trays, shall be immediately cleaned and decontaminated after each use by application of a disinfectant, used according to manufacturer#s directions.

(c) The surfaces and objects in the procedure area shall be disinfected again before use if the area has been used for any activity following its previous disinfection.

22 ■ IN ☐ NA ☐ OUT 119301(k) - Appropriate chemical disinfectant used

Violation Description:

119301 (k) "Disinfectant" means a product that is registered by the federal Environmental Protection Agency and the Department of Pesticide Regulation, as indicated on the label, to reduce or eliminate the presence of disease-causing microorganisms, including human immunodeficiency virus (HIV) and hepatitis B virus (HBV) for use in decontaminating work surfaces.

23 ■ IN ☐ NA ☐ OUT 119301(b) - Disinfectant used appropriately/sufficient contact time Wet contact time provided:

Violation Description:

119301 (b) "Bloodborne pathogen" means a disease-causing microorganism that, when present in the blood, can be transmitted to humans, including, but not limited to, hepatitis B virus (HBV), hepatitis C virus (HCV), and human immunodeficiency virus (HIV).

24 ■ IN ☐ NA ☐ OUT 119311(h) - Barriers available and used appropriately *

Violation Description:

119311 (h) Any part of a tattooing machine that may be touched by the practitioner during the procedure shall be covered with a disposable plastic sheath that is discarded upon completion of the procedure, and the machine shall be decontaminated upon completion of the procedure.

25 ■ IN ☐ NA ☐ OUT 119311(a)(c)(d) - Products applied to skin are single use/dispensed aseptically

Violation Description:

119311 (a) A product applied to the skin prior to tattooing or application of permanent cosmetics, including, but not limited to, stencils and marking and transfer agents, including pens, shall be single use and discarded into a waste container at the end of the procedure unless the product can be disinfected for reuse.

(c) Inks, pigments, soaps, and other products in multiple-use containers shall be dispensed in a manner to prevent contamination of the storage container and its remaining contents through the use of a single-use receptacle.

(d) Inks and pigments shall be placed into a clean, single-use receptacle. The inks and pigments remaining in the receptacle shall be discarded immediately upon completion of the procedure.

26 ■ IN ☐ NA ☐ OUT 119309(h);119315(d)(e) - Storage of inks, pigments, needles, tubes, etc.

Violation Description:

119309 (h) Sterile instrument packs shall be evaluated before use, and if the integrity of a pack is compromised in any way, including, but not limited to, being torn, punctured, wet, or having evidence of potential moisture contamination, the instrument pack shall be discarded or reprocessed before use.

119315 (d) Sterilized instruments shall be stored in the intact sterilization packaging or in the sterilization equipment cartridge until time of use.

(e) Sterile instrument packs shall be evaluated at the time of storage and before use. If the integrity of a pack is compromised, including, but not limited to, cases where the pack is torn, punctured, wet, or displaying any evidence of moisture contamination, the pack shall be discarded or reprocessed before use.

County of San Bernardino • Department of Public Health
Division of Environmental Health Services

COMMUNITY ENVIRONMENTAL HEALTH PROGRAM
BODY ART - OFFICIAL INSPECTION REPORT

www.sbcounty.gov/dph/dehs

(800) 442-2283

FACILITY NAME	DATE	SIGNATURE
CLOAK & DAGGER TATTOO	2/6/2015	
LOCATION		REHS
13312 RANCHERO RD 15, OAK HILLS, CA 92344		Hui Chieng

BODY ART INSPECTION

27 ■ IN ☐ NA ☐ OUT 119310(b),119311 - Jewelry, Inks, Needles etc approved and used correctly

Violation Description:

119310 (b) Only jewelry made of ASTM F138, ISO 5832-1, and AISI 316L or AISI 316LVM implant grade stainless steel, solid 14-karat through 18-karat yellow or white gold, niobium, ASTM F 136 6A4V titanium, platinum, or other materials found to be equally biocompatible shall be placed in newly pierced skin.

119311 (a) A product applied to the skin prior to tattooing or application of permanent cosmetics, including, but not limited to, stencils and marking and transfer agents, including pens, shall be single use and discarded into a waste container at the end of the procedure unless the product can be disinfected for reuse.

(b) Only commercially manufactured inks, dyes, and pigments shall be used.

(c) Inks, pigments, soaps, and other products in multiple-use containers shall be dispensed in a manner to prevent contamination of the storage container and its remaining contents through the use of a single-use receptacle.

(d) Inks and pigments shall be placed into a clean, single-use receptacle. The inks and pigments remaining in the receptacle shall be discarded immediately upon completion of the procedure.

(e) If a tray is used for inks or pigments, it shall be decontaminated after each procedure.

(f) Only single-use needles and needle bars shall be used in tattooing and the application of permanent cosmetics. Needles and needle bars that are purchased in a nonsterilized state, shall be sterilized, pursuant to the process required by Section 119315.

(g) Needles, needle bars, grommets, and razors shall be discarded into a sharps waste container immediately upon completion of the procedure. 119311

(h) Any part of a tattooing machine that may be touched by the practitioner during the procedure shall be covered with a disposable plastic sheath that is discarded upon completion of the procedure, and the machine shall be decontaminated upon completion of the procedure.

(i) A machine used to insert pigments shall be designed with removable tip parts between the tip and motor housing, and in a manner that will prevent backflow into enclosed parts of the motor housing.

(j) A hand tool used to insert pigment shall be disposed of in a sharps container, with the sharps intact, unless the needle can be mechanically ejected from the hand tool.

28 ■ IN ☐ NA ☐ OUT 119308(a-b);119309;119311 - Cross-contamination avoided during all phases of procedure

Violation Description:

119308 (a) Before performing body art, the practitioner shall put on personal protective equipment that is appropriate for the task.

(b) All solid surfaces and objects in the procedure area and the decontamination and sterilization area that have come into contact with the client or the materials used in performing the body art, including, but not limited to, chairs, armrests, tables, countertops, and trays, shall be immediately cleaned and decontaminated after each use by application of a disinfectant, used according to manufacturer#s directions.

(d) The practitioner shall wear disposable gloves on both hands when touching, decontaminating, or handling a surface, object, instrument, or jewelry that is soiled or that is potentially soiled with human blood.

(e) An instrument or other reusable item that comes into contact with nonintact skin or mucosal surfaces shall either be single use or be cleaned, decontaminated, packaged, and sterilized after each procedure. Sterilization shall be accomplished pursuant to the procedures established in Section 119315 by steam autoclave.

119311 (a) A product applied to the skin prior to tattooing or application of permanent cosmetics, including, but not limited to, stencils and marking and transfer agents, including pens, shall be single use and discarded into a waste container at the end of the procedure unless the product can be disinfected for reuse.

(c) Inks, pigments, soaps, and other products in multiple-use containers shall be dispensed in a manner to prevent contamination of the storage container and its remaining contents through the use of a single-use receptacle.

(d) (d) Inks and pigments shall be placed into a clean, single-use receptacle. The inks and pigments remaining in the receptacle shall be discarded immediately upon completion of the procedure.

(e) If a tray is used for inks or pigments, it shall be decontaminated after each procedure.

(f) Only single-use needles and needle bars shall be used in tattooing and the application of permanent cosmetics. Needles and needle bars that are purchased in a nonsterilized state, shall be sterilized, pursuant to the process required by Section 119315.

(g) Needles, needle bars, grommets, and razors shall be discarded into a sharps waste container immediately upon completion of the procedure.

(h) Any part of a tattooing machine that may be touched by the practitioner during the procedure shall be covered with a disposable plastic sheath that is discarded upon completion of the procedure, and the machine shall be decontaminated upon completion of the procedure.

County of San Bernardino • Department of Public Health
Division of Environmental Health Services

COMMUNITY ENVIRONMENTAL HEALTH PROGRAM
BODY ART - OFFICIAL INSPECTION REPORT

www.sbcounty.gov/dph/dehs

(800) 442-2283

FACILITY NAME	DATE	SIGNATURE
CLOAK & DAGGER TATTOO	2/6/2015	
LOCATION: 13312 RANCHERO RD 15, OAK HILLS, CA 92344		REHS: Hui Chieng

BODY ART INSPECTION

29 ■ IN ☐ NA ☐ OUT 119314(a)(f), 119317(b) - Areas separated/no living or sleeping quarters/no animals *

Violation Description:

119314 (a) A body art facility shall be free of insect and rodent infestation.

119314 (f) No animals shall be allowed in the procedure area or the decontamination and sterilization area except service animals, as defined by the federal Americans with Disabilities Act.

119317 (b) The demonstration booth shall be constructed with a partition of at least three feet in height separating the procedure area from the public.

30 ■ IN ☐ NA ☐ OUT 119314(a)(1);119317(e) - Floors and walls clean and in good repair, adequate light *

Violation Description:

119314 (a) With the exception of a temporary demonstration booth, as specified in Sections 119317 and 119318, a body art facility shall comply with all of the following: have floors, walls, and ceilings.

119317 (e) The demonstration booth shall used exclusively for performing body art.

31 ■ IN ☐ NA ☐ OUT 119309(b);119318(b)(5) - Workstation, surfaces, including chairs, armrests, etc. in good repair; trash removed

Violation Description:

119309 (b) All solid surfaces and objects in the procedure area and the decontamination and sterilization area that have come into contact with the client or the materials used in performing the body art, including, but not limited to, chairs, armrests, tables, countertops, and trays, shall be immediately cleaned and decontaminated after each use by application of a disinfectant, used according to manufacturer#s directions.

119318 (b) (5) The sponsor of a temporary body art event shall be responsable for ensuring frequent trash pickup from demonstration booths.

County of San Bernardino • Department of Public Health
Division of Environmental Health Services

COMMUNITY ENVIRONMENTAL HEALTH PROGRAM
BODY ART - OFFICIAL INSPECTION REPORT

www.sbcounty.gov/dph/dehs

(800) 442-2283

FACILITY NAME	DATE	SIGNATURE
CLOAK & DAGGER TATTOO	2/6/2015	
LOCATION		REHS
13312 RANCHERO RD 15, OAK HILLS, CA 92344		Hui Chieng

BODY ART INSPECTION

32 ■ IN ☐ NA ☐ OUT 119306;312(g);318(d,e) - Permit/registration and required signs posted *

Violation Description:

119306 (c) As a condition of registration, the applicant shall provide all of the following: Evidence of current hepatitis B vaccination, including applicable boosters, unless the practitioner can demonstrate hepatitis B immunity or has complied with current federal OSHA hepatitis B vaccination declination requirements. Evidence of completion of OSHA Bloodborne Pathogen Training consistent with Section 119307 and pursuant to paragraph (2) of subdivision (g) of Section 5193 of Title 8 of the California Code of Regulations or its successor. Proof that he or she is 18 years of age or older. Self-certification of, knowledge of, and commitment to meet state law and relevant local regulations pertaining to body art safety. His or her business address and the address at which he or she will perform any activity regulated by this chapter. Payment of a registration fee directly to the local enforcement agency. The local enforcement agency shall set the fee at an amount not to exceed the amount necessary but that is sufficient to cover the actual costs of administering the program. The local enforcement agency shall issue a health permit after an investigation has determined that the proposed body art facility and its method of operation meets the specifications of the approved plans or conforms to the requirements of this article.

119306 (d) A practitioner shall display, in a place readily visible to the public at the body art facility where the practitioner is performing body art, the certificate confirming registration with the local enforcement agency in the jurisdiction in which that practice is conducted.

119306 (e) A valid and current registration issued by a local enforcement agency shall be valid in any other jurisdiction for no more than five consecutive days, or 15 days total, in any one calendar year.

119312 (g) The health permit shall be posted in a conspicuous place at the body art facility. Certificates of registration for all practitioners performing body art in that facility shall also be prominently displayed either near the health permit or at the individual practitioner#s procedure area if each practitioner has a designated area.

119318 (d) The name, telephone number, and directions to an emergency room near the temporary body art event shall be posted in a conspicuous location.

119318 (e) Each practitioner working in a booth at a temporary body art event shall display his or her certificate of registration, or keep the certificate in a folder that is available for inspection upon request of the enforcement officer or a client.

33 ☐ IN ☐ NA ■ OUT 119306, 119307, 119318 - IPCP and employee training records and Hepatitiis B vaccination status present

Violation Description:

119306 (c) (1) Evidence of current hepatitis B vaccination, including applicable boosters, unless the practitioner can demonstrate hepatitis B immunity or has complied with current federal OSHA hepatitis B vaccination declination requirements.
(2) Evidence of completion of OSHA Bloodborne Pathogen Training consistent with Section 119307.

119307 (a) Prior to registering with the local enforcement agency, a practitioner shall complete a Bloodborne Pathogens Exposure Control Training program that is specific to his or her practice.
(d) Each person required to complete a Bloodborne Pathogens Exposure Control Training program pursuant to this section shall annually complete a minimum of two hours of Bloodborne Pathogens Exposure Control Training update presented by a trainer eligible pursuant to paragraph (1) of subdivision (c).
(e) Records of training required pursuant to this section shall be maintained for three years and shall be available for inspection upon request of the enforcement officer.

119313 (a) A body art facility shall maintain and follow a written Infection Prevention and Control Plan, provided by the owner or established by the practitioners, specifying the procedures to achieve compliance with each applicable requirement of this chapter.

Comments:

Dallin Hubler (Tattoo Artist) has been observed with an expired Body Art Practitioner's Registration. This artist shall not perform any permanent body art until registration has been obtained.

According to the Infection Prevention Control Plan, sterilization procedures and medical waste hauler information has been changed. The facility has ceased sterilizing re-usable needles, tubes, bars, and have switched to all single-use disposable equipment. The Infection Prevention Control Plan shall comply with Section 119313(e): The Infection Prevention and Control Plan shall be revised when changes are made in infection prevention practices, procedures, or tasks.

County of San Bernardino • Department of Public Health
Division of Environmental Health Services

COMMUNITY ENVIRONMENTAL HEALTH PROGRAM
BODY ART - OFFICIAL INSPECTION REPORT

www.sbcounty.gov/dph/dehs

(800) 442-2283

FACILITY NAME	DATE	SIGNATURE
CLOAK & DAGGER TATTOO	2/6/2015	
LOCATION		REHS
13312 RANCHERO RD 15, OAK HILLS, CA 92344		Hui Chieng

BODY ART INSPECTION

34 ■ IN ☐ NA ☐ OUT 119316(4);119318(b)(2) - Restrooms available, stocked *

Violation Description:

119316 (4) A mobile body art facility shall only be operated within 200 feet of an accessible restroom.

119318 (b) (2) Restrooms that have flush toilets supplied with toilet paper, and hand wash sinks supplied with hot and cold potable running water, soap, and single-use paper towels to which practitioners have direct access.

35 ☐ IN ■ NA ☐ OUT 119314(e,f,h) - Plan Review

Violation Description:

119312 (e) The local enforcement agency shall issue a health permit after an investigation has determined that the proposed body art facility and its method of operation meets the specifications of the approved plans or conforms to the requirements of Safe Body Art Act.

(f) A health permit is valid only for the location of the facility and the time period indicated on the permit and may not be transferred to another owner or facility.

(h) A person proposing to construct a practice site or mobile practice site, other than a temporary body art event booth, shall submit plans to the Plan Review Unit of the local enforcement agency. The plans shall be approved in advance of the issuance of a building, plumbing, or electrical permit. All required corrections must be made and the body art facility approved to open before body art can be performed in the facility.

36 ■ IN ☐ NA ☐ OUT 119306; 312; 317; 318 - Permits Obtained & Available *

Violation Description:

119306 (a) A person shall not perform body art at any location other than a permitted permanent or temporary body art facility.

(b) A person shall not perform body art if he or she is not registered with the local enforcement agency.

119312 (a) A body art facility shall not conduct business without a valid health permit.

119317 A practitioner may, in the local jurisdiction of registration, practice in a temporary demonstration booth for no more than seven days in a 90-day period.

119317 (k) The demonstration booth shall operate with all necessary permits to conduct business. In addition to the penalties available pursuant to Article 6 (commencing with Section 119320), a sponsor or practitioner who violates this subdivision shall be subject to closure of the temporary body art event or a penalty not to exceed three times the cost of the permit or both closure and the penalty.

119318 (a) The sponsor of a temporary body art event shall obtain all necessary permits to conduct business in the jurisdiction where the event will be held. The sponsor shall submit a complete temporary facility permit application to the local enforcement agency a minimum of 30 days prior to the date of the scheduled event. A local enforcement agency may establish a fee not to exceed the amount necessary, but that is sufficient to cover, the actual costs of the administration of this section. In addition to the penalties available pursuant to Article 6 (commencing with Section 119320), a sponsor who violates this subdivision shall be subject to closure of the temporary body art event and a penalty not to exceed three times the cost of the permit.

37 ☐ IN ■ NA ☐ OUT 119319(c) - Impoundment

Violation Description:

119319 (c) Based upon inspection findings or other evidence, an enforcement officer may impound instruments that are found to be unsafe to use, used in an unapproved manner, or used in an unapproved location. Within 30 days, the local enforcement agency that has impounded the equipment shall commence proceedings to release the instrument or to seek administrative or legal remedy for its disposal.

38 ☐ IN ■ NA ☐ OUT 119320(d) - Hearing Scheduled

Violation Description:

119320 (d) Whenever an enforcement officer finds that a practitioner or body art facility is not in compliance with the requirements of this chapter, the enforcement officer shall issue a notice to comply or a notice of violation to the registrant or permit holder setting forth the acts or omissions with which the registrant or permit holder is charged, and informing him or her of a right to a hearing, if requested, to show cause why the registration or permit should not be suspended or revoked.

County of San Bernardino • Department of Public Health
Division of Environmental Health Services

COMMUNITY ENVIRONMENTAL HEALTH PROGRAM
BODY ART - OFFICIAL INSPECTION REPORT

www.sbcounty.gov/dph/dehs

(800) 442-2283

FACILITY NAME	DATE	SIGNATURE
CLOAK & DAGGER TATTOO	2/6/2015	
LOCATION		REHS
13312 RANCHERO RD 15, OAK HILLS, CA 92344		Hui Chieng

BODY ART INSPECTION

39 ☐ IN ■ NA ☐ OUT 119320(a-c);119321 - Closure *

Violation Description:

119320 (a) A certificate of registration or a health permit may be suspended by a local enforcement agency for a violation of this chapter.

(b) A body art facility or practitioner whose certificate of registration or health permit has been suspended shall cease doing business until the certificate or permit has been reinstated. Suspension of the registration of one practitioner in a body art facility does not affect the status of other practitioners in the facility unless the violation or violations are for conditions or equipment that affects the ability of all the practitioners in the facility to comply with the provisions of this chapter.

(c) A body art facility for which the health permit has been revoked shall close and remain closed until a new health permit has been issued.

119321 If an imminent health hazard is found, the enforcement officer may suspend a registration temporarily and order the practitioner to cease operation if the hazard is not corrected. If the hazard affects the entire body art facility, then the entire facility may be closed immediately. Whenever a registration or health permit is suspended as the result of an imminent health hazard, the enforcement officer shall issue to the registrant or permit holder a notice setting forth the acts or omissions being charged, specifying the pertinent code section, and informing the registrant or permit holder of the right to a hearing.

Overall Inspection Comments:

The facility performs only permanent body art. Two artists are employed at this facility, which includes Christopher Soto and Dallin Hubler. The existing clean room has ceased operation and employees have switched to complete single-use disposable needles, bars, and etc. Barriers were seen properly used and supplied. Needles, grommets, bars and other disposable items were observed properly disposed in designated containers. The current medical waste hauler has been changed at this time and the owner is currently seeking another approved hauler. Purchase records and laboratory letterheads were reviewed and were in compliance.

Artist Dallin Hubler shall not perform any permanent body art until he has obtained a Body Art Practitioner's Registration from Environmental Health Services.

The facility is currently completing a transfer in ownership with Christopher Soto being the potential new owner. The new owner shall obtain a Health Permit from Environmental Health Services by Friday, February 13th. Failure to comply shall result in immediate facility closure and or further legal action may result.

Ensure to update the Infection Prevention Control Plan during the transfer of ownership.

*Remove all sterilizing equipment from the facility.

Attachments:

No Attachments

Person in Charge:

Inspector: Hui Chieng

Follow-up: ☐ **Yes** ■ **No** **Follow-up Date:**