



RETAIL FOOD PROTECTION - OFFICIAL INSPECTION REPORT

FACILITY NAME UNIVERSITY 76		REINSPECTION DATE Not Specified		INSPECTOR Rubi Guido	DATE 7/20/2020
LOCATION 4294 UNIVERSITY PKWY, SAN BERNARDINO, CA 92407				PERMIT EXPIRATION	IDENTIFIER: None
TIME IN 1:56 PM	TIME OUT 3:15 PM	FACILITY ID FA0001258	RELATED ID CO0071458	PE 1647	SERVICE: 004 - COMPLAINT - INITIAL RESULT: 05 - CORRECTIVE ACTION / FOLLOW UP REQU ACTION: 13 - PERMIT SUSPENDED / FACILITY CLOSED

RETAIL FOOD PROTECTION - Convenience Store (500-2499 SqFt)

Based on an inspection this day, the items marked below identify the violation(s) in operation or facilities which must be corrected. Failure to correct listed violation(s) prior to the designated compliance date may necessitate an additional inspection to be billed at the hourly rate as provided in the San Bernardino County Code, [Schedule of Fees](#).

Administrative Order to Show Cause (OSC): The Permittee has the right to a hearing if requested in writing within 15 calendar days of receipt of this notice, to show cause why the permit to operate should not be suspended or revoked; otherwise the right to a hearing shall be deemed waived.

See the following pages for the code sections and general requirements that correspond to each violation listed below.

16K995 Permit - Suspension



Compliance Date: Not Specified

Not In Compliance

Violation Reference - HSC

Inspector Comments: The health permit (open food stations only) to this facility was suspended on this date due to no running water.

Call this office when the facility is ready to re-open to determine compliance. This facility's open food stations must remain closed until a re-inspection is conducted and the health permit to operate this facility is reinstated by a representative of this agency.

Violation Description: Violation(s) observed pose an immediate threat to public health and safety and the health permit to operate is hereby suspended and ordered closed until the listed violation(s) have been corrected and verified by DEHS. Facility is to remain closed until permission from DEHS is given. Contact your inspector at your local office to schedule a reinspection to reinstate the health permit. Posted closed, do not move, hide, or remove sign.

16K999 Complaint Inspection

Compliance Date: Not Specified

Reference - HSC

Inspector Comments: The purpose of this visit was to conduct a complaint investigation inspection.

NATURE OF COMPLAINT:

The complainant alleged that the facility currently does not have running water.

FINDING(S):

The employee stated that the facility did not have running water at approximately 11am on 7/20/20.

The manager stated the following:

- Noticed that the facility did not have running water at approximately 1pm on 7/20/20 and placed a work order on this date.
- The water was turned off due to the new owner not having a water company to supply the facility. United Pacific is the new owner of this facility since 6/26/20.
- Self-closed all open food stations.
- Does not know when running water will be supplied to the facility.

OBSERVATION(S):

No running water at the following:

- Handwash sink located in the back room
- Handwash sink located behind the counter
- 3-compartment sink
- Janitorial sink
- Handwash sink located in the customer restroom (to the right)
- Handwash sink located in the employee restroom (to the left)
- A current health permit was not available upon request

RESULT(S):

The health permit to this facility was suspended on this date due to no running water.

Call this office when the facility is ready to re-open to determine compliance. This facility's open food stations must remain closed until a re-inspection is conducted and the health permit to operate this facility is reinstated by a representative of this agency.

A food facility shall not be open for business without a valid permit. Obtain a San Bernardino County Health Permit within 72 hours. Permit shall be available at the facility and posted in a conspicuous location.

Note: A follow-up inspection will be conducted in 72 hours. Failure to comply will result in the closure of this facility and/or possible legal action.

Description: A complaint report has been received by Environmental Health.



RETAIL FOOD PROTECTION - OFFICIAL INSPECTION REPORT

FACILITY NAME UNIVERSITY 76	DATE 7/20/2020
LOCATION 4294 UNIVERSITY PKWY, SAN BERNARDINO, CA 92407	INSPECTOR Rubi Guido

16C021 Hot and cold water available

Compliance Date: Not Specified
Not In Compliance
Violation Reference - HSC - 113953(c),
114099.2(b)

Inspector Comments: Observed no running water at the following:

- Handwash sink located in the back room
- Handwash sink located behind the counter
- 3-compartment sink
- Janitorial sink
- Handwash sink located in the customer restroom (to the right)
- Handwash sink located in the employee restroom (to the left)

Ensure hot water is supplied at all sinks at a minimum temperature of 120°F when measured from the faucet.

Violation Description: An adequate, protected, pressurized, potable supply of hot water and cold water shall be provided at all times. (113953(c), 114099.2(b) 114101(a), 114189, 114192, 114192.1, 114195)

16K049 Permits Available

Comply by: 7/21/2020
Not In Compliance
Violation Reference - HSC - 114067(b, c),
114381 (a)

Inspector Comments: The health permit was not available upon request. Permits shall be available at the facility and posted in a conspicuous location.

A food facility shall not be open for business without a valid permit. Obtain a San Bernardino County Health Permit within 72 hours. Permit shall be available at the facility and posted in a conspicuous location.

Note: A follow-up inspection will be conducted in 72 hours. Failure to comply will result in the closure of this facility and/or possible legal action.

Violation Description: A food facility shall not be open for business without a valid permit. A permit shall be valid only for the specified permittee, location, and type of food sales or distribution activity. No food facility shall conduct activities that are inconsistent with the permit(s) issued by the enforcement agency. (114067(b) & (c), 114381 (a), 114381.2, 114387)

Overall Inspection Comments

The health permit to this facility was suspended on this date due to no running water.

Call this office when the facility is ready to re-open to determine compliance. This facility's open food stations must remain closed until a re-inspection is conducted and the health permit to operate this facility is reinstated by a representative of this agency.

Provided the application for transfer of ownership.

NOTE:

Non-compliance will result in a charged follow-up inspection at an hourly rate of \$245.

DO NOT REMOVE, RELOCATE OR MOVE NOTICE OF CLOSURE.

When ready for re-inspection, contact 800-442-2283

FREE Classes to L.E.A.R.N!

Liaison Education And Risk Network (L.E.A.R.N.) is a FREE class based on the fundamentals of Active Managerial Control and the Centers for Disease Control and Prevention's five risk factors that lead to foodborne illnesses. Find out when the next L.E.A.R.N. class is by checking our [calendar](#).

Signature(s) of Acknowledgement

NAME: Sheryl Hubbard
TITLE: Manager

Total # of Images: 0